Supplementary Materials

Chloro-furanocembranolides from *Leptogorgia* sp. improve beta-cell pancreatic proliferation

Amalia B. Gallardo ^{1,2}, Ana R. Díaz-Marrero ^{1,†}, José M. de la Rosa ¹, Luis D'Croz ^{4,5}, Germán Perdomo ⁶, Irene Cózar-Castellano ⁷, José Darias ¹ and Mercedes Cueto ^{1,*}

- ¹ Instituto de Productos Naturales y Agrobiología (IPNA-CSIC). Avenida Astrofísico F. Sánchez, 3, 38206 La Laguna, Tenerife, Spain
- ² Facultad de Ciencias, Universidad de Magallanes, Departamento de Química, Avenida Bulnes 01855, Punta Arenas, Chile
- ³ Departamento de Biología Marina y Limnología, Universidad de Panamá, Panama
- ⁴ Smithsonian Tropical Research Institute, STRI, Box 0843-03092, Balboa, Panama
- ⁵ School of Health Sciences, University of Burgos, Spain
- ⁶ Instituto de Biología y Genética Molecular (University of Valladolid-CSIC), Spain
- * Correspondence: mcueto@ipna.csic.es; Tel.: +34-922-250-144
- ⁺Present address: University Institute of Bio-Organic Chemistry "Antonio González" (CIBICAN), University of La Laguna, 38206 Tenerife, Spain.

E-mail: mcueto@ipna.csic.es

INDEX:

- Figure S1. ¹H NMR spectrum of 1 in CDCl₃
- Figure S2. ¹³C NMR spectrum of 1 in CDCl₃
- Figure S3. ¹H NMR spectrum of 2 in CDCl₃
- Figure S4. ¹³C NMR spectrum of 2 in CDCl₃
- Figure S5. ¹H NMR spectrum of 3 in CDCl₃
- Figure S6. ¹³C NMR spectrum of 3 in CDCl₃
- Figure S7. ¹H NMR spectrum of 4 in CDCl₃
- Figure S8. ¹³C NMR spectrum of 4 in CDCl₃
- Figure S9. ¹H NMR spectrum of 5 in CDCl₃
- Figure S10. ¹³C NMR spectrum of 5 in CDCl₃

Figure S1. ¹H NMR of 1 in CDCl₃



Figure S2. ¹³C NMR spectrum of 1 in CDCl₃



Figure S3. ¹H NMR of 2 in CDCl₃



Figure S4. ¹³C NMR spectrum of 2 in CDCl₃



Figure S5. ¹H NMR of 3 in CDCl₃





Figure S6. ¹³C NMR spectrum of 3 in CDCl₃

Figure S7. ¹H NMR of 4 in CDCl₃



Figure S8. ¹³C NMR spectrum of 4 in CDCl₃





Figure S10. ¹³C NMR spectrum of 5 in CDCl₃

