

Supplementary Materials Contents Page

Capillasterin A, a Novel Pyrano[2,3-f]chromene from the Australian Crinoid *Capillaster multiradiatus*

Kah Yean Lum ¹, Anthony R. Carroll ¹, Merrick G. Ekins ², Silven Read ³, Zahra Haq ³,
Ian Tietjen ³, James St John ¹ and Rohan A. Davis ^{1,*}

¹ Griffith Institute for Drug Discovery, Griffith University, Brisbane, QLD 4111, Australia;
kahyean.lum@griffithuni.edu.au (K.Y.L.); a.carroll@griffith.edu.au (A.R.C.);
j.stjohn@griffith.edu.au (J.S.J.)

² Biodiversity and Geosciences, Queensland Museum, South Brisbane BC, QLD 4101, Australia; merrick.ekins@qm.qld.gov.au

³ Faculty of Health Sciences, Simon Fraser University, Burnaby, BC, Canada; silven_read@sfu.ca (S.R.); zahra_haq@sfu.ca (Z.H.); ian_tietjen@sfu.ca (I.T.);

* Correspondence: r.davis@griffith.edu.au; Tel: +61-7-3735-604; Fax: +61-7-3735-6001.

Contents:

Figure S1 ¹H NMR (800 MHz) spectrum of capillasterin A (**1**) in CDCl₃

Figure S2 ¹³C NMR (200 MHz) spectrum of capillasterin A (**1**) in CDCl₃

Figure S3 COSY NMR spectrum of capillasterin A (**1**) in CDCl₃

Figure S4 HSQC NMR spectrum of capillasterin A (**1**) in CDCl₃

Figure S5 HMBC NMR spectrum of capillasterin A (**1**) in CDCl₃

Figure S6 ROESY NMR spectrum of capillasterin A (**1**) in CDCl₃

Figure S1 ^1H NMR (800 MHz) spectrum of capillasterin A (**1**) in CDCl_3




Figure S2 ^{13}C NMR (200 MHz) spectrum of capillasterin A (**1**) in CDCl_3




Figure S3 COSY NMR spectrum of capillasterin A (**1**) in CDCl_3




Figure S4 HSQC NMR spectrum of capillasterin A (**1**) in CDCl_3




Figure S5 HMBC NMR spectrum of capillasterin A (**1**) in CDCl_3




Figure S6 ROESY NMR spectrum of capillasterin A (**1**) in CDCl_3

