

Supporting Information

5-O-(N-Boc-L-Alanine)-Renieramycin T Induces Cancer Stem Cell Apoptosis via Targeting Akt signalling

Darinthip Suksamai^{1,2}, Satapat Racha³, Nicharat Sriratasak^{1,4}, Chatchai Chaotham^{1,5}, Kanokpol Aphicho⁶, Aye Chan Khine Lin^{2,6}, Chaisak Chansriniyom^{6,7}, Khanit Suwanborirux^{6,7}, Supakarn Chamni^{6,7} and Pithi Chanvorachote^{1,4*}

¹ Center of Excellence in Cancer Cell and Molecular Biology, Faculty of Pharmaceutical Sciences, Chulalongkorn University, Bangkok 10330, Thailand; pithi.c@chula.ac.th (P.C.); darintip.ss@gmail.com (D.S.); nicharat.sri@outlook.com (N.S.); cchoatham@gmail.com (C.C.)

² Graduate Program of Pharmaceutical Science and Technology, Faculty of Pharmaceutical Science, Chulalongkorn University, Bangkok, Thailand; darintip.ss@gmail.com (D.S.); ayechan23792@gmail.com (A.L.)

³ Interdisciplinary Program in Pharmacology, Graduate School, Chulalongkorn University, Bangkok, Thailand; satapatto@gmail.com (S.R.)

⁴ Department of Pharmacology and Physiology, Faculty of Pharmaceutical Sciences, Chulalongkorn University, Bangkok 10330, Thailand; pithi.c@chula.ac.th (P.C.); nicharat.sri@outlook.com (N.S.)

⁵ Department of Biochemistry and Microbiology, Faculty of Pharmaceutical Sciences, Chulalongkorn University, 10330 Bangkok, Thailand; cchoatham@gmail.com (C.C.)

⁶ Natural Products and Nanoparticles Research Unit (NP²), Chulalongkorn University, Bangkok 10330, Thailand; kanokpol.ap@gmail.com (K.A.); ayechan23792@gmail.com (A.C.K.L.); chaisak.c@pharm.chula.ac.th (C.C.); khanit.s@chula.ac.th (K.S.); supakarn.c@pharm.chula.ac.th (S.C.)

⁷ Department of Pharmacognosy and Pharmaceutical Botany, Faculty of Pharmaceutical Sciences, Chulalongkorn University, Bangkok 10330, Thailand; chaisak.c@pharm.chula.ac.th (C.C.); khanit.s@chula.ac.th (K.S.); supakarn.c@pharm.chula.ac.th (S.C.)

* Correspondence: pithi.c@chula.ac.th; Tel.: +662-218-8344

Content	Page
Figure S1 ¹ H-NMR (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl ₃	S2
Figure S2 ¹³ C-NMR (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl ₃	S3
Figure S3 COSY (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl ₃	S4
Figure S4 HSQC (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl ₃	S5
Figure S5 HMBC (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl ₃	S6




Figure S1. ¹H NMR (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl₃




Figure S2. ^{13}C -NMR (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl_3




Figure S3. COSY (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl_3




Figure S4. HSQC (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl₃




Figure S5. HMBC (400 MHz) spectrum of 5-O-(N-Boc-L-alanine)-renieramycin T in CDCl₃