

Supplementary Material

Exophilone, a Tetrahydrocarbazol-1-one Analogue with Anti-Pulmonary Fibrosis Activity from the Deep-Sea Fungus *Exophiala oligosperma* MCCC 3A01264

Ming-Jun Hong^{1,†}, Meng-Jiao Hao^{1,†}, Guang-Yu Zhang¹, Hou-Jin Li², Zong-Ze Shao³, Xiu-Pian Liu³, Wen-Zhe Ma⁴, Jun Xu¹, Taifo Mahmud⁵ and Wen-Jian Lan^{1,*}

¹ School of Pharmaceutical Sciences, Sun Yat-sen University, Guangzhou 510006, China; hongmj5@mail2.sysu.edu.cn (Ming-Jun Hong); haomj@mail2.sysu.edu.cn (Meng-Jiao Hao); zhanggy39@mail2.sysu.edu.cn (G.-Y.Z.); xujun9@mail.sysu.edu.cn (J.X.)

² School of Chemistry, Sun Yat-sen University, Guangzhou 510006, China; ceslhj@mail.sysu.edu.cn (H.-J.L.)

³ Key Laboratory of Marine Biogenetic Resources, Third Institute of Oceanography, Ministry of Natural Resources, Xiamen 361005, China; shaozz@163.com (Z.-Z.S.); mccc5177@163.com (X.-P.L.)

⁴ State Key Laboratory of Quality Research in Chinese Medicine, Macau University of Science and Technology, Taipa 519020, Macau, China; wzma@must.edu.mo (W.-Z.M.)

⁵ Department of Pharmaceutical Sciences, Oregon State University, Corvallis, OR 97331, USA; taifo.mahmud@oregonstate.edu

* Correspondence: lanwj@mail.sysu.edu.cn; Tel.: +86-20-399-43-042

† These authors contributed equally to this work.

List of contents:

Figure S1. HR-ESI-MS spectrum of Exopzolons (1).	3
Figure S2. ¹ H NMR spectrum of Exopzolons (1) in DMSO- <i>d</i> 6 (600 MHz).	4
Figure S3. ¹³ C NMR spectrum of Exopzolons (1) in DMSO- <i>d</i> 6 (600 MHz).	5
Figure S4. DEPT 135 spectrum of Exopzolons (1) in DMSO- <i>d</i> 6 (600 MHz).	6
Figure S5. HMQC spectrum of Exopzolons (1) in DMSO- <i>d</i> 6 (600 MHz).	7
Figure S6. ¹ H- ¹ HCOSY spectrum of Exopzolons (1) in DMSO- <i>d</i> 6 (600 MHz).	8
Figure S7. HMBC spectrum of Exopzolons (1) in DMSO- <i>d</i> 6 (600 MHz).	9
Figure S8. NOEY spectrum of Exopzolons (1) in DMSO- <i>d</i> 6 (600 MHz).	10
Figure S9. ¹ H NMR spectrum of flazine (2) in DMSO- <i>d</i> 6 (400 MHz).	11
Figure S10. ¹³ C NMR spectrum of flazine (2) in DMSO- <i>d</i> 6 (400 MHz).	12
Figure S11. ¹ H NMR spectrum of perlolyrine (3) in Acetone- <i>d</i> 6 (400 MHz).	13
Figure S12. ¹³ C NMR spectrum of perlolyrine (3) in Acetone- <i>d</i> 6 (400 MHz).	14
Figure S13. ¹ H NMR spectrum of 2-(1H-indol-3-yl)-2-oxoacetamide (4) in DMSO- <i>d</i> 6 (500 MHz).	15
Figure S14. ¹³ C NMR spectrum of 2-(1H-indol-3-yl)-2-oxoacetamide (4) in DMSO- <i>d</i> 6 (500 MHz).	16
Figure S15. ¹ H NMR spectrum of N-acetyltryptamine (5) in CDCl ₃ (500 MHz).	17
Figure S16. ¹³ C NMR spectrum of N-acetyltryptamine (5) in CDCl ₃ (500 MHz).	18
Figure S17. ¹ H NMR spectrum of methyl Indol-3-ylacetate (6) in Acetone- <i>d</i> 6 (400 MHz).	19
Figure S18. ¹³ C NMR spectrum of methyl Indol-3-ylacetate (6) in Acetone- <i>d</i> 6 (400 MHz).	

.....	20
Figure S19. ^1H NMR spectrum of 3-(hydroxylacetyl)-1H-indole (7) in DMSO- <i>d</i> 6 (500 MHz).....	21
Figure S20. ^{13}C NMR spectrum of 3-(hydroxylacetyl)-1H-indole (7) in DMSO- <i>d</i> 6 (500 MHz).....	22
Figure S21. ^1H NMR spectrum of indole-3-acetic (8) in Acetone- <i>d</i> 6 (400 MHz).....	23
Figure S22. ^{13}C NMR spectrum of indole-3-acetic (8) in Acetone- <i>d</i> 6 (400 MHz).....	24
Figure S23. ^1H NMR spectrum of N-acetyltyramine (9) in MeOD (400 MHz).....	25
Figure S24. ^{13}C NMR spectrum of N-acetyltyramine (9) in MeOD (400 MHz).....	26
Figure S25. ^1H NMR spectrum of uracil (10) in DMSO (400 MHz).....	27
Figure S26. ^{13}C NMR spectrum of uracil (10) in DMSO (400 MHz).....	28




Figure S1. HR-ESI-MS spectrum of Exopzolons (**1**).




Figure S2. ^1H NMR spectrum of Exopzolons (**1**) in $\text{DMSO}-d_6$ (600 MHz).




Figure S3. ^{13}C NMR spectrum of Exopzolons (**1**) in DMSO-*d*6 (600 MHz).




Figure S4. DEPT 135 spectrum of Exopzolons (**1**) in DMSO-*d*6 (600 MHz).




Figure S5. HMQC spectrum of Exopzolons (**1**) in DMSO-*d*6 (600 MHz).




Figure S6. ^1H - ^1H COSY spectrum of Exopzolons (**1**) in $\text{DMSO}-d_6$ (600 MHz).




Figure S7. HMBC spectrum of Exopzolons (**1**) in DMSO-*d*6 (600 MHz).




Figure S8. NOEY spectrum of Exopzolons (**1**) in DMSO-*d*6 (600 MHz).




Figure S9. ^1H NMR spectrum of flazine (**2**) in $\text{DMSO}-d_6$ (400 MHz).




Figure S10. ^{13}C NMR spectrum of flazine (**2**) in $\text{DMSO}-d_6$ (400 MHz).




Figure S11. ¹H NMR spectrum of perlolyrine (3) in Acetone-*d*6 (400 MHz).




Figure S12. ¹³C NMR spectrum of perlolyrine (**3**) in Acetone-*d*6 (400 MHz).




Figure S13. ¹H NMR spectrum of 2-(1H-indol-3-yl)-2-oxoacetamide (**4**) in DMSO-*d*6 (500 MHz).




Figure S14. ^{13}C NMR spectrum of 2-(1H-indol-3-yl)-2-oxoacetamide (**4**) in $\text{DMSO}-d_6$ (500 MHz).




Figure S15. ^1H NMR spectrum of N-acetyltryptamine (**5**) in CDCl_3 (500 MHz).




Figure S16. ¹³C NMR spectrum of N-acetyltryptamine (**5**) in CDCl_3 (500 MHz).




Figure S17. ^1H NMR spectrum of methyl Indol-3-ylacetate (**6**) in Acetone-*d*6 (400 MHz).




Figure S18. ^{13}C NMR spectrum of methyl Indol-3-ylacetate (**6**) in Acetone-*d*6 (400 MHz).




Figure S19. ^1H NMR spectrum of 3-(hydroxylacetyl)-1H-indole (7) in $\text{DMSO}-d_6$ (500 MHz).




Figure S20. ^{13}C NMR spectrum of 3-(hydroxylacetyl)-1*H*-indole (7) in DMSO-*d*6 (500 MHz).




Figure S21. ¹H NMR spectrum of indole-3-acetic (8) in Acetone-*d*6 (400 MHz).




Figure S22. ¹³C NMR spectrum of indole-3-acetic (8) in Acetone-*d*6 (400 MHz).




Figure S23. ^1H NMR spectrum of N-acetyltyramine (**9**) in MeOD (400 MHz).




Figure S24. ¹³C NMR spectrum of N-acetyltyramine (**9**) in MeOD (400 MHz).




Figure S25. ^1H NMR spectrum of uracil (**10**) in DMSO (400 MHz).




Figure S26. ¹³C NMR spectrum of uracil (**10**) in DMSO (400 MHz).