

SUPPORTING INFORMATION

A Survey of Didemnins Depsipeptide Production in *Tistrella*

Robert J. Stankey,¹ Don Johnson,¹ Brendan M. Duggan,² David A. Mead^{1,*} and James J. La Clair,^{3,4,*}


¹ Terra Bioworks Inc., Middleton, Wisconsin, 53562, United States

² Skaggs School of Pharmacy and Pharmaceutical Sciences, University of California, San Diego,
9500 Gilman Drive, La Jolla, California, 92093, United States


³ Department of Chemistry and Biochemistry, University of California at San Diego, La Jolla, California,
92093-0358, United States

⁴ Xenobe Research Institute, P. O. Box 3052, San Diego, CA 92163-1052


* Correspondence: dmead@teraabioworks.com (D.A.M.) or i@xenobe.org (J.J.L.)

¹H-NMR (600 MHz) spectrum of didemnin B in CD₃OD


^1H , ^1H -COSY (600 MHz) spectrum of didemnin B in CD_3OD




$^1\text{H}, ^{13}\text{C}$ -HSQC (600 MHz) spectrum of didemnin B in CD_3OD




$^1\text{H}, ^{13}\text{C}$ -HMBC (600 MHz) spectrum of didemnin B in CD_3OD




^1H -NMR (600 MHz) spectra of extracts from cultures **K** - **R** as compared to didemnin B in CD_3OD




¹H-NMR (600 MHz) spectra of extracts from cultures **K - R** as compared to didemnin B in CD₃OD



¹H-NMR (600 MHz) spectra of extracts from cultures **K - R** as compared to didemnin B in CD₃OD



^1H -NMR (600 MHz) spectra of extracts from cultures **K** - **R** as compared to didemnin B in CD_3OD



^1H -NMR (600 MHz) spectra of extracts from cultures **K** - **R** as compared to didemnin B in CD_3OD

