

Supporting Information


Tetrahydrofuran Cembranoids from the Cultured Soft Coral *Lobophytum crassum*

Nai-Lun Lee and Jui-Hsin Su*


Table of Contents

- S1.** Table of Contents
- S2.** ^1H NMR spectrum of **1** in CDCl_3 at 500 MHz.
- S3.** ^{13}C NMR spectrum of **1** in CDCl_3 at 125 MHz.
- S4.** ^1H NMR spectrum of **2** in CDCl_3 at 500 MHz.
- S5.** ^{13}C NMR spectrum of **2** in CDCl_3 at 125 MHz.
- S6.** ^1H NMR spectrum of **3** in CDCl_3 at 500 MHz.
- S7.** ^{13}C NMR spectrum of **3** in CDCl_3 at 125 MHz.

AN3-1-24-26




S2. ^1H NMR spectrum of **1** in CDCl_3 at 500 MHz.




S3. ^{13}C NMR spectrum of **1** in CDCl_3 at 125 MHz.


AN-21-22




S4. ¹H NMR spectrum of **2** in CDCl₃ at 500 MHz.



S5. ^{13}C NMR spectrum of **2** in CDCl_3 at 125 MHz.



S6. ${}^1\text{H}$ NMR spectrum of **3** in CDCl_3 at 500 MHz.



S7. ^{13}C NMR spectrum of **3** in CDCl_3 at 125 MHz.