



10	SMARTS	Haddad 2014	Adequate	Inadequate	N/a	N/a	N/a	N/a	N/a	N/a	N/a	N/a
11	MSE	Wykes 2017	Adequate	Doubtful	N/a	Very good	N/a	Adequate	N/a	Inadequate	N/a	N/a
12	ASEC	Uher 2009	Adequate	Inadequate	N/a	Very good	N/a	N/a	N/a	N/a	Inadequate	Inadequate
13	Side-effect checklist	Carpay 2005	Inadequate	Inadequate	N/a	N/a	N/a	N/a	N/a	N/a	N/a	N/a
14	SIDAED	Uijl 2006	Inadequate	Inadequate	N/a	N/a	N/a	N/a	N/a	N/a	N/a	Inadequate
15	Satisfaction with Asthma Treatment Questionnaire	Campbell 2003	Doubtful	Doubtful	Doubtful	Very good	N/a	Adequate	N/a	N/a	N/a	N/a
16	ICQ	Foster 2006	Inadequate	Doubtful	N/a	Very good	N/a	Adequate	N/a	N/a	N/a	Inadequate
17	PQAT	Gater 2020	Inadequate	Inadequate	N/a	N/a	N/a	N/a	N/a	N/a	N/a	N/a
18	Common Terminology Criteria for Adverse Events Side Effects Questionnaire	Pearce 2017	Inadequate	Inadequate	N/a	N/a	N/a	N/a	N/a	N/a	N/a	N/a
19	Triptans Questionnaire	Feleppa 2004	Inadequate	Inadequate	N/a	N/a	N/a	N/a	N/a	N/a	N/a	N/a

N/a: Data not available for assessment