

Table S1. 10 types of herbal decoction formulae and compositions from traditional Korean medicine clinics, hospitals, and external herbal dispensaries

	Ssanghwa- tang(雙和湯)	Sipjeondaebo- tang(十全大補 湯)	Galgeun- tang(葛根湯)	Bojungikgi- tang(補中益 氣湯)	Banhasasim- tang(半夏瀉 心湯)	Ojeok-san (五積散)	Dangguisu- san (當歸鬚散)	Bangpungto ngseong-san (防風通聖散)	Dokhwalgis aeng-tang (獨活寄生湯)	Kangwhalyu pung-tang (羌活愈風湯)
<i>Glycyrrhiza uralensis</i> Fischer (甘草)	○	○	○	○	○	○	○	○	○	○
<i>Angelica gigas</i> Nakai (當歸)	○	○		○		○	○	○	○	○
<i>Paeonia lactiflora</i> Pallas (芍藥)	○	○	○			○	○	○	○	
<i>Zingiber officinale</i> Roscoe (乾薑)	○	○	○	○	○	○				
<i>Cinnamomum cassia</i> Presl (肉桂)	○	○	○				○		○	○
<i>Panax ginseng</i> C. A. Meyer (人參)		○		○	○				○	○
<i>Cnidium officinale</i> Makino (川芎)	○					○		○	○	○
<i>Astragalus membranaceus</i> Bunge (黃耆)	○	○		○						○
<i>Ephedra sinica</i> Stapf (麻黃)			○			○		○		○
<i>Euphorbia pekinensis</i> Ruprecht (大棗)	○		○		○	○				
<i>Zingiber officinale</i> Roscoe (生薑)								○	○	○
<i>Scutellaria baicalensis</i> Georgi (黃芩)					○			○		○
<i>Saposhnikovia divaricata</i> Schischkin (防風)								○	○	○
<i>Rehmanniae radix preparata</i> (熟地黃)	○	○							○	

[illegible]

<i>Chrysanthemum indicum</i> Linné	○
(甘菊)	
<i>Ostericum koreanum</i> Maximowicz	○
(羌活)	
<i>Lycium chinense</i> Miller	○
(枸杞子)	
<i>Vitex rotundifolia</i> Linné fil	○
(蔓荆子)	
<i>Paeonia lactiflora</i> Pallas	○
(白芍藥)	
<i>Rehmannia glutinosa</i> (Gaertner)	
<i>Liboschitz ex Steudel</i>	○
(生地黄)	
<i>Citrus aurantium</i> Linné	○
(枳殼)	
<i>Lycium chinense</i> Miller	○
(地骨皮)	
<i>Anemarrhena asphodeloides</i> Bunge	○
(知母)	
○ : The herb is included in the herbal decoction	