

Supplementary Materials

Table S1. The subscales of HAMD-17 and their items

Number	HAMD-17 items	Bech-6	Maier-6	Gibbons-8	Santen-7	Anxiety-6	Retardation-4
1	Depressed mood	•	•	•	•		•
2	Feelings of guilt	•	•	•	•		
3	Suicide			•	•		
4	Insomnia-early						
5	Insomnia-middle						
6	Insomnia-late						
7	Work and activities	•	•	•	•		•
8	Retardation	•	•		•		•
9	Agitation		•	•			
10	Anxiety-psychic	•	•	•	•	•	
11	Anxiety-somatic			•		•	
12	Somatic symptoms-gastrointestinal					•	
13	Somatic symptoms-general	•			•	•	
14	Genital symptoms			•			•
15	Hypochondriasis					•	
16	Loss of weight						
17	Loss of insight					•	

HAMD-17: Hamilton Depression Rating Scale-17 items; Bech: Bech melancholia scale; Maier: Maier–Philipp severity subscale; Gibbons: Gibbons global depression severity scale; Santen: Santen scale; Anxiety: anxiety subscale; Retardation: retardation subscale.

Table S2. Outcome measures (subscales of HAMD-17) in treating major depressive disorder over time using bright light therapy ($n = 22$) and dim red-light ($n = 21$)

Outcome	Week	Total score		<i>p</i>		Change of score		<i>p</i>		Response		<i>p</i>	
		BLT		DRL		BLT		DRL		BLT		DRL	
		Mean	(SD)	Mean	(SD)	Mean	(SD)	Mean	(SD)	<i>n</i>	(%)	<i>n</i>	(%)
Bech	0	10.23	9.67	0.42									
		(2.11)	(2.37)										
	1	9.23	7.86	0.11	1.00	1.81	0.26	1	1	1	1.00		
		(2.51)	(2.97)		(1.72)	(2.80)				(4.50)	(4.80)		
	2	7.86	7.57	0.74	2.36	2.10	0.76	4	4	4	1.00		
Maier		(2.85)	(2.96)		(2.74)	(3.00)				(18.2)	(19.0)		
	4	7.00	6.62	0.71	3.23	3.05	0.87	8	9	9	0.66		
		(3.27)	(3.34)		(2.83)	(4.21)				(36.4)	(42.9)		
	0	9.73	9.05	0.40									
		(2.43)	(2.77)										
Gibbons	1	8.82	7.38	0.11	0.91	1.67	0.33	1	1	1	0.97		
		(2.75)	(3.01)		(2.05)	(2.96)				(4.5)	(4.8)		
	2	7.32	7.29	0.97	2.41	1.76	0.52	4	3	3	1.00		
		(2.90)	(3.45)		(3.10)	(3.36)				(18.2)	(14.3)		
	4	6.55	6.19	0.73	3.18	2.86	0.78	9	10	10	0.66		
Santen		(3.08)	(3.67)		(3.08)	(4.51)				(40.9)	(47.6)		
	0	13.00	12.00	0.39									
		(3.41)	(4.07)										
	1	11.32	9.29	0.11	1.68	2.71	0.32	2	2	2	1.00		
		(3.70)	(4.38)		(2.89)	(3.77)				(9.1)	(9.5)		
Santen	2	9.73	8.81	0.49	3.27	3.19	0.95	5	6	6	0.66		
		(3.68)	(4.83)		(4.09)	(4.23)				(22.7)	(28.6)		
	4	8.64	8.29	0.81	4.36	3.71	0.67	9	8	8	0.85		
		(3.89)	(5.35)		(3.75)	(5.92)				(40.9)	(38.1)		
	0	12	11.43	0.49									
Santen		(2.64)	(2.73)										
	1	10.36	8.95	0.16	1.64	2.48	0.32	1	1	1	1.00		
		(3.03)	(3.46)		(1.97)	(3.36)				(4.5)	(4.8)		
	2	8.95	8.57	0.71	3.05	2.86	0.86	4	4	4	0.94		
		(3.05)	(3.57)		(3.27)	(3.58)				(18.2)	(19.0)		
Santen	4	8.00	7.90	0.94	4.00	3.52	0.72	7	9	9	0.45		
		(3.87)	(4.00)		(3.52)	(4.90)				(31.8)	(42.9)		

Anxiety	0	6.95 (1.82)	6.33 (2.44)	0.35					
	1	6.00 (1.75)	5.05 (2.27)	0.13 (1.73)	0.95 (1.77)	1.29 (1.77)	0.54 (4.50)	1 (4.50)	2 (9.50)
	2	5.32 (2.12)	4.43 (2.48)	0.21 (2.13)	1.64 (1.58)	1.90 (1.58)	0.64 (18.20)	4 (18.20)	6 (28.6)
	4	4.77 (2.33)	4.67 (2.87)	0.90 (2.06)	2.18 (2.13)	1.67 (2.13)	0.43 (31.8)	7 (31.8)	0.92 (33.3)
Retardation	0	6.45 (1.71)	6.24 (1.76)	0.69					
	1	6.05 (1.70)	5.24 (2.00)	0.16 (1.18)	0.41 (1.95)	1.00 (1.95)	0.23 (0)	0 (0)	3 (14.3)
	2	5.27 (2.03)	5.33 (1.74)	0.72 (1.89)	1.18 (1.95)	0.90 (1.95)	0.64 (18.2)	4 (18.2)	0.66 (9.5)
	4	4.73 (2.31)	4.67 (2.08)	0.93 (2.43)	1.73 (2.84)	1.57 (2.84)	0.85 (31.8)	7 (31.8)	0.82 (28.6)

HAMD-17: Hamilton Depression Rating Scale-17 items; Bech: Bech melancholia scale; Maier: Maier–Philipp severity subscale; Gibbons: Gibbons global depression severity scale; Santen: Santen scale; Anxiety: anxiety subscale; Retardation: retardation subscale; SD: standard deviation.

Table S3. Comparison of the effects on subscales of HAMD-17 in treating major depressive disorder for 4 weeks between bright light therapy and dim red-light groups, using hierarchical linear mixed-modeling^a to show group effect, time effect, and interaction of group and time

Outcome	Group effect			Time effect			Group × time effect		
	B	95% CI	p	B	95% CI	p	B	95% CI	p
Bech	1.22	−0.40 to 2.8	0.14	−0.62	−0.03 to −0.20	0.04	−0.49	−1.31 to 0.32	0.23
Maier	1.20	−0.56 to 2.96	0.18	−0.60	−1.21 to 0.02	0.06	−0.54	−1.40 to 0.31	0.21
Gibbons	2.17	−0.21 to 4.56	0.07	−0.50	−1.28 to 0.28	0.20	−0.84	−1.93 to 0.24	0.13
Santen	1.53	−0.40 to 3.47	0.12	−0.52	−1.22 to 0.17	0.14	−0.66	−1.63 to 0.31	0.18
Anxiety	1.19	−0.09 to 2.48	0.07	−0.19	−0.63 to 0.25	0.39	−0.42	−1.04 to 0.19	0.18
Retardation	0.79	−0.26 to 1.84	0.14	−0.29	−0.69 to 0.12	0.16	−0.37	−0.94 to 0.19	0.19

HAMD-17: Hamilton Depression Rating Scale-17 items; Bech: Bech melancholia scale; Maier: Maier–Philipp severity subscale; Gibbons: Gibbons global depression severity scale; Santen: Santen scale; Anxiety: anxiety subscale; Retardation: retardation subscale; 95% CI: 95% confidence interval; ^aAdjusted for age, gender, and baseline scores.