

Supplementary file S1. Demographic characteristics and history of participants with Long-COVID symptoms.

Characteristics	n	(%)	
Demographics			
Sex	Male	396	36.0%
	Female	704	64.0%
	Total	1100	100.0%
Age (years)	0 to 10	1	0.1%
	10 to 20	60	5.5%
	21 to 30	382	34.7%
	31 to 40	372	33.8%
	41 to 50	191	17.4%
	51 to 60	72	6.5%
	61 to 70	15	1.4%
	71 to 80	6	0.5%
	81 to 90	1	0.1%
	Total	1100	100.0%
	Ethnicity	Mestizo	1008
White		59	5.4%
Montubio		15	1.4%
Indigenous		8	0.7%
Afro descendants		6	0.5%
Other		4	0.4%
Total		1100	100.0%
Marital status	Single	587	53.4%
	Married	405	36.8%
	Divorced	62	5.6%
	Common-law	41	3.7%
	Widowed	5	0.5%
	Total	1100	100.0%
Residence altitude	Above 2500 m.	789	71.7%
	Below 2500 m.	311	28.3%
	Total	1100	100.0%
Occupation	Health care workers	238	21.6%
	Indoor workers	291	26.5%
	Outdoor workers	14	1.3%
	Workers in contact with people	324	29.5%
	Students	184	16.7%
	Unemployment and retired	49	4.5%
	Total	1100	100.0%
	Weight (kg)*	66	(47 - 85)
Height (cm)*	163	(151 - 175)	
BMI (kg/cm ²)*	24.8	(19.4 - 30.2)	
BMI (kg/cm ²)	Underweight (< 18.5)	29	2.5%
	Normal (18.5 - 24.9)	544	49.5%
	Overweight (25.0 - 29.9)	369	33.6%
	Obesity (> 30.0)	158	14.4%
	Total	1100	100.0%

Personal history			
Comorbidities history	Yes	247	22.5%
	No	853	77.5%
	Total	1100	100.0%
Comorbidities	Arterial hypertension	66	25.1%
	Overweight	50	19.0%
	Obesity	28	10.6%
	Diabetes type 2	16	6.1%
	Asthma	27	10.3%
	HIV/AIDS	6	2.3%
	Type 1 diabetes	6	2.3%
	Hypothyroidism	43	16.3%
	Cancer	9	3.4%
	Coagulation disorders	6	2.3%
	Hyperthyroidism	6	2.3%
	Total	263	100.0%
	Smoke	No	853
Old smoker		140	12.7%
Yes, less 5 cigarettes a day		92	8.4%
Yes, between 6 and 20 cigarettes per day		15	1.4%
Total		1100	100.0%
Alcohol	No	298	27.1%
	Once every 3 months	441	40.1%
	At least once a month	267	24.3%
	At least once a week	86	7.8%
	More than two times a week	8	0.7%
	Total	1100	100.0%
COVID-19 infection history			
Number of infections	Once	827	75.2%
	Twice	239	21.7%
	More than twice	34	3.1%
	Total	1100	100.0%
Diagnostic confirmation	PCR, antigen, or antibody tests	923	83.9%
	Physician confirmation	36	3.3%
	Infected by someone who lived with me	141	12.8%
	Total	1100	100.0%
Clinical management	None	86	7.8%
	Self-medication	160	14.5%
	Medications prescribed by a physician	810	73.6%
	Hospitalization less than 3 days	7	0.6%
	Hospitalization between 3 and 7 days	12	1.1%
	Hospitalization more than 7 days	14	1.3%
	Intensive care unit (ICU) hospitalization	11	1.0%
	Total	1100	100.0%
COVID-19 Vaccination history	No	1	0.1%
	One dose	3	0.3%
	Two doses	173	15.7%
	Two doses and one booster	781	71.0%

	Two doses and two boosters	142	12.9%
	Total	1100	100.0%
Time of infection	Infection before vaccination	561	51.0%
	Infection after vaccination	539	49.0%
	Total	1100	100.0%
Long-term COVID-19 symptoms			
Onset symptoms	Initiated with infection	449	40.8%
	3 to 4 weeks after infection	414	37.6%
	5 to 7 weeks after infection	103	9.4%
	8 to 9 weeks after infection	50	4.5%
	Later than 10 weeks post-infection	84	7.6%
	Total	1100	100.0%
Symptoms duration	Between 1 to 4 weeks	224	20.4%
	Between 4 to 8 weeks	182	16.5%
	Between 8 to 12 weeks	115	10.5%
	Between 3 to 6 months	210	19.1%
	Between 6 to 12 months	131	11.9%
	For more than 13 months	238	21.6%
	Total	1100	100.0%
Frequency of presentation	Once a month	97	8.8%
	Once every two weeks	84	7.6%
	Once a week	216	19.6%
	Over 3 days a week	297	27.0%
	Daily	331	30.1%
	Other	75	6.8%
	Total	1100	100.0%
Symptoms evolution	Has improved	389	35.4%
	Has been consistent	345	31.4%
	Intermittent (appear - disappear)	316	28.7%
	Has gotten worse	50	4.5%
	Total	1100	100.0%
Visited a physician	Yes	492	44.7%
	No	608	55.3%
	Total	1100	100.0%
Medications prescribed by a physician	Yes	335	30.5%
	No	765	69.5%
	Total	1100	100.0%
Self-medication	Yes	367	33.4%
	No	733	66.6%
	Total	1100	100.0%

*: Median and interquartile range (IQR), BMI: body mass index, PCR: polymerase chain reaction.

Supplementary file S2. Self-reported long-COVID symptoms distributed by characteristics of Ecuadorian participants.

Symptoms	Total n	Sex n (%)		p Value	Comorbidities n (%)				Ethnicity n (%)				p Value	Underweig ht	BMI n (%)			p Value	
		Male	Female		No	Yes	p Value	Afro	White	Indigeno us	Mestizo	Montubi os			Othe r	Normal	Overweig ht		Obesit y
Alopecia	32	12 (37.5)	20 (62.5)	0.999	22 (68.8)	10 (31.2)	0.237	--	1 (3.1)	--	31 (96.9)	--	--	0.832	1 (3.1)	16 (50)	10 (31.2)	5 (15.6)	0.989
Taste dysfunction	199	56 (28.1)	143 (71.9)	0.013	162 (81.4)	37 (18.6)	0.354	1 (1.0)	10 (5.0)	4 (2.0)	178 (89.5)	4 (2.0)	1 (0.5)	0.186	7 (3.5)	59 (26.1)	52 (26.1)	2 (11.1)	0.01
Alterations in glucose	16	7 (43.7)	9 (56.3)	0.697	8 (50.0)	8 (50.0)	0.011	1 (6.3)	--	1 (6.3)	13 (81.2)	1 (6.2)	--	<0.00		4 (25)	10 (62.5)	2 (12.5)	0.052
Menstrual cycle alterations	118	0 (0.0)	118 (100.0)	NA	16 (74.6)	30 (25.4)	0.295	1 (0.9)	6 (5.1)	1 (0.8)	106 (89.8)	4 (3.4)	--	0.369	3 (2.5)	63 (53.4)	37 (31.4)	15 (12.7)	0.835
Hallucinations	20	9 (45.0)	11 (55.0)	0.541	4 (20.0)	4 (20.0)	0.999	--	--	1 (5.0)	18 (90.0)	--	1 (5.0)	1		9 (45)	9 (45)	2 (10)	0.576
Anxiety	379	111 (29.3)	268 (70.7)	1	293 (77.3)	86 (22.7)	0.449	1 (0.3)	15 (4.0)	2 (0.5)	356 (93.9)	3 (0.8)	1 (0.5)	0.365	13 (3.4)	189 (49.9)	119 (31.4)	58 (15.3)	0.466
Brittle hair	111	9 (8.1)	102 (91.9)	1	81 (73.0)	30 (27.0)	0.149	--	3 (2.7)	--	105 (94.6)	3 (2.7)	--	0.193	4 (3.6)	59 (53.2)	34 (30.6)	14 (12.6)	0.716
Mood changes	234	80 (34.2)	154 (65.8)	0.566	184 (78.6)	50 (21.4)	0.999	1 (0.4)	19 (8.1)	2 (0.9)	205 (87.6)	5 (2.1)	2 (0.9)	0.148	7 (3)	82 (117)	83 (35.5)	27 (11.5)	0.543
Tachycardia	184	71 (38.6)	113 (61.4)	0.473	142 (77.2)	42 (22.8)	0.641	1 (0.5)	17 (9.3)	1 (0.5)	161 (87.5)	2 (1.1)	1 (1.1)	0.075	4 (2.2)	82 (44.6)	74 (40.2)	28 (24)	0.217
Blood pressure changes	74	32 (43.2)	42 (56.8)	0.223	44 (59.5)	30 (40.5)	1	1 (1.3)	6 (8.1)	1 (1.3)	62 (83.8)	3 (4.1)	1 (1.4)	0.095		31 (41.9)	17 (23)	26 (35.1)	1
Confusion	61	11 (36.1)	50 (63.9)	0.999	47 (73.8)	14 (26.2)	0.416	--	4 (6.6)	1 (1.6)	53 (86.9)	2 (3.3)	1 (1.6)	0.225	1 (1.6)	27 (44.3)	21 (34.4)	12 (19.7)	0.598
Diarrhea	56	11 (19.6)	45 (80.4)	0.013	47 (83.9)	9 (16.1)	0.418	1 (1.8)	2 (3.6)	1 (1.8)	50 (89.2)	2 (3.6)	--	0.281	2 (3.6)	30 (53.6)	15 (26.8)	9 (16.1)	0.724
Difficulty concentrating	387	113 (29.2)	274 (70.8)	1	298 (77.0)	89 (23.0)	0.34	3 (0.8)	13 (3.4)	1 (0.2)	362 (93.5)	5 (1.3)	3 (0.8)	0.078	8 (2.1)	191 (49.4)	125 (32.3)	63 (16.3)	0.468
Speech disturbance	241	77 (31.9)	164 (68.1)	0.159	191 (79.3)	50 (20.7)	0.891	1 (0.4)	5 (3.7)	1 (0.4)	227 (94.3)	1 (0.4)	2 (0.8)	0.292	7 (2.9)	114 (47.3)	79 (32.8)	41 (17)	0.586
Decreased visual acuity	147	42 (28.6)	105 (71.4)	0.054	114 (77.6)	33 (22.4)	0.791	1 (0.7)	7 (4.7)	1 (0.7)	133 (90.5)	3 (2.0)	2 (1.4)	0.368	5 (3.4)	69 (46.9)	43 (29.3)	30 (20.4)	0.119
Loss of muscle strength	170	68 (40.0)	102 (60.0)	0.274	129 (75.9)	41 (24.1)	0.376	1 (0.6)	18 (10.6)	2 (1.2)	145 (85.3)	3 (1.7)	1 (0.6)	0.032	5 (2.9)	62 (36.5)	79 (46.5)	24 (14.1)	0.001
Decreased libido/sexual desire	115	44 (38.3)	71 (61.7)	0.666	89 (77.4)	26 (22.6)	0.802	1 (0.9)	12 (10.4)	3 (2.6)	95 (82.6)	4 (3.5)	--	0.001	2 (1.7)	47 (40.9)	50 (43.5)	16 (13.9)	0.106
Abdominal pain	70	18 (25.7)	52 (74.3)	0.084	54 (77.1)	16 (22.9)	0.854	--	3 (4.3)	1 (1.4)	63 (90.0)	2 (2.9)	1 (1.4)		0.377	8 (35)	27 (38.6)	8 (11.4)	0.625
Headache	354	97 (27.4)	257 (72.6)	1	279 (78.8)	75 (21.2)	0.999	4 (1.1)	20 (5.7)	3 (0.8)	318 (89.9)	5 (1.4)	4 (1.1)	0.033	8 (2.3)	182 (51.4)	117 (33.1)	47 (13.3)	0.764
Chest pain	187	71 (38.0)	116 (62.0)	0.595	157 (84.0)	30 (16.0)	0.068	1 (0.5)	19 (10.2)	2 (1.1)	162 (86.6)	1 (0.5)	2 (1.1)	0.011	3 (1.6)	95 (50.8)	68 (36.4)	21 (11.2)	0.381
Burning sensation in any part of the body	75	25 (33.3)	50 (66.7)	0.708	55 (73.3)	20 (26.7)	0.301	2 (2.7)	5 (6.7)	1 (1.3)	66 (88.0)	--	1 (1.3)	0.052		28 (37.3)	29 (38.7)	18 (24)	0.018
Unusual muscle aches	109	44 (40.4)	65 (59.6)	0.37	80 (73.4)	29 (26.6)	0.191	1 (0.9)	9 (8.3)	2 (1.8)	95 (87.2)	2 (1.8)	--	0.321	1 (0.9)	44 (40.4)	47 (43.1)	17 (15.6)	0.078
Usual muscle aches	164	54 (32.9)	110 (67.1)	0.423	123 (75.0)	41 (25.0)	0.246	--	7 (4.3)	2 (1.2)	151 (92.1)	3 (1.8)	1 (0.6)	0.792	3 (1.8)	66 (40.2)	64 (39)	31 (18.9)	0.041
Shaking chills	45	11 (24.4)	34 (75.6)	0.136	37 (82.2)	8 (17.8)	0.689	1 (2.2)	1 (2.2)	--	40 (89.0)	2 (4.4)	1 (2.2)	0.026		26 (57.8)	14 (31.1)	5 (11.1)	0.598
Sneezing	92	31 (33.7)	61 (66.3)	0.713	80 (87.0)	12 (13.0)	0.059	1 (1.1)	4 (4.3)	2 (2.2)	83 (90.2)	2 (2.2)	--	0.391	2 (2.2)	50 (54.3)	27 (29.3)	13 (14.1)	0.777
Fatigue or tiredness	652	221 (33.9)	431 (66.1)	0.091	500 (77.0)	152 (23.0)	0.054	4 (0.6)	42 (6.4)	7 (1.1)	585 (89.7)	11 (1.7)	3 (0.5)	0.129	12 (1.8)	325 (49.8)	221 (33.9)	94 (14.4)	0.266
Tingling in extremities	137	50 (36.5)	87 (63.5)	0.972	106 (77.4)	31 (22.6)	0.762	--	16 (11.7)	4 (2.9)	113 (82.5)	2 (1.4)	2 (1.5)	1	2 (1.5)	47 (34.3)	63 (46.0)	25 (18.2)	0.001
Insomnia	342	107 (31.3)	235 (68.7)	0.034	259 (75.7)	83 (24.3)	0.12	3 (0.9)	19 (5.6)	--	312 (91.2)	6 (1.7)	2 (0.6)	0.693	8 (2.3)	170 (49.7)	111 (32.5)	53 (15.5)	0.851
Heat intolerance	20	7 (35.0)	13 (65.0)	0.999	12 (60.0)	8 (40.0)	0.073	--	1 (5.0)	--	19 (95.0)	--	--	0.999		7 (35)	9 (45)	4 (20)	0.361
Cold intolerance	92	28 (30.4)	64 (69.6)	0.294	74 (80.4)	18 (19.6)	0.776	--	3 (3.2)	--	89 (96.8)	--	--	0.448	2 (2.2)	41 (44.6)	34 (37)	15 (16.3)	0.758
Nausea	68	10 (14.7)	58 (85.3)	1	52 (76.5)	16 (23.5)	0.752	1 (1.5)	2 (2.9)	1 (1.5)	62 (91.2)	2 (2.9)	--	0.434	1 (1.5)	41 (60.3)	20 (29.4)	6 (8.8)	0.259
Neuritis	96	22 (22.9)	74 (77.1)	0.007	65 (67.7)	31 (32.3)	0.008	2 (2.1)	5 (5.2)	1 (1.0)	87 (90.7)	1 (1.0)	--	0.31	2 (2.1)	37 (38.5)	38 (39.6)	19 (19.8)	0.113


Palpitations	182	59 (32.4)	123 (67.6)	0.308	139 (76.4)	43 (23.6)	0.453	1 (0.6)	8 (4.4)	3 (1.7)	163 (89.4)	4 (2.2)	3 (1.7)	0.015	2 (1.1)	83 (45.6)	69 (37.9)	28 (15.4)	0.261
Facial paralysis	7	4 (57.1)	3 (42.9)	0.438	6 (85.7)	1 (14.3)	0.999	--	--	1 (14.3)	6 (85.7)	--	--	0.056		3 (42.9)		4 (57.1)	0.08
Loss of appetite	55	16 (23.6)	42 (76.4)	0.069	35 (83.6)	14 (16.4)	0.457	--	2 (3.6)	1 (1.8)	45 (89.1)	3 (5.5)	--	0.039		18 (58.2)	20 (36.4)	3 (5.5)	0.129
Hearing loss	49	75 (32.6)	33 (67.4)	0.728	303 (71.4)	88 (28.6)	0.272	--	2 (4.1)	1 (2.0)	23 (91.9)	1 (2.0)	--	0.675	1 (2)	198 (36.7)	20 (40.8)	10 (20.4)	0.277
Hair loss	391	59 (19.2)	113 (80.8)	1	135 (77.5)	37 (22.5)	0.506	1 (0.5)	5 (5.9)	2 (0.5)	155 (90.2)	10 (2.6)	1 (0.3)	0.195	16 (4.1)	89 (50.6)	123 (31.5)	20 (13.8)	0.113
Loss of taste	172	84 (34.3)	203 (65.7)	0.675	229 (78.5)	58 (21.5)	0.999	2 (0.6)	13 (5.2)	--	267 (90.1)	6 (3.5)	2 (0.6)	0.134	9 (5.2)	130 (51.7)	54 (31.4)	11 (11.6)	0.079
Memory deficits	287	48 (29.3)	203 (70.7)	0.007	77 (79.8)	20 (20.2)	0.668	2 (0.7)	4 (5.2)	1 (0.4)	86 (93.0)	2 (0.7)	1 (0.7)	0.554	10 (3.5)	44 (45.3)	101 (35.2)	46 (16)	0.323
Muscle loss	97	90 (49.5)	173 (50.5)	0.005	203 (79.4)	60 (20.6)	0.972	1 (2.1)	11 (7.3)	1 (1.0)	243 (88.6)	1 (1.0)	--	0.242	2 (2.1)	144 (45.4)	34 (35.1)	30 (17.5)	0.728
Loss of smell	263	84 (34.2)	203 (65.8)	0.538	229 (77.2)	58 (22.8)	0.539	2 (0.4)	13 (4.2)	2 (0.8)	267 (92.3)	5 (1.9)	2 (0.4)	0.871	9 (3.4)	144 (54.8)	80 (30.4)	30 (11.4)	0.117
Body hair loss	14	7 (50.0)	7 (50.0)	0.413	8 (57.1)	6 (42.9)	0.097	--	--	--	14 (100.0)	--	--	1		10 (71.4)	2 (14.3)	2 (14.3)	0.238
Pruritus (itching)	114	40 (35.1)	74 (64.9)	0.911	88 (77.2)	26 (22.8)	0.763	2 (1.8)	10 (8.8)	3 (2.6)	96 (84.1)	2 (1.8)	1 (0.9)	0.013	2 (1.8)	61 (53.5)	33 (28.9)	18 (15.8)	0.619
Gastroesophageal reflux	87	35 (40.2)	52 (59.8)	0.459	65 (74.7)	22 (25.3)	0.413	1 (1.2)	12 (13.8)	1 (1.2)	73 (83.8)	--	--	0.003		30 (34.5)	41 (47.1)	16 (18.4)	0.006
Skin dryness	139	32 (15.8)	117 (84.2)	1	100 (71.9)	39 (28.1)	0.047	1 (0.7)	12 (6.4.3)	--	128 (92.1)	4 (2.9)	--	0.384	1 (0.7)	73 (52.5)	45 (32.4)	20 (14.4)	0.46
Thirst	77	43 (41.6)	159 (58.4)	0.352	159 (84.4)	43 (15.6)	0.263	2 (1.3)	15 (15.6)	1 (1.3)	186 (77.9)	2 (2.6)	1 (1.3)	1	1 (1.3)	1 (48.1)	30 (39)	27 (11.7)	0.629
Easy crying	202	30 (21.3)	178 (78.7)	1	148 (78.7)	54 (21.3)	0.999	1 (1.0)	7 (3.5)	2 (1.0)	87 (92.0)	4 (2.0)	1 (0.5)	0.607	4 (2)	19 (95.47)	76 (37.6)	19 (13.4)	0.552
Excessive sweating	90	23 (33.3)	60 (66.7)	0.663	63 (65.6)	27 (34.4)	0.002	--	--	--	81 (96.7)	2 (2.2)	1 (1.1)	0.42		46 (36.40)	35 (38.9)	19 (21.1)	0.063
Tremor of the extremities	90	85 (25.6)	160 (74.4)	0.041	196 (70.0)	49 (30.0)	0.048	2 (2.2)	22 (2.2)	3 (3.3)	218 (90.1)	1 (1.1)	1 (1.1)	0.003	1 (1.1)	127 (51.1)	36 (40)	7 (7.8)	0.164
Persistent cough	245	105 (34.7)	140 (65.3)	0.683	94 (80.0)	19 (20.0)	0.643	1 (0.8)	9 (9.0)	2 (0.8)	106 (89.0)	1 (0.4)	--	0.033	5 (2)	64 (51.8)	86 (35.1)	14 (27.11)	0.325
Brittle nails	113	8 (7.1)	105 (92.9)	1	94 (83.2)	19 (16.8)	0.271	--	4 (3.5)	--	106 (93.8)	3 (2.7)	--	0.313	2 (1.8)	64 (56.6)	33 (29.2)	14 (12.4)	0.436
Vomit	25	6 (24.0)	19 (76.0)	0.292	18 (72.0)	7 (28.0)	0.559	--	--	1 (4.0)	23 (92)	1 (4.0)	--	0.097		18 (72)	5 (20)	2 (8)	0.099
Total	7746	2341	5405		5974	1772		56	448	74	6984	136	48		178	3760	2669	1139	

Supplementary file S3. Distribution of self-reported long-COVID symptoms by age group among 1100 patients.


Symptom	Total n	0 to 10	10 to 20	20 to 30	30 to 40	40 to 50	50 to 60	60 to 70	70 to 80	80 to 90	p Value
		n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	
Alopecia	32	--	--	13 (40.6)	11 (34.4)	5 (15.6)	3 (9.4)	--	--	--	0.908
Taste dysfunction	199	--	22 (11.1)	84 (42.2)	52 (26.1)	30 (15.1)	8 (4.0)	1 (0.5)	2 (1.0)	--	<0.001
Alterations in glucose	16	--	1 (6.3)	3 (18.8)	4 (25.0)	5 (31.3)	2 (12.5)	--	1 (6.3)	--	0.017
Menstrual cycle alterations	118	--	6 (5.1)	40 (33.9)	47 (39.8)	23 (19.5)	2 (1.7)	--	--	--	0.172
Hallucinations	20	--	--	6 (30.0)	11 (55.0)	1 (5.0)	1 (5.0)	1 (5.0)	--	--	0.185
Anxiety	379	--	27 (7.1)	141 (37.2)	119 (31.4)	65 (17.2)	22 (5.8)	3 (0.8)	2 (0.5)	--	0.334
Brittle hair	111	--	8 (7.2)	44 (39.6)	40 (36.0)	10 (9.0)	8 (7.2)	1 (0.9)	--	--	0.227
Mood changes	234	1 (0.43)	15 (6.4)	92 (39.3)	76 (32.5)	39 (16.7)	9 (3.9)	2 (0.9)	--	--	0.122
Tachycardia	184	--	16 (8.7)	54 (29.4)	70 (38.0)	28 (15.2)	11 (6.0)	4 (2.2)	1 (0.5)	--	0.173
Blood pressure changes	74	--	5 (6.8)	20 (27.0)	17 (23.0)	21 (28.4)	7 (9.5)	4 (5.4)	--	--	0.001
Confusion	61	--	3 (4.9)	15 (24.6)	28 (45.9)	10 (16.4)	2 (3.3)	3 (4.9)	--	--	0.039
Diarrhea	56	--	4 (7.1)	12 (21.4)	26 (46.4)	11 (19.6)	3 (5.4)	--	--	--	0.182
Difficulty concentrating	387	--	28 (7.2)	152 (39.3)	131 (33.9)	53 (13.7)	21 (5.4)	2 (0.5)	--	--	0.007
Speech disturbance	241	--	8 (3.3)	78 (32.4)	98 (40.7)	38 (15.8)	16 (6.6)	3 (1.2)	--	--	0.169
Decreased visual acuity	147	--	6 (4.1)	36 (24.5)	47 (32.0)	39 (26.5)	14 (9.5)	5 (3.4)	--	--	<0.001
Loss of muscle strength	170	--	7 (4.1)	51 (30.0)	65 (38.2)	23 (13.5)	16 (9.4)	5 (2.9)	3 (1.8)	--	0.011
Decreased libido/sexual desire	115	--	1 (0.9)	33 (28.7)	45 (39.1)	27 (23.5)	8 (7.0)	1 (0.9)	--	--	0.067
Abdominal pain	70	--	6 (8.6)	27 (38.6)	21 (30.0)	7 (10.0)	6 (8.6)	2 (2.9)	1 (1.4)	--	0.316
Headache	354	--	23 (6.5)	134 (37.9)	119 (33.6)	55 (15.5)	19 (5.4)	4 (1.1)	--	--	0.442
Chest pain	187	--	15 (8.0)	59 (31.6)	73 (39.0)	22 (11.8)	15 (8.0)	2 (1.1)	--	1 (0.5)	0.021
Burning sensation in any part of the body	75	--	4 (5.3)	21 (28.0)	23 (30.7)	15 (20.0)	9 (12.0)	3 (4.0)	--	--	0.098
Unusual muscle aches	109	--	6 (5.5)	26 (23.9)	36 (33.0)	24 (22.0)	13 (11.9)	3 (2.8)	1 (0.9)	--	0.043
Usual muscle aches	164	--	12 (7.3)	40 (24.4)	65 (39.6)	26 (15.9)	16 (9.8)	4 (2.4)	1 (0.6)	--	0.029
Shaking chills	45	--	10 (22.2)	14 (31.1)	13 (28.9)	4 (8.9)	4 (8.9)	--	--	--	<0.001
Sneezing	92	--	10 (10.9)	33 (35.9)	30 (32.6)	11 (12.0)	6 (6.5)	1 (1.09)	--	1 (1.1)	0.006
Fatigue or tiredness	652	1 (0.15)	35 (5.4)	237 (36.4)	209 (32.1)	112 (17.2)	40 (6.1)	11 (1.7)	6 (0.9)	1 (0.2)	0.274
Tingling in extremities	137	--	8 (5.8)	29 (21.2)	58 (42.3)	21 (15.3)	16 (11.7)	3 (2.2)	2 (1.5)	--	0.001
Insomnia	342	--	24 (7.0)	113 (33.0)	112 (32.8)	59 (17.3)	28 (8.2)	4 (1.2)	1 (0.3)	1 (0.3)	0.353
Heat intolerance	20	--	--	9 (45.0)	6 (30.0)	--	4 (20.0)	1 (5.0)	--	--	0.154
Cold intolerance	92	--	6 (6.5)	30 (32.6)	28 (30.4)	18 (19.6)	8 (8.7)	2 (2.17)	--	--	0.831
Nausea	68	--	9 (13.2)	31 (45.6)	19 (27.9)	4 (5.9)	3 (4.4)	--	2 (2.9)	--	<0.001
Neuritis	96	--	1 (1.0)	18 (18.8)	33 (34.4)	26 (27.1)	15 (15.6)	2 (2.1)	1 (1.0)	--	<0.001
Palpitations	182	--	8 (4.4)	55 (30.2)	70 (38.5)	31 (17.0)	14 (7.7)	3 (1.7)	1 (0.6)	--	0.719
Facial paralysis	7	--	--	2 (28.6)	2 (28.6)	2 (28.6)	--	1 (14.3)	--	--	0.046
Loss of appetite	55	--	11 (20.0)	18 (32.7)	17 (30.9)	5 (9.1)	2 (3.6)	--	1 (1.8)	1 (1.8)	<0.001
Hearing loss	49	--	2 (4.1)	13 (26.5)	15 (30.6)	10 (20.4)	8 (16.3)	1 (2.0)	--	--	0.101
Hair loss	391	--	25 (6.4)	140 (35.8)	129 (33.0)	68 (17.4)	24 (6.1)	5 (1.3)	--	--	0.918
Loss of taste	172	--	22 (12.8)	60 (34.9)	46 (26.7)	27 (15.7)	12 (7.0)	3 (1.7)	2 (1.2)	--	<0.001
Memory deficits	287	--	10 (3.5)	90 (31.4)	121 (42.2)	43 (15.0)	21 (7.3)	2 (0.7)	--	--	0.011
Muscle loss	97	--	6 (6.2)	33 (34.0)	33 (34.0)	15 (15.5)	6 (6.2)	3 (3.1)	1 (1.0)	--	0.789
Loss of smell	263	--	28 (10.7)	98 (37.3)	75 (28.5)	40 (15.2)	17 (6.5)	5 (1.9)	--	--	<0.001
Body hair loss	14	--	--	5 (35.7)	6 (42.9)	2 (14.3)	1 (7.1)	--	--	--	0.957
Pruritus (itching)	114	--	6 (5.3)	26 (22.8)	42 (36.8)	28 (24.6)	8 (7.0)	4 (3.5)	--	--	0.018
Gastroesophageal reflux	87	--	2 (2.3)	24 (27.6)	36 (41.4)	16 (18.4)	7 (8.1)	2 (2.3)	--	--	0.341

Skin dryness	139	--	10 (7.2)	38 (27.3)	55 (39.6)	20 (14.4)	13 (9.4)	2 (1.4)	1 (0.7)	--	0.257
Thirst	77	--	12 (15.6)	24 (31.2)	34 (44.2)	6 (7.8)	1 (1.3)	--	--	--	<0.001
Easy crying	202	1 (0.5)	19 (9.4)	73 (36.1)	70 (34.7)	27 (13.4)	11 (5.5)	1 (0.5)	--	--	0.015
Excessive sweating	90	--	7 (7.8)	16 (17.8)	32 (35.6)	26 (28.9)	7 (7.8)	2 (2.2)	--	--	0.004
Tremor of the extremities	90	--	9 (10.0)	30 (33.3)	31 (34.4)	10 (11.1)	9 (10.0)	1 (1.1)	--	--	0.169
Persistent cough	245	1 (0.41)	13 (5.3)	94 (38.4)	89 (36.3)	34 (13.9)	11 (4.5)	--	2 (0.8)	1 (0.4)	0.066
Brittle nails	113	--	13 (11.5)	35 (31.0)	32 (28.3)	20 (17.7)	10 (8.9)	2 (1.8)	1 (0.9)	--	0.074
Vomit	25	--	5 (20.0)	12 (48.0)	8 (32.0)	--	--	--	--	--	0.036
Total	7746	4	534	2581	2675	1262	537	114	33	6	

(A)



(B)



Supplementary file S4. Behavior of long-COVID symptoms according to sex. **(A)**. Shows the frequency regarding the time of onset of self-referred symptoms from the onset of infection until after 9 weeks of infection. **(B)**. Shows the frequency regarding the duration of symptoms.

Supplementary file S5. Distribution of COVID-19 post-acute symptom characteristics according to the characteristics of Ecuadorian participants.

Symptoms	Onset time n (%)					Symptoms duration n (%)							Frequency of presentation n (%)					Symptoms evolution n (%)						
	Initiated with infection	3 to 5 weeks after infection	5 to 7 weeks after infection	7 to 9 weeks after infection	> 9 weeks of infection	p value	Between 1 to 4 weeks	Between 4 to 8 weeks	Between 8 to 12 weeks	Between 12 to 16 months	Between 16 to 24 months	> 24 months	p value	> 3 days	Once a week	Once every two weeks	Once a month	Once a year	p value	Intermittent (appear-disappear)	Got worse	Improved	Has been consistent	p value
Alopecia	8 (25)	15 (46.9)	1 (3.1)	4 (12.5)	4 (12.5)	0.4	2 (6.2)	4 (12.5)	4 (12.5)	7 (21.9)	5 (15.6)	10 (31.2)	0.3	2 (6.1)	13 (40)	5 (15)	4 (12.5)	3 (9)	0.2	9 (28.1)	5 (15.6)	2 (6.2)	9 (28.1)	0.3
Taste dysfunction	98 (49.2)	57 (28.6)	19 (9.5)	10 (5)	15 (7.5)	0.4	23 (11.6)	29 (14.6)	14 (7)	36 (18.1)	35 (17.6)	62 (31)	0.1	7 (3.5)	42 (21)	40 (20)	19 (9.5)	14 (7)	0.2	52 (26.1)	6 (3)	4 (2)	10 (5)	0.3
Alterations in glucose	5 (31.2)	5 (31.2)	4 (25)	--	2 (12.5)	0.1	2 (12.5)	4 (25)	1 (6.2)	2 (12.5)	2 (12.5)	3 (18.7)	0.8	1 (5)	4 (25)	--	--	2 (12.5)	0.8	2 (12.5)	1 (6.2)	2 (12.5)	1 (6.2)	0.1
Menstrual cycle alterations	51 (43.2)	46 (39)	12 (10.2)	3 (2.5)	6 (5.1)	0.6	17 (14.4)	14 (11.9)	18 (15.3)	34 (28.8)	12 (10.2)	23 (19)	0.4	5 (4)	33 (28)	10 (8.5)	5 (4.3)	0.2	38 (32.2)	3 (2.5)	2 (1.7)	2 (1.7)	0.2	
Hallucinations	8 (40)	6 (30)	2 (10)	2 (10)	2 (10)	0.7	2 (10)	5 (25)	3 (15)	2 (10)	3 (15)	5 (25)	0.2	2 (10)	6 (30)	5 (25)	2 (10)	--	0.2	8 (40)	3 (15)	4 (20)	5 (25)	0.2
Anxiety	146 (38.5)	150 (39.6)	46 (12.1)	13 (3.4)	24 (6.3)	0.6	69 (18.2)	53 (14)	49 (12.9)	74 (19.5)	46 (12.1)	88 (23)	0.2	8 (2.1)	106 (28)	99 (26)	27 (7.1)	32 (8.5)	0.1	116 (30.6)	3 (0.8)	1 (0.3)	1 (0.3)	0.1
Brittle hair	42 (37.8)	44 (39.6)	14 (12.6)	4 (3.6)	7 (6.3)	0.6	10 (9)	15 (13.5)	20 (18)	27 (24.3)	16 (14.4)	23 (20)	0.2	8 (7)	32 (28)	25 (22)	10 (9)	11 (9.9)	0.1	38 (34.2)	7 (6.3)	2 (1.8)	3 (2.7)	0.1
Mood changes	92 (39.3)	94 (40.2)	30 (12.8)	6 (2.6)	12 (5.1)	0.5	52 (22.2)	38 (16.2)	25 (10.7)	35 (15)	26 (11.1)	58 (24.8)	0.4	4 (1.8)	70 (29)	61 (26)	17 (7.3)	17 (7.3)	0.2	76 (32.5)	8 (3.4)	7 (3)	1 (0.4)	0.1
Tachycardia	72 (39.1)	80 (43.5)	18 (9.8)	7 (3.8)	7 (3.8)	0.1	27 (14.7)	30 (16.3)	14 (7.6)	40 (21.7)	25 (13.6)	48 (26)	0.2	2 (1.1)	57 (31)	53 (28)	11 (6)	15 (8.2)	0.3	67 (36.4)	10 (5.8)	4 (2.2)	27 (14.8)	0.4
Blood pressure changes	27 (36.5)	29 (39.2)	6 (8.1)	7 (9.5)	5 (6.8)	0.3	10 (13.5)	13 (17.6)	9 (12.2)	15 (20.3)	8 (10.8)	19 (25.7)	0.2	5 (7)	24 (32)	17 (23)	5 (6.8)	5 (6.8)	0.3	23 (31.1)	3 (4)	4 (5)	3 (4)	0.3
Confusion	28 (45.9)	19 (31.1)	9 (14.8)	1 (1.6)	4 (6.6)	0.3	10 (16.4)	7 (11.5)	6 (9.8)	9 (14.8)	5 (8.2)	24 (39)	0.2	3 (5)	19 (31)	17 (27)	5 (8.2)	4 (6)	0.2	16 (26.2)	6 (9.8)	3 (4.5)	2 (3)	0.2
Diarrhea	32 (57.1)	14 (25)	8 (14.3)	1 (1.8)	1 (1.8)	0.2	13 (23.2)	4 (7.1)	4 (7.1)	10 (17.9)	13 (23.2)	12 (21)	0.6	6 (10)	12 (21)	3 (5.4)	11 (19)	5 (8.6)	0.3	19 (33.9)	5 (8.6)	1 (1.8)	14 (25)	0.3
Difficulty concentrating	161 (41.6)	145 (37.5)	45 (11.6)	11 (2.8)	25 (6.5)	0.6	61 (15.8)	51 (13.2)	43 (11.1)	82 (21.2)	48 (12.4)	102 (26)	0.2	9 (2.3)	116 (30)	80 (20)	37 (9.6)	31 (8)	0.4	118 (30.5)	4 (1)	7 (1.8)	3 (0.8)	0.2
Speech disturbance	98 (40.7)	90 (37.3)	28 (11.6)	7 (2.9)	18 (7.5)	0.4	29 (12)	31 (12.9)	30 (12.4)	53 (22)	34 (14.1)	64 (26)	0.2	7 (3)	83 (34)	48 (19)	26 (10.8)	11 (4.6)	0.1	81 (33.6)	14 (5.8)	7 (2.9)	7 (2.9)	0.1
Decreased visual acuity	53 (36.1)	56 (38.1)	22 (15)	6 (4.1)	10 (6.8)	0.1	13 (8.8)	13 (8.8)	12 (8.2)	30 (20.4)	24 (16.3)	55 (37)	0.2	6 (4)	41 (27)	40 (27)	9 (6.1)	9 (6.1)	0.2	52 (35.4)	10 (6.8)	5 (3.4)	2 (1.4)	0.2
Loss of muscle strength	69 (40.6)	72 (42.4)	16 (9.4)	5 (2.9)	8 (4.7)	0.3	20 (11.8)	36 (21.2)	21 (12.4)	31 (18.2)	19 (11.2)	43 (25)	0.2	6 (4)	50 (29)	47 (27)	15 (8.8)	14 (8)	0.5	67 (39.4)	8 (4.7)	7 (4)	2 (1.1)	0.2
Decreased libido/sexual desire	38 (33)	55 (47.8)	9 (7.8)	6 (5.2)	7 (6.1)	0.1	16 (13.9)	19 (16.5)	16 (13.9)	20 (17.4)	16 (13.9)	28 (24)	0.2	2 (1.7)	24 (20)	35 (30)	10 (8)	10 (8)	0.2	46 (40)	4 (3.5)	3 (2.7)	3 (2.7)	0.2
Abdominal pain	30 (42.9)	24 (34.3)	6 (8.6)	3 (4.3)	7 (10)	0.9	16 (22.9)	7 (10)	11 (15.7)	13 (18.6)	6 (8.6)	17 (24)	0.2	4 (5.7)	22 (31)	22 (31)	3 (4.3)	6 (8.6)	0.4	28 (40)	2 (2.9)	2 (2.9)	1 (1.4)	0.1
Headache	161 (45.5)	118 (33.3)	35 (9.9)	15 (4.2)	25 (7.1)	0.2	79 (22.3)	61 (17.2)	36 (10.2)	68 (19.2)	37 (10.5)	73 (20)	0.2	9 (2.5)	107 (30)	85 (24)	29 (8.2)	39 (11)	0.1	106 (29.9)	22 (6.3)	3 (0.8)	108 (30.5)	0.2
Chest pain	75 (40.1)	82 (43.9)	15 (8)	6 (3.2)	9 (4.8)	0.9	30 (16)	43 (23)	22 (11.8)	41 (21.9)	19 (10.2)	32 (17)	0.1	3 (1.6)	51 (27)	56 (29)	12 (6.4)	17 (9)	0.3	66 (35.3)	14 (7.5)	5 (2.7)	3 (1.6)	0.1
Burning sensation in any part of the body	33 (44)	29 (38.7)	9 (12)	1 (1.3)	3 (4)	0.4	13 (17.3)	6 (8)	9 (12)	18 (24)	8 (10.7)	21 (28)	0.2	4 (5.3)	26 (34)	19 (25)	7 (9.3)	5 (6.7)	0.2	24 (32)	6 (8)	2 (2.7)	24 (32)	0.1

Unusual muscle aches	48 (44)	38 (34.9)	11 (10.1)	4 (3.7)	8 (7.3)	0.9 (3.2)	20 (18.3)	11 (10.1)	12 (11)	21 (19.3)	16 (14.7)	29 (26.5)	0.3 (2.9)	6 (3.0)	25 (22.9)	14 (12.8)	7 (6.4)	4 (3.0)	0.0 (0.0)	43 (39.4)	5 (4.6)	28 (25.7)	33 (30.3)	0.4 (4.0)
Usual muscle aches	59 (36)	60 (36.6)	20 (12.2)	10 (6.1)	15 (9.1)	0.3 (3.5)	33 (20.1)	28 (17.1)	17 (10.4)	29 (17.7)	23 (14)	34 (20.7)	0.9 (5.1)	2 (3.0)	58 (35.5)	35 (21.3)	18 (11)	12 (7.3)	8 (5.0)	50 (30.5)	13 (7.2)	54 (3.2)	47 (28.7)	0.1 (1.2)
Shaking chills	27 (60)	14 (31.1)	4 (8.9)	--	--	0.1 (2.2)	12 (26.7)	4 (8.9)	10 (22.2)	4 (8.9)	5 (11.1)	10 (22.4)	0.9 (4.0)	9 (2.4)	11 (4.2)	10 (2.2)	8 (8.9)	8 (17.7)	3 (7.8)	17 (37.8)	2 (4.4)	15 (3.3)	11 (24.4)	0.5 (4.9)
Sneezing	47 (51.1)	34 (37)	9 (9.8)	--	2 (2.2)	0.1 (2.8)	24 (26.1)	15 (16.3)	11 (12)	10 (10.9)	14 (15.2)	18 (19.5)	0.7 (5.7)	2 (1.9)	20 (21.7)	31 (33.6)	6 (6.5)	9 (8.8)	0 (0)	33 (35.9)	4 (4.3)	26 (2.8)	29 (31.5)	0.3 (5.5)
Fatigue or tiredness	271 (41.6)	250 (38.3)	69 (10.6)	21 (3.2)	41 (6.3)	0.1 (1.1)	143 (21.9)	112 (17.2)	75 (11.5)	130 (19.9)	70 (10.7)	12 (18.2)	0.4 (5.7)	4 (2.6)	13 (29.4)	13 (19.5)	55 (8.4)	63 (9.7)	0 (0)	193 (29.6)	34 (5.2)	22 (3.5)	200 (30.7)	0.4 (1.6)
Tingling in extremities	45 (32.8)	65 (47.4)	13 (9.5)	8 (5.8)	6 (4.4)	0.0 (5.6)	16 (11.7)	19 (13.9)	13 (9.5)	26 (19)	23 (16.8)	40 (29.2)	0.2 (6.9)	1 (1.1)	29 (30.5)	42 (30.7)	16 (16)	4 (11.7)	4 (4.0)	48 (35)	7 (5.1)	38 (2.7)	44 (32.1)	0.1 (1.1)
Insomnia	136 (39.8)	139 (40.6)	29 (8.5)	12 (3.5)	26 (7.6)	0.5 (2.2)	62 (18.1)	46 (13.5)	35 (10.2)	68 (19.9)	46 (13.5)	85 (24.9)	0.3 (7.4)	3 (3.0)	108 (31.6)	66 (19.3)	22 (6.4)	27 (7.4)	8 (8)	91 (26.6)	22 (6.2)	11 (3.2)	118 (34.5)	0.5 (5.9)
Heat intolerance	8 (40)	7 (35)	3 (15)	1 (5)	1 (5)	0.9 (2.2)	2 (10)	1 (5)	3 (15)	4 (20)	1 (5)	9 (45.0)	1 (2.5)	4 (40)	5 (25)	2 (10)	1 (5)	--	5 (9.45)	1 (5)	4 (30)	4 (30)	0.3 (5.3)	
Cold intolerance	38 (41.3)	30 (32.6)	13 (14.1)	1 (1.1)	10 (10.9)	0.1 (1.9)	14 (15.2)	9 (9.8)	4 (4.3)	22 (23.9)	16 (17.4)	27 (29.3)	1 (2.5)	2 (1.38)	35 (22.8)	21 (10.8)	10 (4.3)	4 (2.1)	27 (29.3)	4 (6)	7 (29.3)	7 (3.6)	27 (29.3)	1 (1.3)
Nausea	34 (50)	25 (36.8)	6 (8.8)	--	3 (4.4)	0.5 (1.9)	12 (17.6)	8 (11.8)	10 (14.7)	10 (14.7)	11 (16.2)	17 (25.4)	0.8 (9.5)	4 (6.5)	22 (29.4)	20 (29.4)	4 (5.9)	9 (13.2)	5 (21)	21 (30.9)	2 (2.8)	26 (3.9)	19 (27.9)	0.8 (9)
Neuritis	36 (37.5)	39 (40.6)	13 (13.5)	3 (3.1)	5 (5.2)	0.4 (3.7)	12 (12.5)	18 (18.8)	8 (8.3)	20 (20.8)	10 (10.4)	28 (29.2)	2 (5.1)	2 (3.3)	33 (19.8)	19 (8.8)	9 (9.4)	6 (6.2)	5 (28.1)	7 (3)	14 (3)	32 (33.3)	4 (5.5)	
Palpitations	71 (39)	72 (39.6)	15 (8.2)	7 (3.8)	17 (9.3)	0.7 (2.8)	29 (15.9)	32 (17.6)	21 (11.5)	36 (19.8)	24 (13.2)	40 (22.2)	0.5 (2.7)	2 (4.0)	55 (30.6)	43 (23.6)	14 (7.7)	15 (8.2)	5 (35.2)	64 (7)	14 (7.1)	57 (3.7)	47 (25.8)	0.1 (1.1)
Facial paralysis	3 (42.9)	3 (42.9)	--	--	1 (14.3)	0.8 (5.5)	2 (28.6)	1 (14.3)	--	--	--	4 (57.1)	5 (9.9)	2 (3)	14 (28.6)	2 (6)	--	--	4 (3)	2 (28.6)	--	2 (9)	2 (28.6)	4 (6)
Loss of appetite	32 (58.2)	19 (34.5)	2 (3.6)	1 (1.8)	1 (1.8)	0.1 (4.1)	11 (20)	6 (10.9)	9 (16.4)	12 (21.8)	5 (9.1)	12 (21.8)	0.6 (9.1)	2 (3)	15 (27.3)	11 (20)	3 (5.5)	4 (3)	5 (9)	17 (30.9)	3 (5)	17 (9)	18 (32.7)	0.9 (5)
Hearing loss	18 (36.7)	21 (42.9)	7 (14.3)	--	3 (6.1)	0.6 (1.1)	4 (8.2)	3 (6.1)	7 (14.3)	13 (26.5)	5 (10.2)	17 (34.7)	0.3 (9.6)	1 (3.5)	26 (12.2)	6 (5.5)	1 (12.2)	1 (2)	15 (30.6)	2 (1)	4 (8.1)	18 (36.7)	7 (6)	
Hair loss	146 (37.3)	154 (39.4)	40 (10.2)	19 (4.9)	32 (8.2)	0.5 (3.3)	53 (13.6)	52 (13.3)	48 (12.3)	83 (21.2)	54 (13.8)	10 (25.8)	0.7 (4.8)	2 (7.4)	108 (27.6)	87 (22.3)	31 (7.9)	34 (8.7)	1 (29.4)	115 (29.4)	14 (3.6)	13 (3.7)	125 (32)	0.6 (8)
Loss of taste	92 (53.5)	49 (28.5)	18 (10.5)	4 (2.3)	9 (5.2)	0.0 (2.2)	24 (14)	22 (12.8)	20 (11.6)	21 (12.2)	28 (16.3)	57 (33.1)	0.4 (4.1)	1 (4.3)	43 (30.3)	35 (20.6)	11 (6.4)	16 (9.3)	5 (29.1)	8 (29.1)	7 (4)	66 (5.3)	48 (27.9)	0.2 (1.6)
Memory deficits	113 (39.4)	103 (35.9)	33 (11.5)	13 (4.5)	25 (8.7)	0.5 (5.9)	30 (10.5)	40 (13.9)	31 (10.8)	59 (20.6)	45 (15.7)	82 (28.6)	0.4 (1.4)	4 (5)	102 (35.9)	60 (20.9)	27 (9.4)	16 (5.6)	0 (31.7)	91 (31.7)	14 (9)	96 (4.3)	86 (30)	0.5 (5.8)
Muscle loss	47 (48.5)	35 (36.1)	10 (10.3)	2 (2.1)	3 (3.1)	0.1 (3.8)	10 (10.3)	10 (10.3)	10 (10.3)	20 (20.6)	16 (16.5)	31 (32.0)	0.2 (1.7)	4 (3.6)	35 (22.7)	22 (8.2)	2 (8.2)	2 (6)	5 (32)	7 (2)	3 (2)	22 (1)	1 (22.7)	0.3 (3)
Loss of smell	135 (51.3)	76 (28.9)	27 (10.3)	8 (3)	17 (6.5)	0.1 (1.1)	46 (17.5)	29 (11)	26 (9.9)	43 (16.3)	40 (15.2)	79 (30)	0.4 (9.7)	1 (1.9)	65 (24.8)	52 (19)	18 (6.8)	19 (7.5)	5 (25.5)	67 (25.5)	12 (4.4)	11 (3)	71 (27)	0.2 (2.8)
Body hair loss	4 (28.6)	6 (42.9)	2 (14.3)	--	2 (14.3)	0.6 (3.6)	2 (14.3)	2 (14.3)	2 (14.3)	1 (7.1)	1 (7.1)	6 (42.4)	0.3 (4.1)	2 (3.4)	8 (5.7)	1 (7)	--	2 (14.3)	--	3 (21.4)	1 (1)	7 (1)	9 (64.3)	0.0 (3.6)
Pruritus (itching)	45 (39.5)	47 (41.2)	12 (10.5)	5 (4.4)	5 (4.4)	0.6 (5.4)	14 (12.3)	19 (16.7)	13 (11.4)	24 (21.1)	15 (13.2)	29 (25.4)	0.9 (6.4)	2 (1.8)	34 (29.8)	26 (22.8)	11 (9.6)	11 (9.6)	0 (40.4)	46 (8)	10 (8)	33 (28.9)	0 (1)	
Gastroesophageal reflux	30 (34.5)	40 (46)	6 (6.9)	2 (2.3)	9 (10.3)	0.2 (2.2)	16 (18.4)	21 (24.1)	3 (3.4)	15 (17.2)	12 (13.8)	20 (23.3)	1 (3.8)	2 (1.2)	28 (31)	26 (32.2)	4 (4.6)	6 (6.4)	0 (39.1)	34 (39.1)	1 (1)	25 (2.6)	24 (27.6)	0.8 (5)
Skin dryness	63 (45.3)	46 (33.1)	15 (10.8)	3 (2.2)	12 (8.6)	0.3 (7.8)	23 (16.5)	17 (12.2)	19 (13.7)	32 (23)	22 (15.8)	26 (18.7)	0.1 (3.2)	2 (3)	46 (33.1)	27 (19.4)	15 (10.8)	16 (11.5)	0 (36)	50 (36)	9 (6.3)	33 (5.7)	47 (33.8)	0.1 (1.4)
Thirst	31 (40.3)	30 (39)	7 (9.1)	5 (6.5)	4 (5.2)	0.8 (4.6)	14 (18.2)	20 (26)	9 (11.7)	14 (18.2)	6 (7.8)	14 (18.2)	0.2 (1.6)	2 (1.9)	28 (37.4)	29 (37.7)	9 (11.7)	5 (6.3)	0 (44.2)	34 (44.2)	3 (9)	20 (6)	20 (26)	0.2 (1.1)

Easy crying	79 (39.1)	80 (39.6)	26 (12.9)	3 (1.5)	14 (6.9)	0.0	35 (17.3)	29 (14.4)	30 (14.9)	33 (16.3)	24 (11.9)	51 (25.2)	0.1	2 (2.8)	62 (30.7)	53 (26.2)	18 (8.9)	15 (7.4)	8 (4.0)	0.0	75 (37.1)	12 (5.9)	60 (29.7)	55 (27.2)	0.1
Excessive sweating	41 (45.6)	32 (35.6)	8 (8.9)	4 (4.4)	5 (5.6)	0.8	11 (12.2)	16 (17.8)	10 (11.1)	23 (25.6)	9 (10)	21 (23.3)	0.3	8 (3.1)	29 (15.2)	14 (6.7)	6 (2.8)	9 (4.1)	4 (1.8)	0.7	25 (27.8)	2 (2.2)	37 (41.1)	26 (28.9)	0.5
Tremor of the extremities	33 (36.7)	40 (44.4)	7 (7.8)	4 (4.4)	6 (6.7)	0.7	15 (16.7)	11 (12.2)	13 (14.4)	13 (14.4)	13 (14.4)	25 (27.8)	0.5	1 (0.4)	31 (34.4)	21 (23.3)	8 (8.9)	8 (4.1)	4 (1.8)	0.2	28 (31.1)	11 (12.2)	25 (27.2)	26 (28.9)	0.0
Persistent cough	127 (51.8)	86 (35.1)	13 (5.3)	6 (2.4)	13 (5.3)	0.0	70 (28.6)	57 (23.3)	28 (11.4)	40 (16.3)	21 (8.6)	29 (11.8)	0.3	3 (3.9)	63 (25.7)	54 (22.2)	15 (6.1)	17 (9.9)	5 (3.3)	0.7	81 (33.1)	13 (5.3)	83 (38.9)	68 (27.8)	0.6
Brittle nails	56 (49.6)	36 (31.9)	12 (10.6)	4 (3.5)	5 (4.4)	0.2	18 (15.9)	13 (11.5)	21 (18.6)	24 (21.2)	15 (13.3)	22 (19.5)	0.3	3 (1.7)	29 (25.7)	24 (21.2)	6 (5.3)	15 (13.4)	5 (4.4)	0.1	39 (34.5)	5 (4.4)	28 (24.8)	41 (36.3)	0.0
Vomit	15 (60)	5 (20)	4 (16)	--	1 (4)	0.1	6 (24)	2 (8)	4 (16)	4 (16)	5 (20)	4 (16)	0.5	4 (16)	9 (36)	9 (36)	1 (4)	6 (24)	1 (4)	0.1	8 (32)	--	9 (36)	8 (32)	0.7
Total	3257	2911	808	268	502	1297	1156	889	1503	1002	99	18	0	3	228	18	626	632	8	3	2486	43	81	2346	

Supplementary file S6. Distribution of long-COVID symptoms characteristics according to the characteristics of Ecuadorian participants.

Characteristics	Total n	Sex n (%)		Comorbidities n (%)				Ethnicity n (%)						Vaccine		p Value					
		Male	Female	p Value	No	Yes	p Value	Afro	White	Indigenous	Mestizo	Montubio	Ot her	p Value	No		1 dose	2 doses + 1 booster	2 doses + 2 boosters		
Onset time	Initiated with infection	44 (9)	148 (33)	301 (67)	0.0	359 (80)	90 (20)	0.4 (0)	3 (0)	27 (6)	6 (0)	406 (90)	5 (1.1)	2 (0)	0.3 (5)	82	2 (0)	68 (15)	323 (71.9)	56 (12.5)	0.7
	3 to 5 weeks after infection	41 (4)	153 (37)	261 (63)	0.6 (0)	320 (77)	94 (22)	0.4 (3)	2 (0)	26 (6)	1 (0)	382 (92)	2 (0.5)	1 (0)	0.1 (2)	98	1 (0)	63 (15)	296 (71.5)	55 (13.3)	0.9
	5 to 7 weeks after infection	10 (3)	33 (32)	70 (68)	0.4 (0)	83 (80)	20 (4)	0.7 (6)	1 (0)	1 (0)	1 (0)	98 (2)	3 (2)	0.0 (97)	1 (0)	1 (0)	15 (14)	69 (67.0)	17 (16.5)	0.0	
	7 to 9 weeks after infection	3 (26)	26 (52)	24 (48)	0.0 (0)	41 (82)	9 (18)	0.6 (0)	0 (23)	0 (88)	0 (0)	46 (92)	2 (4.0)	1 (2)	0.0 (0)	56	0 (30)	15 (64.0)	3 (6.0)	0.0	
	After 9 weeks of infection	50 (84)	36 (42)	48 (57)	0.2 (0)	63 (75)	21 (25)	0.4 (0)	0 (65)	4 (8)	1 (1.2)	76 (90)	3 (3.6)	0.3 (14)	0.3 (3)	14 (14)	12 (61)	3 (72.6)	11 (13.1)	0.9	
	Between 1 to 4 weeks	22 (4)	84 (37)	140 (62)	0.6 (5)	174 (77)	50 (22)	0.7 (3)	1 (35)	12 (5)	3 (4)	207 (92)	1 (0.5)	0.5 (18)	0.5 (0)	18	1 (13)	29 (74.6)	28 (12.5)	0.3	
	Between 4 to 8 weeks	18 (2)	72 (39)	110 (60)	0.3 (4)	152 (83)	30 (16)	0.1 (5)	1 (0)	17 (9)	2 (3)	160 (87)	1 (0.6)	1 (0)	0.1 (6)	33 (55)	1 (17)	31 (68.1)	26 (14.3)	0.1	
Between 8 to 12 weeks	11 (5)	33 (28)	82 (71)	0.1 (3)	91 (79)	24 (20)	0.9 (9)	0.9 (99)	6 (2)	5 (9)	93 (93)	1 (0.9)	0.8 (9)	0.8 (74)	0.8 (13)	1 (85)	16 (73.9)	14 (12.2)	0.7		
Between 3 to 6 months	21 (0)	64 (30)	146 (69)	0.0 (5)	161 (76)	49 (23)	0.4 (3)	0 (73)	1 (5)	9 (3)	197 (93)	2 (1.0)	1 (0)	0.8 (5)	92 (9)	1 (2)	27 (73.3)	28 (13.3)	0.5		
Between 6 to 12 months	13 (1)	53 (40)	78 (59)	0.3 (5)	105 (80)	26 (19)	0.7 (9)	0.7 (55)	6 (6)	4 (6)	119 (90)	4 (3.1)	1 (0)	0.4 (8)	16	2 (17)	23 (70.2)	16 (12.2)	0.8		
More than 12 months	23 (8)	90 (37)	148 (62)	0.5 (2)	183 (76)	55 (23)	0.4 (9)	1 (89)	3 (3)	9 (8)	217 (91)	6 (2.5)	1 (0)	0.1 (97)	97	2 (19)	47 (66.8)	30 (12.6)	0.0		
Frequency of presentation	Once a month	97 (30)	40 (41)	57 (58)	0.3 (2)	76 (78)	21 (21)	0.9 (7)	4 (1)	4 (1)	91 (93)	2 (2.1)	0.7 (8)	0.7 (04)	0.7 (1)	15 (15)	68 (70.1)	14 (14.4)	0.9		
	Once every two weeks	84 (80)	35 (35)	64 (64)	0.9 (3)	83 (83)	16 (16)	0.3 (7)	1 (49)	1 (2)	7 (89)	1 (1.2)	0.8 (3)	0.8 (15)	0.8 (15)	1 (2)	12 (71.4)	11 (13.1)	0.4		
	Once a week	21 (6)	37 (63)	136 (63)	0.7 (0)	180 (83)	36 (16)	0.0 (7)	0 (79)	6 (6)	2 (0.9)	198 (91)	3 (1.4)	1 (5)	0.9 (94)	0.9 (5)	32 (75.9)	19 (8.8)	0.1		
	Over 3 days a week	29 (7)	108 (36)	189 (63)	0.9 (4)	234 (78)	63 (21)	0.9 (2)	0.9 (99)	3 (0)	13 (4)	273 (91)	5 (1.7)	3 (0)	0.1 (22)	0.1 (18)	55 (68.4)	39 (13.1)	0.2		
	Daily	33 (1)	110 (33)	221 (66)	0.2 (8)	242 (73)	89 (26)	0.0 (9)	0.0 (03)	2 (6)	2 (0)	304 (91)	4 (1.2)	0.9 (8)	0.9 (88)	0.9 (3)	47 (14)	236 (71.3)	47 (14.2)	0.3	
	No apply	75 (37)	33 (62)	47 (85)	0.9 (3)	85 (76)	11 (14)	0.1 (7)	0.1 (93)	6 (7)	3 (4.0)	67 (89)	3 (3)	0.0 (0)	0.0 (02)	0.0 (3)	1 (16)	50 (66.7)	12 (16.0)	0.2	

Total	33 00	118 8	211 2	259 8	702	18	17 7	24	302 4	45	12	3	9	519	2343	426
-------	----------	----------	----------	----------	-----	----	---------	----	----------	----	----	---	---	-----	------	-----

Supplementary file S7. Risk of long-COVID symptoms lasting more than 6 months according to the number of COVID-19 infections.

		1 Infection		> 1 Infection		RR	Probability	P value	95% CI
		n	(%)	n	(%)				
Symptoms duration	< 6 Months (<i>ref.</i>)	576	69.6%	155	56.8%				
	> 6 Months	251	30.4%	118	43.2%	1.296	29.6%	0.006	1.076 - 1.560
	Total	827	100.0%	273	100.0%	N/A		N/A	

RR: relative risk

Supplementary file S8. Risk of long-COVID symptoms lasting longer than 12 months according to the number of COVID-19 infections.

		1 Infection		> 1 Infection		RR	Probability	P value	95% CI
		n	(%)	n	(%)				
Symptoms duration	1 Month (<i>ref.</i>)	187	22.6%	37	13.6%	0.647	-35.3%	0.009	0.4658 - 0.8993
	2-3 Months (<i>ref.</i>)	224	27.1%	73	26.7%	0.989	-1.0%	0.085	0.7830 - 1.2516
	3-11 Months (<i>ref.</i>)	254	30.7%	87	31.9%	1.028	2.8%	0.795	0.8318 - 1.2717
	> 12 Months	162	19.6%	76	27.8%	1.329	32.9%	0.022	1.0420 - 1.6962
	Total	827	100.0%	273	100.0%	N/A		N/A	

RR: relative risk