



Correction

# Correction: Suh Nchang et al. Knowledge about Asymptomatic Malaria and Acceptability of Using *Artemisia afra* Tea among Health Care Workers (HCWs) in Yaoundé, Cameroon: A Cross-Sectional Survey. *Int. J. Environ. Res. Public Health* 2023, 20, 6309

Abenwie Suh Nchang <sup>1,\*</sup>, Lahngong Methodius Shinyuy <sup>2</sup>, Sandra Fankem Noukimi <sup>3</sup>, Sylvia Njong <sup>1</sup>, Sylvie Bambara <sup>1</sup>, Edgar M. Kalimba <sup>4</sup>, Joseph Kamga <sup>5</sup>, Stephen Mbigha Ghogomu <sup>5</sup>, Michel Frederich <sup>2</sup>, Jean Lesort Louck Talom <sup>6</sup>, Jacob Souopgui <sup>3</sup> and Annie Robert <sup>1</sup>

- <sup>1</sup> Department of Epidemiology and Biostatistics (EPID), Institute de Recherche Expérimentale et Clinique (IREC), Public Health School, Université Catholique de Louvain (UCLouvain), 1200 Brussels, Belgium; sylvie.njong@student.uclouvain.be (S.N.); sylvie.bambara@amphealth.org (S.B.); annie.robert@uclouvain.be (A.R.)
  - <sup>2</sup> Laboratory of Pharmacognosy, Department of Pharmacy, Center of Interdisciplinary Research on Medicine (CIRM), University of Liege, 4000 Liège, Belgium; ms.lahngong@doct.uliege.be (L.M.S.); m.frederich@uliege.be (M.F.)
  - <sup>3</sup> Embriology and Biotechnology Laboratory, IBMM-ULB, 6041 Gosselies, Belgium; sandra.fankem.noukimi@ulb.be (S.F.N.); jacob.souopgui@ulb.be (J.S.)
  - <sup>4</sup> King Faisal Hospital, Kigali 2534, Rwanda; edgar.mk@kfhkigali.com
  - <sup>5</sup> Biotechnology Unit, University of Buea, Buea P.O. Box 63, Cameroon; josephkamga700@yahoo.com (J.K.); stephen.ghogomu@ubuea.cm (S.M.G.)
  - <sup>6</sup> Aumônerie—Hôpital du Jura bernois SA, 2740 Moutier, Switzerland; jean.louck@hjbe.ch
- \* Correspondence: abenwie.suhnchang@uclouvain.be; Tel.: +32-(237)-676786985



**Citation:** Suh Nchang, A.; Shinyuy, L.M.; Noukimi, S.F.; Njong, S.; Bambara, S.; Kalimba, E.M.; Kamga, J.; Ghogomu, S.M.; Frederich, M.; Talom, J.L.L.; et al. Correction: Suh Nchang et al. Knowledge about Asymptomatic Malaria and Acceptability of Using *Artemisia afra* Tea among Health Care Workers (HCWs) in Yaoundé, Cameroon: A Cross-Sectional Survey. *Int. J. Environ. Res. Public Health* 2023, 20, 6309. *Int. J. Environ. Res. Public Health* **2024**, 21, 80. <https://doi.org/10.3390/ijerph21010080>

Received: 27 November 2023

Accepted: 18 December 2023

Published: 11 January 2024



**Copyright:** © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

## Error in Table

In the original publication [1], there was a mistake in **Table 3** as published. **Table 3** was supposed to present factors associated with knowledge about the existence and definition of asymptomatic malaria among HCWs. While Table 4 presents the factors associated with knowledge about diagnosis and treatment of asymptomatic malaria among HCWs. The corrected **Table 3** appears below. The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

**Table 3.** Factors associated with knowledge about the existence and definition of asymptomatic malaria among HCWs.

| Sample Characteristic               | Knowledge of Existence of ASM |      |                   |                 |                   | Knowledge of Definition of ASM |          |      |                   |                 |
|-------------------------------------|-------------------------------|------|-------------------|-----------------|-------------------|--------------------------------|----------|------|-------------------|-----------------|
|                                     | <i>n</i>                      | %    | OR (95% CI)       | <i>p</i> -Value | AOR (95% CI)      | <i>p</i> -Value                | <i>n</i> | %    | OR (95% CI)       | <i>p</i> -Value |
| Total                               | 100                           | 88.0 |                   |                 |                   |                                | 88.0     | 83.0 |                   |                 |
| <i>Age of respondent (years)</i>    |                               |      |                   | >0.99           |                   |                                |          |      |                   | 0.23            |
| 18–29                               | 25                            | 88.0 | 1                 |                 | NI                |                                | 22       | 90.0 | 2.45 (0.51–11.84) |                 |
| 30–65                               | 75                            | 88.0 | 1                 |                 |                   |                                | 66       | 80.3 | 1                 |                 |
| <i>Gender</i>                       |                               |      |                   | 0.24            |                   | 0.07                           |          |      |                   | 0.58            |
| Female                              | 80                            | 90.0 | 1                 |                 | 1                 |                                | 72       | 81.9 | 1                 |                 |
| Male                                | 20                            | 80.0 | 0.44 (0.12–1.66)  |                 | 0.16 (0.22–1.15)  |                                | 16       | 87.5 | 1.54 (0.31–7.63)  |                 |
| <i>Professional category</i>        |                               |      |                   | 0.01 *          |                   | 0.03 *                         |          |      |                   | 0.11            |
| Nursing assistant                   | 26                            | 69.2 | 0.17 (0.03–0.91)  |                 | 0.07 (0.01–0.77)  |                                | 18       | 72.2 | 0.10 (0.01–0.99)  |                 |
| State registered nurse              | 31                            | 96.8 | 2.37 (0.20–26.94) |                 | 1.66 (0.68–19.89) |                                | 30       | 80.0 | 0.16 (0.02–1.43)  |                 |
| Degree nurse                        | 15                            | 93.3 | 1.08 (0.09–12.95) |                 | 0.57 (0.03–9.32)  |                                | 14       | 78.6 | 0.15 (0.14–1.57)  |                 |
| Medical doctor (Physician)          | 28                            | 92.9 | 1                 |                 | 1                 |                                | 26       | 96.2 | 1                 |                 |
| <i>Longevity of service (years)</i> |                               |      |                   | 0.27            |                   |                                |          |      |                   | 0.36            |
| 0–5                                 | 49                            | 89.8 | 0.68 (0.12–3.74)  |                 | NI                |                                | 44       | 88.6 | 2.34 (0.64–8.62)  |                 |
| 6–10                                | 23                            | 78.6 | 0.41 (0.05–1.59)  |                 |                   |                                | 18       | 77.8 | 1.05 (0.25–4.42)  |                 |
| >10                                 | 28                            | 92.1 | 1                 |                 |                   |                                | 26       | 76.9 | 1                 |                 |
| <i>Practicing site</i>              |                               |      |                   | 0.21            |                   | 0.73                           |          |      |                   | 0.10            |
| Rural Hospital                      | 50                            | 78.3 | 2.19 (0.61–7.80)  |                 | 1.31 (0.29–5.91)  |                                | 46       | 89.1 | 2.56 (0.80–8.25)  |                 |
| Urban Hospital                      | 50                            | 71.4 | 1                 |                 | 1                 |                                | 42       | 76.2 | 1                 |                 |

\* Statistically significant *p*-value.

## Reference

1. Suh Nchang, A.; Shinyuy, L.M.; Noukimi, S.F.; Njong, S.; Bambara, S.; Kalimba, E.M.; Kamga, J.; Ghogomu, S.M.; Frederich, M.; Talom, J.L.L.; et al. Knowledge about Asymptomatic Malaria and Acceptability of Using *Artemisia afra* Tea among Health Care Workers (HCWs) in Yaoundé, Cameroon: A Cross-Sectional Survey. *Int. J. Environ. Res. Public Health* **2023**, *20*, 6309. [[CrossRef](#)] [[PubMed](#)]

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.