

Photovoltaic Performance of Spherical TiO₂ Nanoparticles Derived from Titanium Hydroxide Ti(OH)₄: Role of Annealing Varying Temperature

Mohammad S. Almomani¹, Naser M. Ahmed^{1*}, Marzaini Rashid¹, Nursakinah Suardi¹, Munirah A. Almessiere², Nawal Madkhali^{3*}, Osamah A. Aldaghri³, Khalid Hassan Ibaouf³

¹ School of Physics, Universiti Sains Malaysia, 11800, Minden, Penang, Malaysia; Mohammadmmani36@yahoo.com (M.S.A.); marzaini@usm.my (M.R.); nsakinahsuardi@usm.my (N.S.)
² Department of physics, college of science, Imam Abdulrahman Bin Faisal University, P.O. Box 1982, 31441 Dammam, Saudi Arabia; malmessiere@uod.edu.sa (M.A.A.)
³ Physics Department, College of Science, Imam Mohammad Ibn Saud Islamic University (IMSIU), Riyadh 13318, Saudi Arabia; namadkhali@imamu.edu.sa (N.M.); odaghri@gmail.com (O.A.); kheo90@gmail.com (K.H.I.)

* Correspondence: nas_tiji@yahoo.com (N.M.A.); namadkhali@imamu.edu.sa (N.M.)




Figure S1. (a) Flowchart of the TiO₂NPs procedure, (b) TiO₂ thin films deposition procedure.