

Correction

Correction: Stencel, R., et al. Properties of Experimental Dental Composites Containing Antibacterial Silver-Releasing Filler. *Materials* 2018, 11, 1031

Robert Stencel ¹, Jacek Kasperski ², Wojciech Pakieła ³, Anna Mertas ⁴, Elżbieta Bobela ⁴, Izabela Barszczewska-Rybarek ⁵  and Grzegorz Chladek ^{3,*} 

¹ Private Practice, Center of Dentistry and Implantology, ul. Karpińskiego 3, 41-500 Chorzów, Poland; robert.stencel@op.pl

² Department of Prosthetic Dentistry, School of Medicine with the Division of Dentistry in Zabrze, Medical University of Silesia, pl. Akademicki 17, 41-902 Bytom, Poland; kroczek91@interia.pl

³ Faculty of Mechanical Engineering, Institute of Engineering Materials and Biomaterials, Silesian University of Technology, ul. Konarskiego 18a, 44-100 Gliwice, Poland; wojciech.pakielea@polsl.pl

⁴ Chair and Department of Microbiology and Immunology, School of Medicine with the Division of Dentistry in Zabrze, Medical University of Silesia in Katowice, ul. Jordana 19, 41-808 Zabrze, Poland; amertas@sum.edu.pl (A.M.); ebobela@sum.edu.pl (E.B.)

⁵ Department of Physical Chemistry and Technology of Polymers, Silesian University of Technology, 44-100 Gliwice, Poland; Izabela.Barszczewska-Rybarek@polsl.pl

* Correspondence: grzegorz.chladek@polsl.pl; Tel.: +48-32-237-2907

Received: 21 September 2018; Accepted: 25 September 2018; Published: 2 November 2018



In the published article, “Properties of Experimental Dental Composites Containing Antibacterial Silver-Releasing Filler” [1], we found two editing errors. The Vickers hardness was calculated according to equation 7 of reference [1], but HV should be in the place of E in reference [1]:

$$HV = \frac{1.8544 \times F}{d^2} \quad (7)$$

Moreover, F was the load in kgf, not in N, as it was previously described in reference [1].

We also found an editing error in Figure 6 of reference [1]. The axis should be described as “Vickers microhardness, kgf/mm²”, not “Vickers microhardness, MPa”.




Figure 6. Mean Vickers microhardness values with standard deviations; different lowercase letters show significantly different results at the $p < 0.05$ level.

The changes do not affect the results. The values were correct. We apologize for the inconvenience this has caused and we would like to thank the editorial office for publishing the correction. The manuscript will be updated and the original will remain online on the article webpage, with a reference to this Correction.

References

1. Stencel, R.; Kasperski, J.; Pakieła, W.; Mertas, A.; Bobela, E.; Barszczewska-Rybarek, I.; Chladek, G. Properties of experimental dental composites containing antibacterial silver-releasing filler. *Materials* **2018**, *11*, 1031. [[CrossRef](#)] [[PubMed](#)]



© 2018 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).