

Supplementary Information

Ultra-Thin ReS₂ Nanosheets grown on Carbon Black for Advanced Lithium-Ion Battery Anode

Yaping Yan ^{1,2,†}, Kyeong-Youn Song ^{3,†}, Minwoo Cho ¹, Tae Hoon Lee ^{4,5}, Chiwon Kang ^{1,*}
and Hoo-Jeong Lee ^{1,3,*}

¹ School of Advanced Materials Science and Engineering, Sungkyunkwan University (SKKU), Suwon 16419, Republic of Korea; hlee@skku.edu; cll7020@skku.edu

² Department of Physics and Institute of Basic Science, Sungkyunkwan University, 2066, Seobu-ro, Jangan-gu, Suwon 16419, Gyeonggi-do, Republic of Korea; yaping1006@skku.edu

³ SKKU Advanced Institute of Nano Technology (SAINT), Sungkyunkwan University, Suwon 16419, Republic of Korea; echirrolles@skku.edu

⁴ Center for Integrated Nanostructure Physics (CINAP), Institute for Basic Science (IBS), Suwon 16419, Republic of Korea; hooni0629@skku.edu

⁵ Department of Energy Science, Sungkyunkwan University (SKKU), Suwon 16419, Republic of Korea

* Correspondence: chiwonkang@skku.edu (C.K.); hlee@skku.edu (H.-J.L.); Tel.: +82-31-299-4735 (C.K.); +82-31-290-7365 (H.-J.L.)

† These co-first authors contributed equally to this work

Received: 30 March 2019; Accepted: 9 May 2019; Published: date




Figure S1. N_2 adsorption–desorption isotherms of (a) $ReS_2@CB$ and (b) CB. The black squares corresponds to N_2 adsorption, whereas the red circles N_2 desorption, the inserted figures show the pore size distribution of the $ReS_2@CB$ and CB, respectively.