

Article

Releasing Behavior of Lipopolysaccharide from Gelatin Modulates Inflammation, Cellular Senescence, and Bone Formation in Critical-Sized Bone Defects in Rat Calvaria

Jianxin Zhao ¹, Yoshitomo Honda ^{2,*}, Tomonari Tanaka ³, Yoshiya Hashimoto ⁴ and Naoyuki Matsumoto ¹

¹ Department of Orthodontics, Osaka Dental University, 1-5-17, Otemae, Chuo-ku, Osaka 540-0008, Japan; jianxinzhao@hotmail.com (J.Z.); naoyuki@cc.osaka-dent.ac.jp (N.M.)

² Institute of Dental Research, Osaka Dental University, 8-1, Kuzuhahanazonocho, Hirakata, Osaka 573-1121, Japan.

³ Graduate School of Science and Technology, Kyoto Institute of Technology, Matsugasaki, Sakyo-ku, Kyoto 606-8585, Japan; t-tanaka@kit.ac.jp

⁴ Department of Biomaterials, Osaka Dental University, 8-1, Kuzuhahanazonocho, Hirakata, Osaka 573-1121, Japan; yoshiya@cc.osaka-dent.ac.jp

* Correspondence: honda-y@cc.osaka-dent.ac.jp; Tel.: +81-72-864-3130




Figure S1. LPS release from LS-G into saline over 3 days.




Figure S2. (A) Vertical and (B) lateral macroscopic views of skin above the surgery site 1 week after surgery.



© 2019 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).