

Supplementary Information

Graphitic Carbon Nitride for Photocatalytic Air Treatment

Michal Baudys ¹, Šárka Paušová ¹, Petr Praus ², Vlasta Brezová ³, Dana Dvoranová ³, Zuzana Barbieriková ³ and Josef Krýsa ^{1,*}

¹ Department of Inorganic Technology, University of Chemistry and Technology Prague, Technická 5, 166 28 Prague 6, Czech Republic; baudysm@vscht.cz (M.B.); sarka.pausova@vscht.cz (Š.P.)

² Institute of Environmental Technology, VŠB-Technical University of Ostrava, 17. listopadu 2172/15, 708 00 Ostrava-Poruba, Czech Republic; petr.praus@vsb.cz

³ Institute of Physical Chemistry and Chemical Physics, Faculty of Chemical and Food Technology, Slovak University of Technology in Bratislava, Radlinského 9, SK-812 37 Bratislava, Slovak Republic; vlasta.brezova@stuba.sk (V.B.); dana.dvoranova@stuba.sk (D.D.); zuzana.barbierikova@stuba.sk (Z.B.)

* Correspondence: josef.krýsa@vscht.cz




Figure S1. FTIR spectra of CN, Ex-CN and Mes.Ex-CN materials.




Figure S2. XPS spectra of Me-Ex-CN material.