

Article

Hybrid TiO₂-ZnO Nanomaterials Prepared Using Laser Ablation in Liquid

Neli Mintcheva ^{1,2,*} Shigeru Yamaguchi ³ and Sergei A. Kulinich ^{1,4,5,*}

¹ Research Institute of Science and Technology, Tokai University, Hiratsuka, Kanagawa 259-1292, Japan

² Department of Chemistry, University of Mining and Geology, Sofia 1700, Bulgaria

³ Department of Physics, Tokai University, Hiratsuka, Kanagawa 259-1292, Japan; shigeru@keyaki.cc.u-tokai.ac.jp

⁴ Department of Mechanical Engineering, Tokai University, Hiratsuka, Kanagawa 259-1292, Japan

⁵ School of Natural Sciences, Far Eastern Federal University, Vladivostok 690041, Russia

* Correspondence: nnmintcheva@mgu.bg (N.M.); skulinich@tokai-u.jp (S.K.)




Figure 1. TEM images of samples prepared at lower pulse energy: (a) ZnO-1, (b) TiO₂-1, (c) ZnO/TiO₂-1 and (d) TiO₂/ZnO-1.




Figure 2. TEM images of samples prepared at higher pulse energy: (a) ZnO-2, (b) TiO₂-2, (c) ZnO/TiO₂-2 and (d) TiO₂/ZnO-2.



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).