

Correction

Correction: Falck, R. et al. Microstructure and Mechanical Performance of Additively Manufactured Aluminum 2024-T3/Acrylonitrile Butadiene Styrene Hybrid Joints by AddJoining Technique. *Materials* 2019, 12, 864

Rielson Falck ¹, Jorge F. dos Santos ¹ and Sergio T. Amancio-Filho ^{2,*} 

¹ Helmholtz-Zentrum Geesthacht, Center for Materials and Coastal Research, Institute of Materials Research, Materials Mechanics, Solid State Joining Processes, 21502 Geesthacht, Germany; rielson.falck@hzg.de (R.F.); jorge.dos.santos@hzg.de (J.F.d.S.)

² Institute of Materials Science, Joining and Forming, BMVIT Endowed Professorship for Aviation, Graz University of Technology—TU Graz, Kopernikusgasse 24/1, 8010 Graz, Austria

* Correspondence: sergio.amancio@tugraz.at; Tel.: +43-316-873-1610; Fax: +43-316-873-7184

Received: 13 March 2020; Accepted: 17 March 2020; Published: 23 March 2020



The authors wish to make the following correction to the paper [1]. Due to identical data in Table 6 and Table 7, replace:

Table 7. ANOVA results for ULSF for ABS BM FDM.

Factor	Unit	Level 1	Level 2	Level 3	F-Value	p-Value
PT	°C	230	255	280	2.15	1.34×10^{-1}
RT	mm	0.1	0.2	0.3	5.73	8.0×10^{-3}
DS	mm/s	20	40	60	32.38	1.24×10^{-6}
AC	wt.%	5	15	25	29.42	2.43×10^{-5}
NC	-	2	12	22	15.64	1.46×10^{-5}

with

Table 7. ANOVA results for ULSF for ABS BM FDM.

Factor	Unit	Level 1	Level 2	Level 3	F-Value	p-Value
PT	°C	230	255	280	1.28	2.97×10^{-1}
RT	mm	0.1	0.2	0.3	5.65	1.0×10^{-2}
DS	mm/s	20	40	60	14.09	1.78×10^{-6}
NC	-	2	12	22	17.19	2.32×10^{-5}

These changes have no material impact on the discussion and conclusions of the paper. The authors would like to apologize for any inconvenience caused to the readers by these changes.

Acknowledgments: Open Access Funding by the Graz University of Technology.

Conflicts of Interest: The authors declare no conflicts of interest.

Reference

1. Falck, R.; dos Santos, J.F.; Amancio-Filho, S.T. Microstructure and Mechanical Performance of Additively Manufactured Aluminum 2024-T3/Acrylonitrile Butadiene Styrene Hybrid Joints Using an AddJoining Technique. *Materials* **2019**, *12*, 864. [[CrossRef](#)] [[PubMed](#)]



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).