

Supporting Information for

Low-Temperature Sintering of

Bi(Ni_{0.5}Ti_{0.5})O₃-BiFeO₃-Pb(Zr_{0.5}Ti_{0.5})O₃ Ceramics

and Their Performance

Wuyang Wang ¹, Shihao Wang ², Jun Sun ², Qiushi Wang ² and Bijun Fang ^{2,*}

¹ Bell Honors School, Nanjing University of Posts and Telecommunications,
Nanjing 210023, China

² School of Materials Science and Engineering, Jiangsu Collaborative

Innovation Center of Photovoltaic Science and Engineering, Jiangsu Province
Cultivation Base for State Key Laboratory of Photovoltaic Science and
Technology, National Experimental Demonstration Center for Materials
Science and Engineering, Changzhou University, Changzhou 213164, China

* Correspondence: fangbj@cczu.edu.cn; Tel.: +86-519-86330095;
Fax: +86-519-86330095













Figure S1. EDX spectra of 1030 °C sintered 0.21BNT-0.05BF-0.74PZT ceramics at different locations









10 μ m




O K




10 μ m




Fe K




10 μ m



Zr L



10 μ m



Sn M




Figure S2. Element surface mapping of 1030 °C sintered 0.21BNT-0.05BF-0.74PZT ceramics

at different locations.