Fagus_sylvatica_2N

Processing Report

07 November 2018

Survey Data



Fig. 1. Camera locations and image overlap.

Number of images:	105	Camera stations:	105
Flying altitude:	4.77 m	Tie points:	143,951
Ground resolution:	0.341 mm/pix	Projections:	376,012
Coverage area:	1.23 m²	Reprojection error:	0.684 pix

Camera Model	Resolution	Focal Length	Pixel Size	Precalibrated
Canon EOS 70D (35 mm)	5472 x 3648	35 mm	4.17 x 4.17 µm	No

Table 1. Cameras.

Camera Calibration



Fig. 2. Image residuals for Canon EOS 70D (35 mm).

Canon EOS 70D (35 mm)

105 images

Type	Resolution	Focal Length	Pixel Size
Frame	**5472 x 3648**	**35 mm**	**4.17 x 4.17 µm**

	Value	Error	F	B2	K1	K2	P1	P2
F	**8473.12**	0.57	1.00	0.04	0.35	-0.01	-0.22	0.04
B2	**1.94286**	0.13		1.00	0.00	0.01	-0.07	-0.07
K1	**-0.0774476**	0.00011			1.00	-0.91	-0.08	0.02
K2	**0.0872401**	0.00072				1.00	0.02	-0.01
P1	**0.000676486**	4.6e-06					1.00	0.02
P2	**0.000634846**	4e-06						1.00

Table 2. Calibration coefficients and correlation matrix.

Ground Control Points



Fig. 3. GCP locations and error estimates.
Z error is represented by ellipse color. X,Y errors are represented by ellipse shape.
Estimated GCP locations are marked with a dot or crossing.

Count	X error (mm)	Y error (mm)	Z error (mm)	XY error (mm)	Total (mm)
4	3.84438	1.34255	0.632983	4.07206	4.12096

Table 3. Control points RMSE.

Label	X error (mm)	Y error (mm)	Z error (mm)	Total (mm)	Image (pix)
target 8	5.84244	1.15745	0.82961	6.01349	0.893 (11)
target 15	0.904237	1.51439	0.342752	1.7968	1.119 (16)
target 16	-2.53474	-1.39655	-0.351962	2.91532	0.338 (5)
target 7	-4.21192	-1.2753	-0.820403	4.47658	0.893 (73)
Total	**3.84438**	**1.34255**	**0.632983**	**4.12096**	**0.914**

Table 4. Control points.

Label	X error (mm)	Y error (mm)	Z error (mm)	Total (mm)	Image (pix)
target 2					1.056 (4)
target 4					0.915 (2)
target 5					1.616 (17)
target 6					1.569 (13)
target 9					1.211 (11)
target 10					1.378 (19)
target 11					0.877 (26)
target 12					0.775 (25)
target 13					0.652 (23)
target 14					0.711 (11)
point 1					0.893 (34)
point 2					21.712 (29)
point 3					1.131 (40)
point 4					0.560 (33)
point 5					0.004 (105)
point 6					0.004 (105)
point 7					0.004 (105)
point 8					0.004 (105)
point 9					0.004 (70)
point 10					0.004 (70)
point 11					0.004 (70)
point 12					0.004 (70)
point 13					0.004 (67)

Label	X error (mm)	Y error (mm)	Z error (mm)	Total (mm)	Image (pix)
point 14					0.004 (67)
point 15					0.004 (63)
point 16					0.004 (66)
Total					

Table 5. Check points.

Scale Bars

Label	Distance (m)	Error (m)
target 5_target 6	0.148552	0.000552032
target 9_target 10	0.148477	0.000477305
target 11_target 12	0.148562	0.000562489
target 13_target 14	0.148406	0.000405525
target 15_target 16	0.148763	0.000762959
target 8_target 7	0.146715	-0.00128488
target 8_target 15	0.152807	
point 1_point 2	0.604366	0.0013659
point 3_point 4	0.20259	0.00158981
Total		**0.000977216**

Table 6. Check scale bars.

Digital Elevation Model



Fig. 4. Reconstructed digital elevation model.

Resolution:	unknown
Point density:	unknown

Processing Parameters

General	
Cameras	105
Aligned cameras	105
Markers	30
Scale bars	9
Coordinate system	Local Coordinates (m)
Rotation angles	Yaw, Pitch, Roll
Point Cloud	
Points	143,951 of 171,205
RMS reprojection error	0.129239 (0.68411 pix)
Max reprojection error	0.393283 (29.8014 pix)
Mean key point size	5.16957 pix
Point colors	3 bands, uint8
Key points	No
Average tie point multiplicity	2.72792
Alignment parameters	
Accuracy	High
Generic preselection	Yes
Key point limit	40,000
Tie point limit	4,000
Adaptive camera model fitting	Yes
Matching time	33 minutes 19 seconds
Alignment time	2 minutes 43 seconds
Depth Maps	
Count	105
Reconstruction parameters	
Quality	Medium
Filtering mode	Aggressive
Processing time	1 hours 42 minutes
Dense Point Cloud	
Points	4,265,724
Point colors	3 bands, uint8
Reconstruction parameters	
Quality	Medium
Depth filtering	Aggressive
Depth maps generation time	1 hours 42 minutes
Dense cloud generation time	26 minutes 0 seconds
Software	
Version	1.4.4 build 6848
Platform	Windows 64