Fagus_sylvatica_5N

Processing Report

07 November 2018

Survey Data



Fig. 1. Camera locations and image overlap.

Number of images:	105	Camera stations:	105
Flying altitude:	4.23 m	Tie points:	131,659
Ground resolution:	0.324 mm/pix	Projections:	375,337
Coverage area:	9.27e+03 cm²	Reprojection error:	0.812 pix

Camera Model	Resolution	Focal Length	Pixel Size	Precalibrated
Canon EOS 70D (35 mm)	5472 x 3648	35 mm	4.17 x 4.17 µm	No

Table 1. Cameras.

Camera Calibration



Fig. 2. Image residuals for Canon EOS 70D (35 mm).

Canon EOS 70D (35 mm)

105 images

Type	Resolution	Focal Length	Pixel Size
Frame	**5472 x 3648**	**35 mm**	**4.17 x 4.17 µm**

	Value	Error	F	K1	K2	P1	P2
F	**8478.11**	0.62	1.00	0.31	-0.00	-0.22	-0.01
K1	**-0.0773066**	0.00013		1.00	-0.92	-0.04	0.00
K2	**0.0861512**	0.00087			1.00	-0.01	-0.01
P1	**0.000785515**	5.3e-06				1.00	0.00
P2	**0.000412151**	4.8e-06					1.00

Table 2. Calibration coefficients and correlation matrix.

Ground Control Points



Fig. 3. GCP locations and error estimates.
Z error is represented by ellipse color. X,Y errors are represented by ellipse shape.
Estimated GCP locations are marked with a dot or crossing.

Count	X error (mm)	Y error (mm)	Z error (mm)	XY error (mm)	Total (mm)
4	0.429145	2.45529	0.257404	2.49251	2.50577

Table 3. Control points RMSE.

Label	X error (mm)	Y error (mm)	Z error (mm)	Total (mm)	Image (pix)
target 8	0.715715	-4.02452	-0.366741	4.10409	3.278 (35)
target 15	-0.24884	0.373422	-0.116256	0.463553	2.919 (49)
target 16	-0.0698754	1.07978	0.255098	1.1117	3.819 (28)
target 7	-0.397	2.57131	0.2279	2.61174	0.773 (90)
Total	**0.429145**	**2.45529**	**0.257404**	**2.50577**	**2.493**

Table 4. Control points.

Label	X error (mm)	Y error (mm)	Z error (mm)	Total (mm)	Image (pix)
target 2					0.741 (21)
target 3					1.148 (25)
target 4					0.203 (3)
target 5					0.962 (18)
target 6					0.914 (37)
target 9					1.006 (34)
target 10					0.707 (21)
target 11					1.685 (29)
target 12					1.488 (7)
target 13					1.643 (11)
target 14					1.379 (13)
point 1					1.417 (38)
point 2					15.362 (40)
point 3					0.478 (46)
point 4					23.520 (40)
point 5					0.004 (105)
point 6					0.004 (105)
point 7					0.004 (105)
point 8					0.004 (105)
point 9					0.004 (70)
point 10					0.004 (70)
point 11					0.004 (70)
point 12					0.004 (70)

Label	X error (mm)	Y error (mm)	Z error (mm)	Total (mm)	Image (pix)
point 13					0.004 (51)
point 14					0.003 (51)
point 15					0.004 (49)
point 16					0.004 (49)
Total					

Table 5. Check points.

Scale Bars

Label	Distance (m)	Error (m)
target 5_target 6	0.147762	-0.000237564
target 8_target 7	0.148745	0.000745119
target 9_target 10	0.147528	-0.000472498
target 11_target 12	0.147266	-0.00073389
target 13_target 14	0.147987	-1.29949e-05
target 15_target 16	0.14763	-0.000369556
target 8_target 15	0.15172	
point 1_point 2	0.410686	0.00868568
point 3_point 4	0.612109	0.00910882
Total		**0.00447104**

Table 6. Check scale bars.

Digital Elevation Model



Fig. 4. Reconstructed digital elevation model.

Resolution:	unknown
Point density:	unknown

Processing Parameters

General	
Cameras	105
Aligned cameras	105
Markers	31
Scale bars	9
Coordinate system	Local Coordinates (m)
Rotation angles	Yaw, Pitch, Roll
Point Cloud	
Points	131,659 of 149,659
RMS reprojection error	0.134661 (0.812418 pix)
Max reprojection error	0.411267 (32.7296 pix)
Mean key point size	5.96409 pix
Point colors	3 bands, uint8
Key points	No
Average tie point multiplicity	3.09741
Alignment parameters	
Accuracy	High
Generic preselection	Yes
Key point limit	40,000
Tie point limit	4,000
Adaptive camera model fitting	Yes
Matching time	38 minutes 24 seconds
Alignment time	1 minutes 22 seconds
Depth Maps	
Count	105
Reconstruction parameters	
Quality	Medium
Filtering mode	Aggressive
Processing time	3 hours 15 minutes
Dense Point Cloud	
Points	3,700,428
Point colors	3 bands, uint8
Reconstruction parameters	
Quality	Medium
Depth filtering	Aggressive
Depth maps generation time	3 hours 15 minutes
Dense cloud generation time	31 minutes 59 seconds
Software	
Version	1.4.4 build 6848
Platform	Windows 64