

Table S1. Frequency and percentage of mosquitoes collected at four sampling sites in the DDBR, Romania (2014-2016).

Mosquito species	Sum	Percentage
<i>Coquillettidia richiardii</i>	379,513	57.8820
<i>Anopheles hyrcanus</i>	162,725	24.8182
<i>Anopheles maculipennis</i> s.l.	28,363	4.3258
<i>Aedes caspius</i>	25,767	3.9299
<i>Culex pipiens</i> s.l./ <i>torrentium</i>	23,134	3.5283
<i>Aedes vexans</i>	16,673	2.5429
<i>Culex modestus</i>	15,135	2.3083
<i>Anopheles algeriensis</i>	2,280	0.3477
unidentified	1,041	0.1588
<i>Aedes flavescens</i>	529	0.0807
<i>Aedes detritus</i>	246	0.0375
<i>Aedes</i> spec.	169	0.0258
<i>Aedes cinereus</i>	51	0.0078
<i>Culex</i> spec.	17	0.0026
<i>Culiseta annulata</i>	12	0.0018
<i>Aedes hungaricus</i>	4	0.0006
<i>Anopheles</i> spec.	3	0.0005
<i>Uranotaenia unguiculata</i>	3	0.0005
<i>Aedes geniculatus</i>	1	0.0002
<i>Aedes sticticus</i>	1	0.0002