

Table 1. The raw data of loss on ignition, moisture and AT4 in biowaste samples during the composting process.

Pile	Day	Loss on ignition	Moisture in pile	AT ₄
		% d.m.	%	mg O ₂ :g d.m. ⁻¹
A1	1	54.25	59.7	60.3
		55.06		50.12
	8	53.05	56.98	52.42
		53.2		48.33
		54.21		
	15	54.09	50.34	39.14
		54.67		34.07
		53.96		37.87
	22	52.54	39.59	3.84
		49.66		6.85
		49.37		4.82
	29	53.62	39.81	11.99
		57.46		9.78
		55.01		11.94
	36	46.31	32.99	2.68
		47.66		2.59
		47.86		2.42
	44	42.55	28.29	2.34
		42.07		2.41
		44.45		2.86
	50	37.51	22.53	1.61
		39.56		1.33
		37.93		
A2	1	61.83	55.49	67.06
		61.61		59
		61.47		
	8	61.08	56.4	46.7
		58.87		54.5
		56.41		53.5
	15	52.43	47.92	22.64
		58.34		26
		52.83		23.52
	23	50.05	38.67	6.48
		47.37		6.77
		47.85		6.61
	29	42.2	32.39	4.14
		41.43		3.78
		42.34		5.27
	36	44.67	27.28	4.03
		45.41		4.19
		44.57		
	43	41.28	25.48	2.83
		41.11		2.01
		42.2		1.97

	50	39.96	28.71	1.86
		39.01		1.87
		38.89		2.74
	57	37.63	35.58	3.29
		38.28		2.87
		39.78		
	1	54.6	58.79	43.87
		57.65		45.6
		57.44		
	8	53.5	57.51	21.57
		51.44		21.57
		53.93		25.27
	15	51.23	49.43	27.31
		50.38		20.4
		50.68		23.72
	22	47.96	49.39	12.27
		48.59		17.21
		47.3		
A3	30	46.63	47.42	22.93
		45.69		18.15
		45.62		
	36	41.42	37.66	7.38
		41.99		4.57
		41.84		3.62
	45	39.88	47.35	6.83
		41.88		7.47
		41.23		2.79
	52	39.73	43.08	4.9
		40.47		3.71
		39.79		6.42
	1	70.07	69.88	41.6
		70.32		58.22
		70.36		
	7	50.68	68.01	33.22
		51.03		31.28
		50.84		29.91
	16	49.15	52.73	32.51
		46.98		18.88
		49.29		35.75
	23	44.47	65.2	10
		44.2		9.88
		44.91		14.48
A4	30	45.06	59.83	13.1
		45.28		12.1
		44.03		
	37	42.64	60.04	6.34
		43.23		7.92
		43.63		
	42	41.25	64.75	15.47
		40.42		15.93
		38.44		
	51	38.75	68.29	8.9
		39.06		10.18
		38.36		

A5	1	58.39	61.99	30.64
		58.79		28.82
		58.6		
	8	58.24	62.7	24.53
		56.86		25.16
		58.17		
	12	52.45	64.26	22.19
		53.53		27.13
		52.41		
	22	52.32	67.88	25.03
		51.66		28.95
		52.61		
	29	47.84	67.69	16.24
		49.63		20.3
		49.63		16.06
	36	47.74	65.78	15.98
		45.77		16.69
		46.87		13.17
	42	45.22	64.5	12.2
		43.41		14.17
		42.23		12.58
A6	50	46.63	63.7	8.27
		45.28		7.92
		45.42		9.42
	1	56.98	53.17	35.09
		56.37		24.53
		56.6		
	8	55.78	63.37	32.08
		55.35		32.66
		54.84		
	12	53.42	61.08	15.07
		52.88		17.28
		51.62		
	22	48.58	61.08	17.92
		48.55		14.36
		49.85		
	29	47.93	60.51	12.54
		48.1		14.14
		49.1		10.82
	36	45.24	60.5	9.88
		46.42		9.24
		44.33		10.17
	42	41.9	62.01	6.52
		43.06		9.48
		41.71		9
	50	44.89	61.51	7.81
		45.55		7.08
		45.46		

Table S1 in Data [43] (Stegenta, S.; Sobieraj, K.; Pilarski, G.; Koziel, J.A.; Białowiec, A. The spatial and temporal distribution of process gases within the biowaste compost. *Data* 2019, 4, 37. doi:10.3390/data4010037).