

Article



# Expert Panel, Preventive Maintenance of Heritage Buildings and Fuzzy Logic SYSTEM: An Application in Valdivia, Chile

Manuel Carpio <sup>1,2</sup> and Andrés J. Prieto <sup>1,\*</sup>

- <sup>1</sup> Department of Construction Engineering and Management, School of Engineering, Pontificia Universidad Católica de Chile, Avenida Vicuña Mackenna 4860, Santiago 7820436, Chile; manuel.carpio@ing.puc.cl
- <sup>2</sup> UC Energy Research Center, Pontificia Universidad Católica de Chile, Avenida Vicuña Mackenna 4860, Santiago 7820436, Chile
- \* Correspondence: andres.prieto@ing.puc.cl; Tel.: +56-988319810

Abstract: The maintenance of buildings is a highly complex decision process, which is generally due to professional experts having to consider several arduous evaluations, especially regarding uncertainty related to why, when and how to intervene. This study concerns the analysis of the uncertainty associated with professional experts' surveys during the decision-making process during building maintenance. For this purpose, a case study of a timber-structure building was examined. An expert panel of 66 professionals with expertise in construction engineering carried out a systematic and automated evaluation. This kind of digital method is capable of managing the uncertainty associated with the evaluation processes by different specialists. Experts can evaluate various nuances and approximations in the model's input parameters. The fuzzy model helps to harmonize the results since minor variations in the evaluation of the input parameters do not generate a large dispersion over the model's output variable. The novelty of this study concerns the application of a digital methodology based on a fuzzy logic model to assist a professional expert panel in different areasarchitecture, engineering and construction. This study is oriented through an artificial intelligence based method applied by specialists to set intervention priorities, support maintenance management of the examined building and minimise human error during data collection and uncertainty related to making decisions. The lessons learned from the results obtained in this study promote the use of this kind of digital tool to manage the uncertainty associated with in-situ visual inspections.

Keywords: fuzzy system; uncertainty; expert panel; decision-making; timber structure; building

# 1. Introduction

Complex socio-technical decisions, such as when to intervene on heritage structures, or more so, a heritage building or set of buildings, is based on a considerable amount of evidence, information an even records handled and collected by multidisciplinary professional panels [1]. The information needed for the decision-making process about the future state of a building is often ambiguous, incomplete and presents a degree of uncertainty [2]. Moreover, the inadequate performance of buildings during their whole period of service life normally involves an exceptionally high economic and social load [3]. Concerning a worldwide scale, the built heritage is aged and with clear signs of deterioration. The current state is due to the lack of standards for the continued management of buildings during their period of service life, the lack of investment in built heritage rehabilitation and also a lack of knowledge and tools focused on decision-making [4].

Buildings and components naturally deteriorate over time, with a continuing degradation of their performance state until the point at which they are no longer capable of satisfying the users' needs and supplies [5]. Chen et al. stated that the safeguarding of the buildings' performance condition for a longer period through the mitigation of their degradation depends on decisions involving several preventive maintenance tasks [6]. The lack of decision-making tools for the optimisation of preventive maintenance activities in



Citation: Carpio, M.; Prieto, A.J. Expert Panel, Preventive Maintenance of Heritage Buildings and Fuzzy Logic SYSTEM: An Application in Valdivia, Chile. *Sustainability* **2021**, *13*, 6922. https:// doi.org/10.3390/su13126922

Academic Editor: Manuel Duarte Pinheiro

Received: 10 May 2021 Accepted: 15 June 2021 Published: 19 June 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). heritage buildings lead to excessive and even unnecessary costs due to the performance of inefficient and inadequate maintenance operations [7].

In terms of minimising the excessive costs related to reactive maintenance events, stakeholders are currently implementing predictive or condition-based maintenance plans [8]. The main aim of buildings' maintenance activities is to ensure that their systems and components always function adequately, with the intention of achieving optimum performance during their life cycle [9]. Predictive maintenance is based on the assessment of the assets' condition, intending to reduce unexpected failures and consequently decrease maintenance budgets [10]. Therefore, maintenance activities must be understood as an investment opportunity that needs to be improved and optimised and not as a cost that must be minimised. Moreover, subjective aspects that are crucial for the decision-making process, such as the users' perception, needs and expectations, and the funds available, should also be considered in the definition of maintenance policies. Alba-Rodríguez et al. declared that the key criteria for decision-making in regard to the buildings' renovation are the investment costs, the buildings' performance situations, existing guidelines and the minimisation of uncertainty linked to degradation buildings' procedures [11].

In different engineering situations, the stakeholders are faced with a lack of data and incomplete data and material for modelling certain real-world phenomena [7]. In this regard, uncertainty is one of the knowledge aspects [12]. In this sense, decision-making processes and performance evaluation in engineering [13], especially in processes with a significant degree of uncertainty involved have been broadly analysed and examined using fuzzy theory. Fuzzy logic systems are still considered as ground-breaking procedures for modelling real-world phenomena [14], especially when there exists a certain degree of vague and uncertainty, i.e.,: such as the case of modelling heritage buildings' degradation [15]. Regarding this approach, the methodology used by professionals can forecast the functionality of buildings associated to service life prediction overtime. This method is grounded on the fuzzy set theory founded in 1965 by Zadeh [16].

In the scientific field, a panel of experts can analyse the strengths and weaknesses of a model. This methodology is used in different disciplines of knowledge such as medicine [17,18]; engineering [19,20]; business [21]; heritage [22,23]; COVID-19 [24]; etc.

The main novelty of this research work considers the application of a digital methodology based on a fuzzy logic model to assist a professional expert panel in different areas architecture, engineering and construction (AEC). This study has been oriented through an artificial-intelligence-based method applied by specialists to set intervention priorities, support maintenance management of the examined building and minimise both human error during data collection and the uncertainty associated with making decisions [25].

Thus, the main objective considers the uncertainty analysis in decision-making of vulnerability and risk variables associated with a digital management model based on fuzzy logic. To keep training the model, a case study—Haverbeck House in Valdivia, Chile—was specifically analysed in detail by a panel of experts.

# 2. Materials and Methods

In Figure 1, the research methodology is summarized into six principal steps.

#### 2.1. Case Study Characterisation and Emplacement

The geographical location of Valdivia (South Chile) corresponds to latitude 39°48′30″ S and longitude 71°14′30″ W. The elevation of the city is around 5 m (Figure 2). Regarding the climatic location of the city of Valdivia and based on the Köppen–Geiger Cfb categorisation, Valdivia presents a climate—Marine West Coast, with dry and warm summers seasons as well as oceanic influence effects [26–30]. The maximum annual precipitation values exceed 1770 mm, and the highest average annual temperature (1975–2004) observed in Valdivia is just over 11.0 °C.




Figure 1. Research methodology.



Figure 2. Emplacement of the case study in South America and in the city of Valdivia (South Chile).

The case study under analysis is emplaced in the Miraflores area in the south sector of the city of Valdivia in Chile (Figure 2). Figure 3 shows the current state of the maintenance of the Haverbeck House—the case study—with several pictures. Figure 4 shows the distribution of areas of the first (203.65 m<sup>2</sup>) and the second floor (92.58 m<sup>2</sup>) of the building under analysis. Figure 5 shows the four elevations corresponding to the cardinal points of the orientation. The building has a timber structure and stands out for some of the following construction characteristics [31–33] (Figure 3): The building has a corridor just in front of the entrance hall that distributes the different access to rooms and chambers. The plans of the building are rectangular. The building has two storeys above ground—first and second floor—and a store on the ground floor, which is disabled. Foundations were provided using wooden beams reinforced by concrete and timber logs. The building has a structure based on timber beams and pillars, mainly used post-and-beam construction system. The first floor has a greater height than the ground floor and second floor.



Figure 3. Pictures of the case study under analysis.




Figure 4. Architectural plan of the Haverbeck House.

As shown in Figure 4, the Haverbeck House is divided mainly into two floors. Next, the use and surface of each area—17 areas on the first floor and 10 areas on the second floor—of the house are indicated. Regarding the ground floor, it is does present any uses and divisions.

First floor: (1) Waiting room (14.56 m<sup>2</sup>); (2) Bathroom 1 (2.66 m<sup>2</sup>); (3) Bathroom 2 (2.18 m<sup>2</sup>); (4) Hall (4.43 m<sup>2</sup>); (5) Kitchenette 1 (4.87 m<sup>2</sup>); (6) Office 1 (21.06 m<sup>2</sup>); (7) Kitchenette 2 (7.64 m<sup>2</sup>); (8) Kitchenette 3 (9.79 m<sup>2</sup>); (9) Office 2 (19.63 m<sup>2</sup>); (10) Corridor (20.96 m<sup>2</sup>); (11) Meeting room (28.02 m<sup>2</sup>); (12) Kitchenette 4 (2.02 m<sup>2</sup>); (13) Office 3 (16.45 m<sup>2</sup>); (14) Office 4 (30.02 m<sup>2</sup>); (15) Office 5 (14.31 m<sup>2</sup>); (16) Kitchenette 5 (2.13 m<sup>2</sup>); and (17) Bathroom 3 (2.92 m<sup>2</sup>).

Second floor: (1) Hall (4.83 m<sup>2</sup>); (2) Corridor (12.42 m<sup>2</sup>); (3) Kitchenette (12.95 m<sup>2</sup>); (4) Meeting room (11.47 m<sup>2</sup>); (5) Module office 1 (5.38 m<sup>2</sup>); (6) Service area (6.32 m<sup>2</sup>); (7) Module office 2 (9.88 m<sup>2</sup>); (8) Module office 3 (9.92 m<sup>2</sup>); (9) Module office 4 (9.68 m<sup>2</sup>); and (10) Module office 5 (9.73 m<sup>2</sup>).



Figure 5. Architectural elevations of the Haverbeck House.

## 2.2. Definition of the Fuzzy Inference System

This fuzzy methodology is particularly relevant when the modelled problem is subject to considerable uncertainty [34,35]. In this way, this type of system is able to model real-world phenomena [16].

The model—fuzzy building service life extended version (FBSL<sub>2.0</sub>)—was initially developed by the University of Seville (Spain) [36], which considered the analysis of the functional degradation of heritage parish churches located in the context of Andalusia, South Spain. The methodology was implemented in Xfuzzy 3.0 [37], an open access software application. The last fuzzy model upgrades are concerned with a standardisation with the international standard focused on risk management ISO 31000:2021 [38,39]. The fuzzy logic system (FBSL<sub>2.0</sub>) was also validated and correlated to another predictive method, which evaluates the physical degradation of the building components. The results demonstrated that when the degradation of the building components increases, their functionality index decreases. To perform this analysis, the degradation condition of 647 claddings (203 natural stone claddings, 183 ceramic claddings, 177 painted surfaces and 84 rendered façades), located in the Almada, Lisbon and Algarve regions of Portugal, were examined. A strong relationship between the two indexes considered was obtained (with a determination coefficient of 0.756 for natural stone claddings, 0.764 for ceramic claddings, 0.833 for painted surfaces and 0.673 for rendered façades), revealing an inverse correlation between both predictive methodologies [40]. Moreover, the model was applied to analyse the buildings' functionality over several decades by examining the historical refurbishment and maintenance actions performed [41]. This led to the identification of the most common anomalies over the years, the probable causes and the frequency and adequacy of the maintenance and rehabilitation actions performed.

The fuzzy inference methodology (FBSL<sub>2.0</sub>) used in this study can be defined by: (i) functional buildings parameters (vulnerabilities and external hazards) (Table 1); (ii) fuzzi-

fication stage; (iii) knowledge base and inference rules; (iv) defuzzification stage; and (v) output variable related to the level of the building's performance.

Vulnerability and External Risk	Variables' Nomination	Range
	Geological location $(v_1)$	(1, 4) <sup>1</sup>
Vulnorability input	Roof design $(v_2)$	$(1, 8)^2$
Vulnerability input parameters	Environmental conditions $(v_3)$	$(1, 8)^2$
parameters	Construction system ( $v_4$ )	$(1, 8)^2$
	Preservation $(v_5)$	(1, 8) <sup>2</sup>
	Load state-modification ( $r_6$ )	$(1, 8)^2$
	Live loads $(r_7)$	$(1, 8)^2$
Static-structural input	Ventilation $(r_8)$	$(1, 8)^2$
parameters	Facilities $(r_9)$	$(1, 8)^2$
	Fire $(r_{10})$	$(1, 8)^2$
	Inner environment $(r_{11})$	(1, 8) <sup>2</sup>
Atmospheric input	Precipitations ( $r_{12}$ )	$(1, 8)^2$
parameters	Temperature $(r_{13})$	$(1, 8)^2$
	Population growth $(r_{14})$	$(1, 8)^2$
Anthropic input parameters	Heritage value $(r_{15})$	$(1, 8)^2$
Anthropic input parameters	Furniture value $(r_{16})$	$(1, 8)^2$
	Occupancy $(r_{17})$	$(1, 8)^2$

Table 1. Fuzzy logic system input parameters [36].

<sup>1</sup> Minimum (1.0—favourable) and maximum (4.0—unfavourable) valuations regarding the input parameter ( $v_1$ ). <sup>2</sup> Minimum (1.0—favourable) and maximum (8.0—unfavourable) valuations regarding the input parameters ( $v_{2-5}$  and  $r_{6-17}$ ).

Fuzzification stage. This the first step in the definition of the fuzzy expert system. The inputs (Table 1) and output are defined and characterized. The set of 17 input parameters are fuzzified regarding membership functions  $\mu A$ . The universe of discourse (*U*), in which a fuzzy set can have any possible valuation in the range of (0, 1), which is defined in Equation (1):

$$uA(u): U \to B[0,1] \tag{1}$$

A membership function  $\mu$  assigns a degree of membership to each element in a fuzzy set A, ranging from the value 0 to the value 1 [42]. Membership functions related to Gaussian-type were stated in the total of input parameters, except in the membership function of the input variable  $v_1$  (geological location); this membership function is trapezoidal (it establishes four types of terrain—optimum, medium, bad, very bad). In this sense, each kind of terrain corresponds to a membership function. Gaussian- type membership functions are generally used, as they are considered the most appropriate for modelling the degradation conditions of buildings and also because a non-zero value can be reached at all points [42].

The fuzzy inference system uses the fuzzy operator "and" as connector, which is defined as an intersection. Thus, given two sets *A* and *B*, defined on their respective universes of discourse *U*, the intersection of both sets is a fuzzy set  $A \cap B$ , whose membership function is defined in Equations (2) and (3):

$$\mu A \wedge B(x, y) = T[\mu A(x), \mu B(y)]$$
(2)

$$T(x,y) = \min(x, y) \tag{3}$$

where T(x,y) = T-norm that complies with the commutative, associativity and monotony properties, as seen in Equation (2). The FBSL<sub>2.0</sub> method uses the minimum as connective [43].

Regarding the definition of the set of 17 input parameters of the model, a set of 15 professional experts in the area of heritage building management were consulted during

the model's design stage. In this sense, a Delphi method, using Opina software (owned by the University of Seville, Spain), was used to obtain experts' survey. The experts consulted in this study presented the following profiles [36] with numerous publications on this subject [44].

Base of knowledge and inference rules. The base of knowledge, fuzzy rules and hierarchical structure were established considering a professional expert survey, which has been previously described. The fuzzy model is based on the inference system of Mamdani [43]. Grima and Babuška stated that these types of artificial intelligence systems can be defined as semi-transparent models. In this sense, this fuzzy logic system is able to describe the relationship between the set of input parameters and the output parameter using *if-then inference* rules [45]. The professional expert survey established a total of 354 rules, and they also defined the combinations between input membership functions and output membership functions. Logical reasoning techniques allow for drawing conclusions from a set of logical rules and a set of observations. The most important method of fuzzy logic inference is known as generalised modus ponens. Each fuzzy rule establishes  $\ll$  if *x* is *A* then *y* is  $B \gg$  and the observation  $\ll x$  is  $A' \gg$ ,  $\ll y$  is  $B' \gg$ —this conclusion is obtained where the fuzzy set *B'* is closer to *B*, when *A'* is closer to set *A* [46]. Based on the inference mechanism defined in Equations (4) and (5), FBSL<sub>2.0</sub> can be determined by the combination of the different rules for the variables included in the model.

$$R(1): IF x_1 is A_1^1 AND x_2 is A_2^1 \dots x_n is A_n^1 THEN y is B^1$$
(4)

$$R(t): IF x_1 is A_1^t AND x_2 is A_2^t \dots x_n is A_n^t THEN y is B^t$$
(5)

Defuzzification. The defuzzification method 'centre of gravity' was adopted in the design step of the fuzzy method (FBSL<sub>2.0</sub>). This defuzzification approach is one of the most considerably utilised in engineering. A Riemann sum [47] allows the functional index (FBSL<sub>2.0</sub>) of the heritage buildings to be estimated under analysis (Equation (6)):

$$FBSL_{2.0} = \frac{\sum_{i} y_i \ \mu B(y_i)}{\sum_{i} \ \mu B(y_i)} \tag{6}$$

Concerning the output variable of the fuzzy system (FBSL<sub>2.0</sub>), three levels were performed based on the international standard of risk management ISO 31000:2011 [39,48]:

Condition level A—(Range 51, 30): Building presents an adequate functional level. No intervention is needed.

Condition level B—(Range 30, 20): Building displays a situation in which the costs and benefits of preventive measures must be taken into account and balanced. Periodical inspections are recommended.

Condition level C—(Range 20, 09): Building presents a high priority of intervention.

The output of the functional service-life model (FBSL<sub>2.0</sub>) is dimensionless since it provides as output a 'functionality index', which is a ranking of the priorities of intervention between the set of buildings considered. Therefore, it is not possible to arithmetically quantify the accuracy of the model or the prediction errors, since the model addresses a semi-qualitative index, based on the evaluation by experts of the risks and vulnerabilities of each building analysed. In this sense, the uncertainty of this model is addressed as a type B uncertainty [49], i.e., the model is based on the technical-scientific judgment of 15 experts specializing in the maintenance and conservation of heritage buildings.

#### 2.3. Characterisation of the Expert Panel

In the present study, 66 professionals participated in the expert panel. All the experts had the following characteristics in common: (i) university education; (ii) having the necessary training to carry out the inspection methodically; and (iii) experience in the area. Among the experts, 36.3% had postgraduate degrees—24.2% Master's and 12.1% PhD. All the experts were engineers but with different specialties: Environmental Engineering (1.5%); Chemical Engineering (1.5%); Mechanical Engineering (1.5%); Transportation Engineering

(3.0%); Operations Research Engineering (4.5%); Hydraulic Engineering (6.1%); Structural Engineering (22.8%); and Construction Engineering (59.1%).

# 3. Results and Discussion

The first subsection describes a visual inspection by the expert panel. The second subsection concerns the analysis of the input variables' valuation in the fuzzy inference system. Finally, third subsection contains a detailed analysis in terms of the output variable.

#### 3.1. Visual Inspection of the Haverbeck House Regarding an Expert Panel

During their visual inspection of the case study, the expert panel fulfilled their assessment of the fuzzy logic model input parameters (vulnerability and external risks affections) [50]. The principal aim of this approach was to improve data collection through on-site inspection.

The evaluation presented in Table A1, related with the Haverbeck House corresponds to the assessment made by the set of 66 professional experts, during the visual inspection virtual and in-situ, which evaluates the set of 17 inputs variables using a more extensive file with the detailed explanation of each variable and an inspection sheet (Figure 6) for the registration of the observed condition of the building.

Five of the input variables (one vulnerability variable and four hazards) represented fixed environmental conditions and are thus constant in this particular real simulation (Table 1):  $v_1$ —geological location corresponds to 4.0 (unfavourable);  $r_{11}$ —inner environment is 5.0 (medium valuation);  $r_{12}$ —precipitations is 6.0 (high valuation);  $r_{13}$ —temperature is 5.0 (medium valuation); and  $r_{14}$ —population growth is 4.0 (low/medium valuation). The remaining 12 parameters, four related to intrinsic vulnerability and eight external hazards, were evaluated by visual inspection. In this work, the data incorporates different kinds of documents and evidence from the current administrative owner institution, which also includes organizational strategic plans, annual reports and preservation surveys [51]. These field examinations allow a better and deeper understanding of different aspects i.e., built environment, historical features, conditions of property, constructive system and structural current situation, among others [51].


#### 3.2. Analysis of the Input Variables' Valuation by Expert Panel

Table A1 shows the results of the in-situ visual inspection performed by the expert panel. The following analysis regards the valuation difficulties registered by the expert panel during their inspection and in terms of the vulnerability and hazard input variables of the fuzzy model (FBSL<sub>2.0</sub>). Thus, the input parameters, which presented high dispersion during the inspection stage, were especially examined. This kind of analysis can help specialists in the area of AEC to identify input variables easily, including those that are difficult to evaluate [53].

Standard deviation (SD) is one of the most common measures of dispersion, which indicates how dispersed the data are from the mean value [54]. A higher SD will correspond to a higher dispersion of a data set. Figure 5 shows a total of four box plots representing the vulnerability input parameters ( $v_2$ ,  $v_3$ ,  $v_4$  and  $v_5$ ). The maximum value for each input variable was 5.0 for roof design ( $v_2$ ), 6.0 for environmental conditions ( $v_3$ ), 8.0 for construction system ( $v_4$ ) and 8.0 for preservation ( $v_5$ ). The minimum valuations were 3.0 for ( $v_2$ ), 1.0 for ( $v_3$ ),  $v_4$  was 1.0 and  $v_5$  was 2.7. Environmental conditions and construction system had the lowest valuations, while preservation is the vulnerability input variables with the highest valuation (Figure 7). The average value of each input parameter was 3.50 for roof design (with a SD of 0.60 and concerning a 95 percent of confidence interval (CI) of  $\pm 0.14$  points); 2.50 for environmental conditions (SD = 1.26 points; 95% CI =  $\pm 0.30$  points); 3.7 for construction systems (SD = 1.41 points; 95% CI =  $\pm 0.34$  points); and 5.2 for preservation (SD = 1.24 points; 95% CI =  $\pm 0.30$  points).

	NAME OF THE PROPE	RT	Y:								X	X.Y Inspection sheet						
	SITUATION: MUNICIPALITY:			Postal code: Nº:						Da	te:		Registry number:					
				2.00														
						1. (	GRAPHICAL	DATA	1									
	Longitudinal section	on (l	ayout)									Picture 1						
													P	ictu	ire 2			
_	Building p	an				Т	ransversal section (I	ayout)										
				2			NERABILITY											
	ROOF DES	IG	N ALL		EN	VI	RONMENTAL CO	NDIT	ION	S		CONST	RU	СТ	IVE SYSTEM			
1				][		[		1	ť	X								
1	1 2 1 2	3	<sup>4</sup> B 4	1 2 3 4						4 1								
							RVATION STA							_				
		1. (	<b>Optimal conserva</b>	ation	<ol> <li>N.</li> </ol>	orm	al conservation 3.	Requir	res c	onse	ervation	4. Abandone	- d					
	Earry J	atic	n Ctransform					i.	laci	iti a :	0.1		Ĩ		Final Value			
р	Found	atio	on Structure		açad		Watertightness	F	acil	ities	s Oth	er elements			Final Value			
P	Found	atio	n Structure					F	acil	ities	s Oth				Final Value			
	Preservation	atio		Fa	açad	es									Final Value			
		atio		Fa STAT	açad	es -ST	Watertightness			AC		ner elements			Final Value			
	Preservation OAD STATE MODI-	atio	4. 5	Fa STAT S	açad	es -ST	Watertightness RUCTURAL F	ISK:		AC	TORS FACILI All facil use and	ner elements	1	1				
1	OAD STATE MODI- FICATIONS Without any apparently		4. S OVERLOAD Live loads below	STAT STAT	açad	es -ST	Watertightness Watertightness RUCTURAL I Natural ventilation all spaces of the pi perty Natural cross- ventilation in som	in o-	S F.		TORS FACILI All facil use and dards cc Some ar dance w standard	TIES lities are in under stan- nditions re in accor- ith the 1 and all are		1	FIRE Incombustible structure and low fire load Incombustible structure and medium fire			
1	OAD STATE MODI- FICATIONS Without any apparently modification	1	4. S OVERLOAD Live loads below original level Live loads equal	STAT STAT	IC-	es -ST	Watertightness RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas	in o-	S F.	AC	TORS FACILI All facil use and dards cc Some au dance w standard working	TIES lities are in under stan- onditions re in accor- ifth the 1 and all are	1		FIRE Incombustible structure and low fire load Incombustible structure and medium fire load			
1 2	OAD STATE MODI- FICATIONS Without any apparently modification	1	4. S OVERLOAD Live loads below original level Live loads equal	Factorial STAT		es -ST	Watertightness RUCTURAL I RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas Only natural ventil crossed when the	in o-	S F.	AC	TORS FACILI All facii use and dards cc Some au dance w standarc working Some au dance w standarc	TIES lities are in under stan- nditions l and all are s te in accor- tift the s	1		FIRE Incombustible structure and low fire load Incombustible structure and medium fire load Possibility that a fire occur due to buil-			
L	OAD STATE MODI- FICATIONS Without any apparently modification Balanced modifications Substantial load modifi-	1	4. S OVERLOAD Live loads below original level Live loads equal the original leve	Factorial STAT	IC-	-ST 1 2	Watertightness Watertightness RUCTURAL I Natural ventilation all spaces of the pi perty Natural cross- ventilation in som areas Only natural venti	in o-	S F.	AC	TORS FACILI All facii use and dards cc Some au dance w standarc working Some au dance w standarc	TIES TIES lities are in under stan- nolitions re in accor- ith the and and all are the stan- re in accor- ith the stan- the stan- the stan- s	1	2	FIRE Incombustible structr re and low fire load Incombustible structor re and medium fire load			
1 2	OAD STATE MODI- FICATIONS Without any apparently modification Balanced modifications Substantial load modifi- cations	1 2 3	4. S OVERLOAD Live loads belov original level Live loads equal the original leve Permanent live l Simultaneous liv	Fatal Fataf		es -ST 1 2 3	Watertightness Watertightness RUCTURAL I RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas Only natural venti crossed when the building is open No natural cross-	in o-	S F.	AC	TORS FACILI All facil use and dards cc Some at dance w standard working Some at dance w standard working Anterna at and the standard and and the standard and the standard and and and and and and and the standard and and and and and and and and and and	TTES TTES Itites are in under stan- inditions is in accor- ith the 1 and all are is a cor- ith the 1 and some of e working littles are not dance with	1	2	FIRE Incombustible structr re and low fire load Incombustible structor re and medium fire load Possibility that a fire occur due to buil- ding's material Combustible structur			
1 2	OAD STATE MODI- FICATIONS           Without any apparently modification           Balanced modifications           Substantial load modifi- cations	1	4. S OVERLOAD Live loads below original level Live loads equal the original leve Permanent live l	Fatal Fataf		-ST 1 2	Watertightness RUCTURAL I RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas Only natural venti building is open	in o-	S F.	AC	TORS FACILI All facil use and dards cc Some at dance w standard working Some at dance w standard working Anterna at and the standard and and the standard and the standard and and and and and and and the standard and and and and and and and and and and	TIES TIES itities are in under stan- nditions re in accor- ift the land all are to and some of e working itities are not dard and are	1	2	FIRE Incombustible structure and low fire load Incombustible structure and medium fire load Possibility that a fire occur due to buil-			
L 1 2 3	OAD STATE MODI- FICATIONS Without any apparently modification Balanced modifications Substantial load modifi- cations	1 2 3	4. S OVERLOAD Live loads below original level Live loads equal the original leve Permanent live l Simultaneous liv loads due to vari	Fi F		es -ST 1 2 3	Watertightness RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas Only natural ventil ding is open No natural cross- ventilation	in o- ation	S F.	AC	TORS FACILI All facil use and dards cc Some at dance w standarc working Some at dance w standarc working Some at dance w standarc working facilitation dance w standarc working facilitation dance w standarc them at and dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc	TIES TIES itities are in under stan- nditions re in accor- ift the land all are to and some of e working itities are not dard and are	1	2	FIRE Incombustible structure re and low fire load Incombustible structure load Possibility that a fire occur due to buil- ding's material Combustible structur and high or very high			
L 1 2 3	OAD STATE MODI- FICATIONS Without any apparently modification Balanced modifications Substantial load modifi- cations	1 2 3 4	4. S OVERLOAD Live loads belov original level Live loads equal the original leve Permanent live l Simultaneous liv loads due to vari uses	Fi F		es -ST 1 2 3 4	Watertightness Watertightness RUCTURAL I RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas Only natural venti crossed when the building is open No natural cross-	in o- ation	S F.	AC	TORS FACILI All facil use and dards cc Some at dance w standarc working Some at dance w standarc working Some at dance w standarc working facilitation dance w standarc working facilitation dance w standarc them at and dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc	TTES itties are in under stan- onditions it in accor- ith the I and some of e working litties are not dance with dard and are king		2 3 4	FIRE Incombustible structure re and low fire load Incombustible structure load Possibility that a fire occur due to buil- ding's material Combustible structur and high or very high			
L 1 3 4	OAD STATE MODI- FICATIONS           Without any apparently modification           Balanced modifications           Substantial load modifi- cations           Disorderly modifications without any pattern	1 2 3 4	4. S OVERLOAD Live loads belov original level Live loads equal the original leve Permanent live l Simultaneous liv loads due to vari uses	Fi F	IIC-	es -ST 1 2 3 4 NTI E hiş	Watertightness RUCTURAL I RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural eross- ventilation in som areas Only natural venti diding is open No natural cross- ventilation ROPIC RISKS URNITURE VAI thest level of protee	ation	<b>S F</b> .	AC	TORS FACILI All facil use and dards cc Some at dance w standarc working Some at dance w standarc working Some at dance w standarc working facilitation dance w standarc working facilitation dance w standarc them at and dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc working facilitation dance w standarc	TTES itties are in under stan- onditions it in accor- ith the I and some of e working litties are not dance with dard and are king		2 3 4	FIRE Incombustible structr re and low fire load Incombustible structr re and medium fire load Possibility that a fire occur due to buil- ding's material Combustible structur and high or very high fire load			
L 1 3 3 4	Preservation  OAD STATE MODI- FICATIONS  Without any apparently modifications  Balanced modifications  Substantial load modifications  Disorderly modifications  Disorderly modifications  HERITAGE V  I Properties with great h  High, more than 1009	1 2 3 4 /AL	4. S OVERLOAD Live loads below original level Live loads equal the original leve Permanent live l Simultaneous liv loads due to vari uses	Fi F	IIC-	es -ST 1 2 3 4 NTI E hig tura	Watertightness Watertightness RUCTURAL I RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas Only natural venti crossed when the building is open No natural cross- ventilation ROPIC RISKS URNITURE VAI	ation FAC LUE ion (scciation	<b>S F</b> .	AC	TORS FACILI All facil use and dance working Some at dance working Some at dance working a constandard them are All facil in accoro the standard ot working	TTES TTES Itties are in under stan- inditions ie in accor- ith the 1 and all are is a cor- ith the 1 and some of e working litties are not dance with dard and are king Otopological Otopological Otopological Otopological Otopological Otopological Itties are not dance with Otopological Itties are not dance with Otopological Otopological Itties are not dance with Otopological Itties are not dance with Itties are not dance with dance with Itties are not dance with dance with Itties are not da		2 3 4	FIRE Incombustible structr re and low fire load Incombustible structr re and medium fire load Possibility that a fire occur due to buil- ding's material Combustible structur and high or very high fire load			
L 1 3 4 1 2	Preservation       OAD STATE MODI- FICATIONS       Without any apparently modification       Balanced modifications       Balanced modifications       Substantial load modifi- cations       Disorderly modifications without any pattern       HERITAGE V       I       Properties with great her       Uitige meet ther 100	1 2 3 4 AL	4. S OVERLOAD Live loads belov original level Live loads equal the original leve Permanent live l Simultaneous liv loads due to vari uses UE trical value s, with average	Factors of the second s	açad	es -ST 1 2 3 4 NTI e hig tura gh q	Watertightness RUCTURAL I VENTILATION Natural ventilation all spaces of the p perty Natural cross- ventilation in som areas Only natural venti crossed when the building is open No natural cross- ventilation ROPIC RISKS URNITURE VAL hest level of protee I and liturgical appro	ation FAC LUE e	<b>S F</b> .	AC 1 2 3 4 RS	TORS FACILI All faci use and dards cc Some ar dance w standards then ar in accor the stan not work 11 1 2	TTES TTES lities are in under stan- onditions te in accor- ith the 1 and all are te in accor- ith the 1 and some of e working lities are not dance with dard and are king OC High		2 3 4	FIRE Incombustible structr re and low fire load Incombustible structr re and medium fire load Possibility that a fire occur due to buil- ding's material Combustible structur and high or very high fire load			

Figure 6. Fuzzy logic system inspection sheet used by the expert panel during the in-situ visual inspection [52].



**Figure 7.** Dispersion analysis of the vulnerability parameters of the digital fuzzy model from professional experts' valuations.

Figure 8 shows a total of eight box plots according to the hazard input parameters ( $r_{6-10}$ , and  $r_{15-17}$ ). The maximum value for each hazard variable was 8.0 for load state-modification ( $r_6$ ), 8.0 for live loads ( $r_7$ ), 8.0 for ventilation ( $r_8$ ), 6.0 for facilities ( $r_9$ ), 8.0 for fire ( $r_{10}$ ), 8.0 for heritage value ( $r_{15}$ ), 8.0 for furniture value ( $r_{16}$ ) and 6.0 for occupancy ( $r_{17}$ ). The minimum valuation of the eight input variables related to external hazard effects was 1.0 point (Figure 6). The average value in each input parameter was 4.30 for load state-modification (with a SD of 2.12 points and a 95% confidence interval (CI) of  $\pm 0.51$  points); 4.90 for live loads (SD = 1.76 points; 95% CI =  $\pm 0.42$  points); 4.10 for ventilation (SD = 1.49 points; 95% CI =  $\pm 0.36$  points), 3.10 for facilities (SD = 1.37 points; 95% CI =  $\pm 0.33$  points), 5.60 for fire (SD = 1.33 points; 95% CI =  $\pm 0.32$  points), 3.10 for heritage value (SD = 1.58 points; 95% CI =  $\pm 0.38$  points), 4.60 for furniture value (SD = 1.68 points; 95% CI =  $\pm 0.41$  points) and 3.10 occupancy (SD = 1.52 points; 95% CI =  $\pm 0.37$  points).




Figure 8. Dispersion analysis of the hazard parameters of the digital fuzzy model from professional experts' valuations.


Summarizing this practical study, the highest SD ( $\pm 2.12$ ) (CI =  $\pm 0.51$ ) was identified for the input variable  $r_6$  (load state-modification), followed by  $r_7$  (live loads) with a SD of  $\pm 1.76$  (CI =  $\pm 0.42$ ),  $r_{16}$  (furniture value) (SD =  $\pm 1.67$ ; CI =  $\pm 0.41$ ) and  $r_{15}$  (heritage value) with a SD of  $\pm 1.58$  (CI =  $\pm 0.38$ ). The input variable with the lowest SD ( $\pm 0.57$ ) (CI = 0.14) was  $v_2$ , roof design, which is the parameter with the greatest weight in the fuzzy logic model (FBSL<sub>2.0</sub>) [53]. Low SDs were seen in the valuations of  $v_5$  (preservation),  $v_3$  (environmental conditions) and  $r_{10}$  (fire) ( $\pm 1.24$  (CI =  $\pm 0.30$ ),  $\pm 1.26$  (CI =  $\pm 0.30$ ), and  $\pm 1.33$  (CI =  $\pm 0.32$ ), respectively). This approach helps in examining the valuation of the parameters in the digital system (FBSL<sub>2.0</sub>) and their consequences over the output variable (functionality of buildings).

# 3.3. Analysis of the Output Parameter of the Fuzzy Logic Methodology

In the analysis of the functional degradation of Haverbeck House, some assumptions must be considered. For the real-world application of the digital system (FBSL<sub>2.0</sub>) in the South Chile, a sensitivity simulation evaluation for ranging the maximum possible values and minimum possible values of the system had been previously stated by Prieto et al. [55]. The fuzzy system examination confirmed that the lowest possible value of the fuzzy system output is nine points that was also achieved in a previous real-world analysis in southern Europe (Portugal and Spain) and South America. The upper possible valuation regarding the functional degradation output was founded as 51 points, for buildings emplaced in the southern context of Chile [55].

From the output model (functional degradation) (Table A1), 22.73% of the expert panel obtained the highest functionality level, i.e., condition A, in which the building presents an

adequate functional level. No intervention is needed (Table A1). From the panel of experts, 72.73% rated the Haverbeck House as having condition B, in which the building displays a situation in which costs and benefits of preventive measures must be taken into account and balanced. Periodical inspections are recommended (Table A1). The remaining 4.54% of the expert survey gave the lowest functionality degradation level, i.e., condition C, in which the building presents a high priority of intervention (Table A1). Figure 9 shows the dispersion analysis of the output digital fuzzy model parameter. The average functional service life was 26.0 with a SD of 5.52 points and a 95% CI of  $\pm 1.33$  points.



Output - FBSL2.0

Figure 9. Dispersion analysis of the output variable of the fuzzy system after professional experts' survey.

After this application, the results show good usability of the fuzzy system and a short learning curve, which means that professional experts with little or no experience using the fuzzy logic system could apply and obtain results according to expectations [56].

# 3.4. Discussion of the Results

Concerning this study, some issues may be discussed: (i) this kind of fuzzy logic system are able to manage the dispersion asset in a set of expert panel and this model can produce coherent and normalised results in terms of the issue under analysis in this case: the functional valuation of a heritage building located in South Chile; (ii) the implementation of more experts in the process will help in understanding the behaviour of this type of fuzzy systems when hundreds or thousands experts using the same system, at the same time, in the same building; (iii) this application can be extrapolated to another case studies, in different environmental, social and cultural contexts; and (iv) regarding the limitations of the study, it was corroborated that the applicability of the system has to be supported in a brief induction in terms of the explanation of the fuzzy system and the input variables of the model.

# 4. Conclusions

This study involved an expert panel of 66 professionals who visually inspected the Haverbeck House, a heritage building emplaced in Valdivia, South Chile. This approach is innovative in that it considers a set of experts in a detailed evaluation of the functional performance of a specific heritage building in Chile.

Regarding the input parameters of the fuzzy logic model, three input variables were identified to have the lowest valuation dispersion during the inspection stage by the expert panel: (input parameter related to roof design— $v_2$ , environmental conditions— $v_3$ , and preservation— $v_5$ ). These variables represent significant weights in the fuzzy logic model. However,  $r_{17}$  (occupancy) had a medium—high dispersion of the expert panel's valuations; therefore, this input variable must be examined in detail in future works due to its important weight in the fuzzy inference system. Such expert-panel-based approaches can help in the improvement of input variable valuation during in-situ inspection stage. This approach contributes to the examination of the valuation of input parameters in the fuzzy logic model (FBSL<sub>2.0</sub>) and their consequences over the output variable (functional degradation). Considering a limitation identified during the in-situ visual inspection, it was corroborated that the applicability of the system must be supported in a brief induction in terms of the explanation of the fuzzy system and the valuation of the input variables of the model.

From the output of the model, 72.73% specialists considered the Haverbeck House to be in condition B, in which the building displays a situation in which costs and benefits of preventive measures must be taken into account and balanced. Periodical inspections are recommended. This kind of digital method, based on fuzzy logic, supports the management and reduction of uncertainty in building degradation processes and aids in the reduction of uncertainty during the in-situ inspection of buildings. Despite the fact that different experts can evaluate a building in various ways, the fuzzy logic method is able to help in the minimisation of uncertainties in the process and results. The information gained in this study is crucial since the fuzzy set method (digital management system) can be used by diverse stakeholders and different end-users in the AEC sector, thereby supporting an efficient digital system for preserving historical buildings. In future research studies, the fuzzy method could be applied to new case studies (heritage or non-heritage buildings) and contexts with new expert panels and including adaptation to other potential circumstances, components and environmental settings.

Author Contributions: Conceptualization, M.C. and A.J.P.; methodology, M.C. and A.J.P.; software, M.C. and A.J.P.; validation, M.C. and A.J.P.; formal analysis, M.C. and A.J.P.; investigation, M.C. and A.J.P.; resources, M.C. and A.J.P.; data curation, M.C. and A.J.P.; writing—original draft preparation, M.C. and A.J.P.; writing—review and editing, M.C. and A.J.P.; visualization, M.C. and A.J.P.; supervision, M.C. and A.J.P.; project administration, M.C. and A.J.P.; funding acquisition, M.C. and A.J.P. All authors have read and agreed to the published version of the manuscript.

**Funding:** This paper was also funded by Agencia Nacional de Investigación y Desarrollo (ANID) of Chile throughout the research projects ANID FONDECYT 11190554 and ANID FONDECYT 1201052.

**Institutional Review Board Statement:** The study was conducted according to the guidelines of the Declaration of Helsinki, and approved by the Institutional Review Board (or Ethics Committee) of Pontificia Universidad Católica de Chile (210325004).

Informed Consent Statement: Informed consent was obtained from all subjects involved in the study.

Data Availability Statement: Data are provided upon request to the corresponding author.

Acknowledgments: The authors would like to thank the expert panel for their time and knowledge.

Conflicts of Interest: The authors declare no conflict of interest.

# Appendix A

**Table A1.** Input parameters and output parameter of the digital fuzzy model (FBSL<sub>2.0</sub>) from the evaluations of 66 professional experts.

		outs																Output	
Expert				Variab						Externa								FROM	<b>C</b> 1111
ID	<i>v</i> <sub>1</sub>	<i>v</i> <sub>2</sub>	<i>v</i> <sub>3</sub>	<i>v</i> <sub>4</sub>	<i>v</i> <sub>5</sub>	<i>r</i> <sub>6</sub>	<b>r</b> <sub>7</sub>	<i>r</i> <sub>8</sub>	<b>r</b> 9	<i>r</i> <sub>10</sub>	<i>r</i> <sub>11</sub>	<i>r</i> <sub>12</sub>	<i>r</i> <sub>13</sub>	<i>r</i> <sub>14</sub>	r <sub>15</sub>	<i>r</i> <sub>16</sub>	<i>r</i> <sub>17</sub>	FBSL <sub>2.0</sub>	Conditio
24 11	$4.0 \\ 4.0$	3.2 3.2	3.5 1.0	3.2 3.2	3.8 2.7	1.0 3.5	1.0 3.5	3.5 4.5	1.0 3.2	$5.5 \\ 4.8$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	3.0 2.5	5.0 8.0	$5.0 \\ 1.0$	43.5 40.3	A A
26	4.0	3.2	3.5	5.5	4.3	1.0	3.5	3.5	3.5	3.5	5.0	6.0	5.0	4.0	3.0	2.5	3.0	36.4	А
9 46	$4.0 \\ 4.0$	3.2 4.0	$1.0 \\ 2.0$	3.2 4.5	4.3 3.0	$\begin{array}{c} 1.0 \\ 6.0 \end{array}$	5.5 5.0	5.5 3.0	3.5 3.0	$\begin{array}{c} 1.0 \\ 6.0 \end{array}$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$1.0 \\ 3.0$	$\begin{array}{c} 8.0\\ 8.0\end{array}$	$1.0 \\ 3.0$	35.4 34.5	A A
22	4.0	4.0 3.2	2.0	2.2	3.8	3.5	3.5	4.5	4.5	6.0	5.0	6.0	5.0	4.0	5.0	5.0	3.0	33.8	A
7	4.0	3.2	3.5	5.5	3.7	1.0	3.5	3.5	3.5	5.5	5.0	6.0	5.0	4.0	1.0	5.0	1.0	32.8	А
3 10	$4.0 \\ 4.0$	3.2 3.2	$1.0 \\ 1.0$	3.2 3.2	$4.5 \\ 4.7$	$1.0 \\ 1.0$	3.5 5.5	5.5 3.5	3.5 3.5	5.5 5.5	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$1.0 \\ 1.0$	5.0 5.0	$1.0 \\ 1.0$	31.1 31.1	A A
6	4.0	3.2	3.5	3.2 1.0	4.7	1.0	8.0	3.5 1.0	3.5	8.0	5.0	6.0	5.0	4.0	3.0	5.0	1.0	30.7	A
21	4.0	3.2	3.5	4.0	4.0	3.5	3.5	3.5	1.0	5.5	5.0	6.0	5.0	4.0	5.0	3.0	3.0	30.7	А
28 20	$4.0 \\ 4.0$	3.2 3.2	1.0 3.5	1.0 3.2	4.2 4.3	$3.5 \\ 8.0$	5.5 5.5	3.5 3.5	1.0 3.5	5.5 5.5	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$1.0 \\ 1.0$	5.0 3.0	$1.0 \\ 1.0$	30.4 30.1	A
20	4.0 4.0	3.2 3.2	3.5 3.5	3.2 3.2	4.5 3.6	8.0 3.5	5.5 1.0	3.5 3.5	1.0	5.5 5.5	5.0 5.0	6.0 6.0	5.0 5.0	4.0 4.0	3.0	5.0 1.0	1.0 5.0	30.1	A A
4	4.0	3.2	3.5	3.2	4.6	5.5	5.5	5.5	3.5	5.5	5.0	6.0	5.0	4.0	1.0	5.0	1.0	30.0	А
15 18	4.0	3.2 3.2	2.5 3.5	4.0 2.2	4.4	3.5	3.5 3.5	3.5 2.5	3.5	5.5 5.5	5.0	6.0	5.0	4.0	1.0	8.0 5.0	3.0	29.9 29.7	B B
18 27	$4.0 \\ 4.0$	3.2 4.0	3.5 3.5	2.2 3.2	$\begin{array}{c} 4.0 \\ 4.8 \end{array}$	$\frac{8.0}{1.0}$	3.5 5.5	2.5 6.5	2.5 2.5	5.5 5.2	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$1.0 \\ 5.0$	5.0 5.0	$1.0 \\ 1.0$	29.7 29.7	B
37	4.0	3.0	1.0	4.0	4.5	4.5	4.5	4.5	2.0	4.5	5.0	6.0	5.0	4.0	3.0	5.0	4.5	29.7	В
65 25	4.0	3.0	3.0	4.0	4.0	3.0	4.0	3.0	6.0	4.0	5.0	6.0	5.0	4.0	5.0	4.0	3.0	29.5 29.5	B B
25 16	$4.0 \\ 4.0$	3.2 3.2	$3.5 \\ 1.0$	3.2 3.2	4.3 4.3	3.5 5.5	2.5 5.5	2.5 5.2	3.5 5.2	5.5 5.2	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	2.5 5.0	2.5 5.0	$3.0 \\ 4.5$	29.5 29.4	B
60	4.0	4.0	2.0	6.0	5.0	4.5	4.0	3.0	2.0	3.0	5.0	6.0	5.0	4.0	4.0	3.0	5.0	28.9	В
13	4.0	3.2	3.5	5.5	4.7	1.0	3.5	4.5	4.2	6.0	5.0	6.0	5.0	4.0	3.0	5.0	1.0	28.6	В
19 2	$4.0 \\ 4.0$	3.2 3.2	$3.5 \\ 1.0$	4.0 3.2	3.7 4.5	$5.5 \\ 4.5$	5.5 5.5	3.5 5.5	4.5 4.5	7.0 5.5	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$1.0 \\ 3.0$	3.0 5.0	$1.0 \\ 3.0$	28.2 28.2	B B
64	4.0	4.5	3.0	4.5	5.0	3.0	4.0	3.0	4.5	4.5	5.0	6.0	5.0	4.0	5.0	5.0	3.0	27.8	В
32	4.0	3.2	1.0	5.5	3.9	1.0	5.5	8.0	1.0	8.0	5.0	6.0	5.0	4.0	1.0	5.0	2.5	27.8	B
45 38	$4.0 \\ 4.0$	$3.0 \\ 4.5$	$2.0 \\ 4.0$	$4.5 \\ 4.0$	6.0 6.0	6.0 6.0	$4.0 \\ 4.5$	$3.0 \\ 4.0$	3.0 3.0	$3.0 \\ 4.0$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	6.0 3.0	$6.0 \\ 4.5$	4.0 4.0	27.3 26.9	B B
1	4.0	3.2	1.0	3.2	4.3	3.5	5.5	5.5	5.5	5.5	5.0	6.0	5.0	4.0	5.0	5.0	5.0	26.8	В
35 29	4.0	3.0 3.2	6.0	4.5	5.0	2.0	2.0	6.0	4.5	5.0	5.0	6.0	5.0	4.0	1.0	4.5	4.5	26.5	B B
29 41	$4.0 \\ 4.0$	3.2 3.0	3.5 2.0	3.2 1.0	4.3 7.0	$5.5 \\ 4.5$	5.5 6.0	8.0 2.0	$5.5 \\ 1.0$	$\frac{8.0}{4.5}$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$8.0 \\ 1.0$	8.0 3.0	5.0 2.0	26.2 25.8	B
42	4.0	4.0	1.0	8.0	7.0	1.0	1.0	4.5	4.5	4.5	5.0	6.0	5.0	4.0	4.0	4.5	4.5	25.4	В
44 55	$4.0 \\ 4.0$	$4.0 \\ 4.5$	1.0	5.0 5.0	$6.0 \\ 5.0$	2.0	6.0	$3.0 \\ 4.0$	2.0 2.0	$4.5 \\ 5.0$	5.0	6.0	5.0	4.0	$3.0 \\ 4.0$	7.0 3.0	$3.0 \\ 4.5$	24.8 24.6	B B
5	4.0 4.0	4.5 3.2	1.0 2.5	2.2	5.0 4.8	$5.0 \\ 8.0$	$\begin{array}{c} 4.0\\ 8.0 \end{array}$	4.0 5.5	2.0 5.5	5.0 5.5	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	4.0 1.0	5.0 5.0	4.5 1.0	24.6	B
63	4.0	4.5	1.0	3.0	5.0	4.5	1.0	4.5	4.0	5.0	5.0	6.0	5.0	4.0	2.0	1.0	6.0	23.4	В
54 17	$4.0 \\ 4.0$	5.0 3.2	1.0 2.5	$2.0 \\ 1.0$	$\begin{array}{c} 6.0 \\ 4.0 \end{array}$	4.5 5.5	$5.0 \\ 8.0$	$2.0 \\ 4.5$	$2.0 \\ 4.5$	$\begin{array}{c} 4.0 \\ 6.0 \end{array}$	5.0 5.0	6.0	5.0 5.0	$4.0 \\ 4.0$	$\frac{4.0}{1.0}$	$6.0 \\ 1.0$	4.5 3.0	22.9 22.8	B B
43	4.0 4.0	3.2 4.0	2.5 1.0	4.5	4.0 7.0	5.5 8.0	6.0 6.0	4.5 2.0	4.5 2.0	6.0 5.0	5.0 5.0	6.0 6.0	5.0 5.0	4.0 4.0	4.5	1.0 5.0	3.0 4.0	22.8	B
52	4.0	4.0	2.0	4.0	6.0	3.0	5.0	4.5	3.0	5.0	5.0	6.0	5.0	4.0	4.0	5.0	5.0	22.0	В
62 14	$4.0 \\ 4.0$	3.0 3.2	2.0 3.5	4.5 5.5	7.0 5.8	$4.5 \\ 8.0$	$4.5 \\ 8.0$	4.5 3.5	3.0 5.5	$4.5 \\ 8.0$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	2.0 3.0	4.5 3.0	$2.0 \\ 1.0$	22.0 21.8	B B
50	4.0	4.0	4.0	4.0	7.0	4.5	6.0	3.0	2.0	4.0	5.0	6.0	5.0	4.0	3.0	5.0	4.5	21.5	В
8	4.0	3.2	3.5	5.5	5.0	5.5	8.0	5.5	3.5	5.5	5.0	6.0	5.0	4.0	3.0	5.0	1.0	21.4	В
57 36	$4.0 \\ 4.0$	$3.0 \\ 4.5$	$1.0 \\ 2.0$	$3.0 \\ 4.0$	6.0 6.0	$\frac{8.0}{5.0}$	7.0 7.0	$\frac{4.5}{2.0}$	$3.0 \\ 1.0$	7.0 6.5	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	2.0 3.0	$4.5 \\ 4.0$	4.5 2.0	21.1 21.1	B B
30	4.0	3.2	3.5	2.0	4.8	3.5	3.5	3.5	4.5	8.0	5.0	6.0	5.0	4.0	3.0	5.0	$\frac{2.0}{1.0}$	21.1	B
12	4.0	3.2	3.5 2.0	5.5 4.5	7.0	8.0	8.0	3.5	3.5 5.0	8.0	5.0	6.0	5.0	4.0	5.0	3.0	1.0	20.9	В
48 66	$4.0 \\ 4.0$	4.7 4.0	$2.0 \\ 1.0$	$\frac{4.5}{4.5}$	7.5 5.0	$6.0 \\ 4.5$	$4.5 \\ 4.0$	4.0 3.0	5.0 2.5	$5.0 \\ 6.0$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$4.0 \\ 4.5$	6.0 5.0	$5.0 \\ 4.5$	20.9 20.5	B B
58	4.0	4.0	2.0	1.0	6.0	7.0	7.0	6.0	2.0	6.0	5.0	6.0	5.0	4.0	3.0	8.0	4.5	20.5	В
31	4.0	3.2	3.5	5.5	4.5	1.0	5.5	7.5	1.0	8.0	5.0	6.0	5.0	4.0	1.0	5.0	3.0	20.4	В
56 47	$4.0 \\ 4.0$	$\begin{array}{c} 4.0\\ 4.0\end{array}$	$3.0 \\ 1.0$	4.5 3.0	$\begin{array}{c} 6.0 \\ 6.0 \end{array}$	$\begin{array}{c} 5.0 \\ 6.0 \end{array}$	6.0 6.0	4.5 3.0	$4.0 \\ 1.0$	$\begin{array}{c} 6.0 \\ 6.0 \end{array}$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	2.0 4.5	5.0 2.0	4.0 3.0	20.4 20.2 20.2	B B B
53	4.0	3.0	2.0	4.5	6.0	4.5	4.5	7.0	2.0	5.0	5.0	6.0	5.0	4.0	4.0	$\frac{2.0}{4.0}$	4.5	20.1	B
39	4.0	3.0	4.0	1.0	8.0	6.0	6.0	3.0	3.0	6.0	5.0	6.0	5.0	4.0	4.5	7.0	3.0	20.1 20.1 20.0	B B B
34 40	$4.0 \\ 4.0$	$3.0 \\ 4.0$	4.5 2.0	$2.0 \\ 4.0$	$6.0 \\ 7.0$	$\frac{4.5}{7.0}$	3.0 6.0	4.0 3.0	$4.5 \\ 2.0$	6.0 6.0	5.0 5.0	6.0 6.0	5.0 5.0	4.0 4.0	4.0 3.0	6.0 2.0	4.0 3.0	20.0	В В
59	4.0	4.0	6.0	3.0	7.0	4.5	4.5	1.0	1.0	6.0	5.0	6.0	5.0	4.0	4.0	4.0	4.5	20.0 20.0	B
33	4.0	4.5	4.0	4.5	6.0	5.0	5.0	5.0	3.0	6.0	5.0	6.0	5.0	4.0	3.0	2.0	4.0	20.0	B
51 61	$4.0 \\ 4.0$	4.0 3.0	2.0 2.0	4.5 3.0	7.0 6.0	$5.0 \\ 4.5$	$\frac{8.0}{4.5}$	$6.0 \\ 4.5$	$2.0 \\ 4.5$	$7.0 \\ 8.0$	5.0 5.0	6.0 6.0	5.0 5.0	$4.0 \\ 4.0$	$4.5 \\ 6.0$	4.5 4.5	4.5 4.5	19.7 18.5	B B C C C
49	4.0	5.0	2.0	2.0	8.0	5.0	6.0	4.0	3.0	6.0	5.0	6.0	5.0	4.0	3.0	4.5	4.0	17.5	č

Note:  $v_1$ —Geological location;  $v_2$ —Roof design;  $v_3$ —Environmental conditions;  $v_4$ —Construction system;  $v_5$ —Preservation;  $r_6$ —Load state-modification;  $r_7$ —Live loads;  $r_8$ —Ventilation;  $r_9$ —Facilities;  $r_{10}$ —Fire;  $r_{11}$ —Inner environment;  $r_{12}$ —Precipitations;  $r_{13}$ —Temperature;  $r_{14}$ —Population growth;  $r_{15}$ —Heritage value;  $r_{16}$ —Furniture value;  $r_{17}$ —Occupancy.

# References

- 1. Davis, J.P.; Hall, J.W. A software-supported process for assembling evidence and handling uncertainty in decision-making. *Decis. Support Syst.* 2003, *35*, 415–433. [CrossRef]
- Atkinson, R.; Crawford, L.; Ward, S. Fundamental uncertainties in projects and the scope of project management. *Int. J. Proj. Manag.* 2006, 24, 687–698. [CrossRef]
- 3. Kamali, M.; Hewage, K.; Milani, A.S. Life cycle sustainability performance assessment framework for residential modular buildings: Aggregated sustainability indices. *Build. Environ.* **2018**, *138*, 21–41. [CrossRef]
- 4. Silva, A.; de Brito, J. Do we need a buildings' inspection, diagnosis and service life prediction software? *J. Build. Eng.* **2019**, *22*, 335–348. [CrossRef]
- 5. Gaspar, P.L.; De Brito, J. Service life estimation of cement-rendered facades. Build. Res. Inf. 2008, 36, 44–55. [CrossRef]
- Chen, H.M.; Hou, C.C.; Wang, Y.H. A 3D visualized expert system for maintenance and management of existing building facilities using reliability-based method. *Exp. Syst. Appl.* 2013, 40, 287–299. [CrossRef]
- 7. Silva, A.; de Brito, J.; Gaspar, P.L. *Methodologies for Service Life Prediction of Buildings*; Springer: New York, NY, USA, 2016; ISBN 978-3-319-33288-8.
- 8. Ahmad, T.; Zhang, D.; Huang, C.; Zhang, H.; Dai, N.; Song, Y.; Chen, H. Artificial intelligence in sustainable energy industry: Status Quo, challenges and opportunities. *J. Clean. Prod.* **2021**, *289*, 125834. [CrossRef]
- Reffat, R.M.; Gero, J.S.; Peng, W. Using data mining on building maintenance during the building life cycle. In Proceedings of the 38th Australian & New Zealand Architectural Science Association (ANZASCA) Conference, Launceston, TAS, Australia, 10–12 November 2004; pp. 91–97.
- 10. Wu, S.; Gebraeel, N.; Lawley, M.A.; Yih, Y. System for condition-based optimal predictive maintenance policy. *IEEE Trans. Syst. Man. Cybern.* **2007**, *37*, 226–236. [CrossRef]
- Alba-Rodríguez, M.D.; Martínez-Rocamora, A.; González-Vallejo, P.; Ferreira-Sánchez, A.; Marrero, M. Building rehabilitation versus demolition and new construction: Economic and environmental assessment. *Environ. Impact Assess. Rev.* 2017, 66, 115–126. [CrossRef]
- 12. Jamshidi, A.; Yazdani-Chamzini, A.; Yakhchali, S.H.; Khaleghi, S. Developing a new fuzzy inference system for pipeline risk assessment. *J. Loss Prev. Process Ind.* 2013, *26*, 197–208. [CrossRef]
- 13. Alex, J.; Parra, G.; Tarquis, A.M.; Olivé, J.B.G.; Speroni, F.C. An analytical approach to assess the influence of expert panel answer on decision making: The case of sustainable land use in ribadavia banda norte, salta (Argentina). *Sustainability* **2021**, *13*, 6705.
- 14. Fayek, A.R. Fuzzy logic and fuzzy hybrid techniques for construction engineering and management. *J. Constr. Eng. Manag.* 2020, 146. [CrossRef]
- 15. Radziszewska-Zielina, E.; Śladowski, G.; Sibielak, M. Planning the reconstruction of a historical building by using a fuzzy stochastic network. *Autom. Constr.* **2017**, *84*, 242–257. [CrossRef]
- 16. Zadeh, L.A.A. Fuzzy sets. Inf. Control 1965, 8, 338–353. [CrossRef]
- 17. Silverberg, N.D.; Iverson, G.L.; Arciniegas, D.B.; Bayley, M.T.; Bazarian, J.J.; Bell, K.R.; Broglio, S.P.; Cifu, D.; Davis, G.A.; Dvorak, J.; et al. Expert panel survey to update the american congress of rehabilitation medicine definition of mild traumatic brain injury. *Proc. Arch. Phys. Med. Rehabil.* 2021, *102*, 76–86. [CrossRef]
- 18. Trouillet, J.L.; Collange, O.; Belafia, F.; Blot, F.; Capellier, G.; Cesareo, E.; Constantin, J.M.; Demoule, A.; Diehl, J.L.; Guinot, P.G.; et al. Tracheotomy in the intensive care unit: Guidelines from a French expert panel: The French Intensive Care Society and the French Society of Anaesthesia and Intensive Care Medicine. *Anaesth. Crit. Care Pain Med.* **2018**, *37*, 281–294. [CrossRef] [PubMed]
- Carpio, M.; Martín-Morales, M.; Zamorano, M. Comparative study by an expert panel of documents recognized for energy efficiency certification of buildings in Spain. *Energy Build.* 2015, 99, 98–103. [CrossRef]
- Vera-Puerto, I.; Valdes, H.; Correa, C.; Agredano, R.; Vidal, G.; Belmonte, M.; Olave, J.; Arias, C. Proposal of competencies for engineering education to develop water infrastructure based on "nature-based solutions" in the urban context. *J. Clean. Prod.* 2020, 265, 121717. [CrossRef]
- 21. Rengarajan, S.; Moser, R.; Narayanamurthy, G. Strategy tools in dynamic environments—An expert-panel study. *Technol. Forecast. Soc. Chang.* **2021**, *165*, 120560. [CrossRef]
- 22. Carpio, M.; Ortega, J.; Prieto, A.J. Expert panel on in-situ visual inspections for masonry churches maintenance stage. *J. Civ. Eng. Manag.* **2021**. In press.
- 23. Carpio, M.; Prieto, A.J. Methodologies for evaluating the impact of climate aspects on heritage constructions: A Delphi method application. In Proceedings of the REHABEND, Granada, Spain, 28 September 2020.
- 24. Ferreira, C.E.; Bonvehi, P.E.; de la Torre, J.C.G.; Sáenz-Flor, K.V.; Condino-Neto, A. Algorithms for testing COVID-19 focused on use of RT-PCR and high-affinity serological testing: A consensus statement from a panel of Latin American experts. *Int. J. Infect. Dis.* **2021**, *103*, 260–267. [CrossRef] [PubMed]
- 25. Philbin, S.P. Driving sustainability through engineering management and systems engineering. *Sustainability* **2021**, *13*, 6687. [CrossRef]
- 26. Verichev, K.; Zamorano, M.; Carpio, M. Assessing the applicability of various climatic zoning methods for building construction: Case study from the extreme southern part of Chile. *Build. Environ.* **2019**, *160*, 106165. [CrossRef]
- 27. Verichev, K.; Zamorano, M.; Carpio, M. Effects of climate change on variations in climatic zones and heating energy consumption of residential buildings in the southern Chile. *Energy Build.* **2020**, *215*, 109874. [CrossRef]

- Verichev, K.; Zamorano, M.; Fuentes-Sepúlveda, A.; Cárdenas, N.; Carpio, M. Adaptation and mitigation to climate change of envelope wall thermal insulation of residential buildings in a temperate oceanic climate. *Energy Build.* 2021, 235, 110719. [CrossRef]
- 29. Kottek, M.; Grieser, J.; Beck, C.; Rudolf, B.; Rubel, F. World map of the Köppen-Geiger climate classification updated. *Meteorol. Z.* 2006, 15, 259–263. [CrossRef]
- 30. Verichev, K.; Carpio, M. Climatic zoning for building construction in a temperate climate of Chile. *Sustain. Cities Soc.* **2018**, 40, 352–364. [CrossRef]
- 31. Almonacid Zapata, F. Nueva historia de Valdivia. *Rev. Austral Cienc. Soc.* 2002, 137–140. [CrossRef]
- 32. Prado, F.; D'Alençcon, R.; Kramm, F. Arquitectura alemana en el sur de Chile: Importación y desarrollo de patrones tipológicos, espaciales y constructivos. *Rev. Constr.* 2011, *10*, 104–121. [CrossRef]
- Saelzer, G. Luis Oyarzún House; Project of Heritage Intervention; Dirección de Extensión, Universidad Austral de Chile and Consejo Nacional de la Cultura y las Artes, Gobierno de Chile; Penguin Random House: New York, NY, USA, 2018; ISBN 978-956-390-057-6.
- Arora, R.; Garg, H. A robust correlation coefficient measure of dual hesitant fuzzy soft sets and their application in decision making. *Eng. Appl. Artif. Intell.* 2018, 72, 80–92. [CrossRef]
- Gallab, M.; Bouloiz, H.; Alaoui, Y.L.; Tkiouat, M. Risk assessment of maintenance activities using fuzzy logic. *Proc. Comput. Sci.* 2019, 148, 226–235. [CrossRef]
- 36. Macías-Bernal, J.M.; Calama-Rodríguez, J.M.; Chávez-de Diego, M.J.; Diego, M.J.C. Modelo de predicción de la vida útil de la edificación patrimonial a partir de la lógica difusa. *Inf. Constr.* **2014**, *65*, e006. [CrossRef]
- Centro Nacional de Microelectrónica (CNM-CSIC). Xfuzzy3.0.2017. Available online: http://www2.imse-cnm.csic.es/Xfuzzy/ Xfuzzy\_3.5/index.html (accessed on 18 June 2021).
- ISO31000 Risk Management—Principles and Guidelines. 2009. Available online: https://risk-engineering.org/ISO-31000-riskmanagement/ (accessed on 18 June 2021).
- Prieto, A.J.; Macías Bernal, J.M.; Chávez de Diego, M.J.; Alejandre Sánchez, F.J. Expert system for predicting buildings service life under ISO 31000 standard. Application in architectural heritage. J. Cult. Herit. 2016, 18, 209–218. [CrossRef]
- 40. Prieto, A.J.; Silva, A.; de Brito, J.; Macias-Bernal, J.M. Serviceability of facade claddings. *Build. Res. Inf.* 2018, 46, 179–190. [CrossRef]
- 41. Prieto, A.J.; Macías-Bernal, J.M.; Chávez, M.-J.; Alejandre, F.J.; Silva, A. Impact of maintenance, rehabilitation, and other interventions on functionality of heritage buildings. *J. Perform. Constr. Facil.* **2019**, *33*. [CrossRef]
- 42. Ross, T.J. Fuzzy Logic with Engineering Applications; Wiley: Chichester, UK, 2010; ISBN 978-0-470-74376-8.
- 43. Mamdani, E.H.H.; Assilian, S. An experiment in linguistic synthesis with a fuzzy logic controller. *Int. J. Man. Mach. Stud.* **1975**, *7*, 1–13. [CrossRef]
- 44. Prieto, A.J.; Macías-Bernal, J.M.; Silva, A.; Ortiz, P. Fuzzy decision-support system for safeguarding tangible and intangible cultural heritage. *Sustainability* **2019**, *11*, 3953. [CrossRef]
- 45. Alvarez Grima, M.; Babuška, R. Fuzzy model for the prediction of unconfined compressive strength of rock samples. *Int. J. Rock Mech. Min. Sci.* **1999**, *36*, 339–349. [CrossRef]
- 46. Zadeh, L.A. The role of fuzzy logic in the management of uncertainty in expert systems. *Fuzzy Sets Syst.* **1983**, *11*, 199–227. [CrossRef]
- Baturone, I.; Barriga, A.; Jimenez-Fernandez, C.; Lopez, D.R.; Sanchez-Solano, S.; Barriga, A.; Jimenez-Fernandez, C.; Lopez, D.R.; Sanchez-Solano, S. *Microelectronic Design of Fuzzy Logic-Based Systems*; CRC Press: Boca Raton, FL, USA, 2000; ISBN 9781482273861.
   ISO. *ISO 31000:2018—Risk Management—Guidelines*; ISO: Geneva, Switzerland, 2018.
- 49. Taylor, B.N.; Kuyatt, C.E. NIST Technical Note 1297 Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results; United States Department of Commerce: Washington, DC, USA, 1994.
- 50. Cabello-Briones, C.; Prieto, A.J.; Ortiz, P. Determination of the technical suitability of shelters for archaeological sites using fuzzy logic. *J. Cult. Herit.* 2021, *48*, 211–226. [CrossRef]
- 51. Liu, H.; Li, B. Changes of spatial characteristics: Socio–cultural sustainability in historical neighborhood in Beijing, China. *Sustainability* **2021**, *13*, 6212. [CrossRef]
- 52. Prieto, A.J.; Silva, A.; de Brito, J.; Macías-Bernal, J.M.; Alejandre, F.J. Multiple linear regression and fuzzy logic models applied to the functional service life prediction of cultural heritage. *J. Cult. Herit.* **2017**, *27*, 20–35. [CrossRef]
- 53. Maliene, V.; Dixon-Gough, R.; Malys, N. Dispersion of relative importance values contributes to the ranking uncertainty: Sensitivity analysis of multiple criteria decision-making methods. *Appl. Soft Comput. J.* **2018**, *67*, 286–298. [CrossRef]
- 54. Marôco, J. Análise Estatística com o SPSS Statistics, 7th ed.; ReportNumber: Lisbon, Portugal, 2018; ISBN 978-989-96763-5-0.
- 55. Prieto, A.J.; Verichev, K.; Carpio, M. Heritage, resilience and climate change: A fuzzy logic application in timber-framed masonry buildings in Valparaíso, Chile. *Build. Environ.* **2020**, *174*. [CrossRef]
- 56. Langfeldt, L. Expert panels evaluating research. Res. Eval. 2004, 13, 51–62. [CrossRef]