

Supplementary Material. Table S1. Responses to the survey provided by the 52 clinics by type of clinic.

		More than 90 m ²	Less than 90 m ²	*p value	Cramer's V (95%CI)
n		34	18		
Have you ever heard of sustainability in the field of physiotherapy?, n(%)	No	23 (67.6)	10 (55.6)	0.576	0.119 (0, 1)
	Yes	11 (32.4)	8 (44.4)		
Do you know the exact consumption of your clinic: electricity, heating, water, etc...?, n(%)	Approximately	10 (29.4)	7 (38.9)	0.276	0.222 (0, 1)
	No	11 (32.4)	8 (44.4)		
	Yes	13 (38.2)	3 (16.7)		
Have you heard of so-called "green electricity"?, n(%)	No	6 (17.6)	8 (44.4)	0.081	0.287 (0, 1)
	Yes	28 (82.4)	10 (55.6)		
Do you know the origin of the electrical energy consumed in your clinic?, n(%)	No	21 (61.8)	10 (55.6)	0.891	0.06 (0, 1)
	Yes	13 (38.2)	8 (44.4)		
Does your center have any light and electricity saving system (timers, low energy bulbs, LEDs, etc...?, n(%)	No	3 (8.8)	1 (5.6)	0.69	0.063 (0, 1)
	Yes	30 (88.2)	17 (94.4)		
	Missing data	1 (2.9)	0 (0.0)		
Which of the following measures do you carry out in your clinic: control of luminous flux, n(%)	No	18 (52.9)	12 (66.7)	0.51	0.132 (0, 1)
	Yes	16 (47.1)	6 (33.3)		
Which of the following measures do you carry out in your clinic: elimination of standby, n(%)	No	26 (76.5)	14 (77.8)	>0.999	0.015 (0, 1)
	Yes	8 (23.5)	4 (22.2)		
Which of the following measures do you carry out in your clinic: thermal control, n(%)	No	14 (41.2)	8 (44.4)	>0.999	0.031 (0, 1)
	Yes	20 (58.8)	10 (55.6)		
Which of the following measures do you carry out in your clinic: Choice of energy-efficient devices, n(%)	No	17 (50.0)	9 (50.0)	>0.999	0 (0, 1)
	Yes	17 (50.0)	9 (50.0)		
Which of the following measures do you carry out in your clinic? Adequate ventilation, n(%)	No	9 (26.5)	4 (22.2)	>0.999	0.047 (0, 1)
	Yes	25 (73.5)	14 (77.8)		


Are there water consumption saving systems in your clinic (flow reducers, liquid flow automa- tisms, toilet flushing with differentiated flow) ?, n(%)	No	18 (52.9)	13 (72.2)	0.293	0.187 (0, 1)
	Yes	16 (47.1)	5 (27.8)		
Do you think you are sufficiently familiar with the classification of the waste generated at your clinic? n(%)	No	5 (14.7)	2 (11.1)	0.684	0.121 (0, 1)
	It is not clear to me	6 (17.6)	5 (27.8)		
	Yes	23 (67.6)	11 (61.1)		
How do you consider your current management of biohazardous (hazardous or special) waste? n(%)	Good	14 (41.2)	8 (44.4)	0.808	0.137 (0, 1)
	Insufficient	1 (2.9)	1 (5.6)		
	Very good	17 (50.0)	7 (38.9)		
	Regular	2 (5.9)	2 (11.1)		
If you use heat pump/cooling air conditioning equipment (Splitz, portable, etc. ...) Do you know the number of frigories that your clinic would need to achieve the most efficient air conditio- ning? n(%)	No	29 (85.3)	15 (83.3)	>0.999	0.026 (0, 1)
	Yes	5 (14.7)	3 (16.7)		
Do you carry out regular maintenance of the air conditioning systems?, n(%)	No	4 (11.8)	4 (22.2)	0.555	0.138 (0, 1)
	Yes	30 (88.2)	14 (77.8)		
Do you use an environmentally friendly laundry system (biodegradable detergents, low toxi- city, water and electricity efficient)? n(%)	No	20 (58.8)	10 (55.6)	>0.999	0.031 (0, 1)
	Yes	14 (41.2)	8 (44.4)		
Do you try to use recycled materials as much as possible? n(%)	No	10 (29.4)	4 (22.2)	0.82	0.077 (0, 1)
	Yes	24 (70.6)	14 (77.8)		
Do you use cleaning and disinfection products considered environmentally friendly? n(%)	No	23 (67.6)	17 (94.4)	0.066	0.303 (0, 1)
	Yes	11 (32.4)	1 (5.6)		
Do you use your community's clean points to dispose of deteriorated lighting equipment (ultra- violet, fluorescent, etc.) ?, n(%)	No	4 (11.8)	4 (22.2)	0.555	0.138 (0, 1)
	Yes	30 (88.2)	14 (77.8)		

Do you consider that taking care of the physical and mental health of your salaried physiotherapists should be part of a sustainable development project? n(%)	I have never thought about it	6 (17.6)	2 (11.1)	0.828	0.086 (0, 1)
	Yes	28 (82.4)	16 (88.9)		
Do you know the Three Rs rule? Reduce, Reuse and Recycle, n(%)	No	3 (8.8)	3 (16.7)	0.601	0.14 (0, 1)
	Yes, and I practice it	25 (73.5)	11 (61.1)		
	Yes, but I do not practice it	6 (17.6)	4 (22.2)		
In which of the following areas of your clinic do you think you can improve from a sustainability point of view: Energy consumption , n(%)	No	18 (52.9)	12 (66.7)	0.51	0.132 (0, 1)
	Yes	16 (47.1)	6 (33.3)		
In which of the following areas of your clinic do you think you can improve from a sustainability point of view: Waste management, n(%)	No	18 (52.9)	12 (66.7)	0.51	0.132 (0, 1)
	Yes	16 (47.1)	6 (33.3)		
In which of the following areas of your practice do you think you can improve from a sustainability point of view: Distribution of furniture, n(%)	No	18 (52.9)	12 (66.7)	0.51	0.132 (0, 1)
	Yes	16 (47.1)	6 (33.3)		
In which of the following areas of your practice do you think you can improve from a sustainability point of view: Decrease consumption of disposable material, n(%)	No	18 (52.9)	12 (66.7)	0.51	0.132 (0, 1)
	Yes	16 (47.1)	6 (33.3)		
In which of the following areas of your practice do you think you can improve from a sustainability point of view: Improvements in the work system of my employees, n(%)	No	18 (52.9)	12 (66.7)	0.51	0.132 (0, 1)
	Yes	16 (47.1)	6 (33.3)		
Are you aware of the goals set out in the 2030 agenda for sustainable development, n(%)	It rings a bell, but I don't really know them	6 (17.6)	7 (38.9)	0.197	0.25 (0, 1)
	No	23 (67.6)	10 (55.6)		
	Yes	5 (14.7)	1 (5.6)		


Data expressed as absolute and relative values (%); 95% confidence interval 95% CI. ^asignificant if p<0.05.

Supplementary Material Table S2. Reliability with item removal.


	α	α standardized	λ_6
Have you ever heard of sustainability in the field of physical therapy?	0.757	0.652	0.995
Do you know the exact consumption of your clinic, electricity, heating, water, etc.?	0.770	0.687	0.988
Have you heard of so-called "green electricity"?	0.788	0.711	0.986
Do you know the origin of the electrical energy consumed in your clinic?	0.763	0.664	0.999
Does your center have any light and electricity saving system (timers, low energy bulbs, LEDs, etc.)?	0.734	0.641	0.992
Which of the following measures do you carry out in your clinic: Luminous flux control	0.719	0.618	1.000
Which of the following measures do you carry out in your clinic?	0.790	0.719	0.982
Which of the following measures do you carry out in your clinic: Thermal control	0.748	0.639	0.985
Which of the following measures do you carry out in your clinic: Choice of energy efficient devices	0.747	0.640	0.994
Which of the following measures do you carry out in your clinic: Adequate ventilation	0.771	0.685	0.994
Are there any water consumption saving systems in your clinic (flow reducers, liquid flow automations, toilet flushing with differentiated flow)?	0.771	0.678	0.996
Do you think you are sufficiently familiar with the classification of waste generated at your clinic?	0.757	0.660	0.989
How do you consider your current management of bio-sanitary waste (hazardous or special)?	0.776	0.702	0.986
If you use heat pump air conditioning equipment (Splitz, portable, etc.), do you know the number of frigories that your clinic would need for the most efficient air conditioning?	0.748	0.645	0.996
Do you perform periodic maintenance of air conditioning systems?	0.791	0.700	0.981
Do you use an environmentally friendly laundry system (biodegradable detergents, low toxicity, water and electricity efficient)?	0.768	0.678	0.986
Do you try to use recycled materials as much as possible?	0.798	0.720	0.996
Do you use cleaning and disinfection products considered environmentally friendly?	0.761	0.659	0.992
Do you use your community's clean points to dispose of deteriorated lighting equipment (ultraviolet, fluorescent, etc...)?	0.775	0.678	0.988
Do you consider that taking care of the physical and mental health of your salaried physiotherapists should be part of a sustainable development project?	0.764	0.672	0.982
Do you know the Three Wrongs rule? Reduce, Reuse and Recycle	0.795	0.720	0.984
In which of the following areas of your clinic do you think you can improve from a sustainability point of view: Energy consumption	0.719	0.618	1.000
In which of the following areas of your clinic do you think you can improve from a sustainability standpoint: Waste Management	0.719	0.618	1.000
In which of the following areas of your clinic do you think you can improve from a sustainability point of view: Furniture distribution	0.719	0.618	1.000
In which of the following areas of your clinic do you think you can improve from a sustainability point of view: Decrease consumption of disposable material.	0.719	0.618	1.000
In which of the following areas of your clinic do you think you can improve from a sustainability point of view: Improvements in the work system of my employees.	0.719	0.618	1.000
Are you aware of the goals set out in the 2030 agenda for sustainable development?	0.780	0.700	0.982




Supplementary Material. Figure S1. Percentage of inertia explained by each dimension.



Supplementary Material. Figure S2. Contribution of the questions to the main dimensions.




Supplementary Material. Figure S3. Contribution of the categories to the main dimensions.




Supplementary Material. Figure S4. Contribution of the participants to the main dimensions.

Supplementary Material Table S3. Sentiment and polarity analysis																																	
		If you answered yes to the previous question, please specify which electricity saving systems you use.				If your facility generates waste such as kerosene, creams, medicines, cosmetics, etc., please specify how you carry out the removal of these wastes in your clinic?				What type of heating/air conditioning systems do you use?				What made you make this choice of air conditioning / heating system, did you consider looking for a type of heating as sustainable as possible in relation to the environmental impact?				If you are aware of it, write down the cleaning products used in your clinic.				Which of the 17 Sustainable Development Goals are you familiar with?				Which of these Agenda 2030 goals apply to your clinic?				Would you be willing to implement the necessary sustainability measures in the clinic to further adapt to the 2030 agenda? If yes, please define briefly the measures you would adapt			
		More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)
NRC Dictionary	Negative (%)	50.0	57.1	>0.999	0.07 (0, 1)	58.6	0.0	0.002	0.541 (0, 1)	91.3	76.5	0.395	0.205 (0, 1)	9.1	14.3	0.882	0.081 (0, 1)	100.0	0.0	0.402	1 (NaN, 1)	28.6	25.0	>0.999	0.039 (0, 1)	14.3	0.0	0.964	0.205 (0, 1)	12.7	17.9	0.746	0.068 (0, 1)
	Positive (%)	50.0	42.9			41.4	100.0			8.7	23.5			90.9	85.7			0.0	100.0			71.4	75.0			85.7	100.0			87.3	82.1		
	Joy (%)	18.8	0.0	0.374	0.568 (0, 1)	10.3	35.7	0.008	0.638 (0, 1)	5.1	11.5	0.874	0.194 (0, 1)	7.1	15.4	0.626	0.313 (0, 1)				1 (NaN, 1)	10.7	6.2	0.366	0.385 (0, 1)	23.8	0.0	0.377	0.548 (0, 1)	9.3	8.0	0.792	0.239 (0, 1)
	Anticipation (%)	12.5	50.0			17.2	28.6							28.6	23.1			100.0	0.0	0.135		0.0	12.5			14.3	25.0			20.9	20.0		
	Confidence (%)	18.8	0.0			10.3	21.4			2.6	0.0			46.4	38.5			0.0	50.0			28.6	37.5			38.1	50.0			34.9	28.0		
	Dislike (%)					31.0	0.0			2.6	0.0			10.7	3.8			0.0	50.0			10.7	18.8			0.0	25.0			4.7	16.0		
	Anger (%)	12.5	0.0							23.1	19.2			0.0	3.8							14.3	12.5			4.8	0.0			4.7	8.0		
	Fear (%)	12.5	25.0			10.3	0.0			20.5	19.2			0.0	3.8							21.4	6.2			9.5	0.0			14.0	8.0		
	Surprise (%)	18.8	0.0			0.0	14.3			25.6	30.8			7.1	7.7											4.8	0.0			7.0	4.0		
	Sadness (%)	6.2	25.0			20.7	0.0			20.5	19.2			0.0	3.8							14.3	6.2			4.8	0.0			4.7	8.0		
Afinn Dictionary	Negative (%)	57.1	50.0	>0.999	0.069 (0, 1)	70.6	73.3	>0.999	0.03 (0, 1)	44.4	45.5	>0.999	0.01 (0, 1)	58.6	45.5	0.695	0.118 (0, 1)	50.0	0.0	>0.999	0.5 (0, 1)	89.5	76.9	0.642	0.17 (0, 1)	91.3	72.7	0.361	0.245 (0, 1)	26.8	27.3	>0.999	0.005 (0, 1)
	Positive (%)	42.9	50.0			29.4	26.7			55.6	54.5			41.4	54.5			50.0	100.0			10.5	23.1			8.7	27.3			73.2	72.7		
	Score of -1 (%)	57.1	25.0	0.475	0.477 (0, 1)	70.6	73.3	0.631	0.17 (0, 1)	44.4	45.5	0.726	0.149 (0, 1)	51.7	45.5	0.696	0.19 (0, 1)	50.0	0.0	>0.999	0.5 (0, 1)	73.7	61.5	0.422	0.296 (0, 1)	91.3	72.7	0.129	0.347 (0, 1)	26.8	27.3	0.734	0.128 (0, 1)
	Score of -2 (%)	0.0	25.0											6.9	0.0							15.8	15.4										
	Score of 1 (%)	14.3	25.0			23.5	13.3			5.6	0.0			37.9	45.5							5.3	0.0							60.7	63.6		
	Score of 2 (%)	28.6	25.0			5.9	13.3			50.0	54.5			3.4	9.1			50.0	100.0			5.3	23.1			4.3	27.3			7.1	9.1		
	Score of 3 (%)																									4.3	0.0			5.4	0.0		
Bing Dictionary	Negative (%)	62.5	80.0	0.962	0.184 (0, 1)	93.8	0.0	0.221	0.685 (0, 1)	72.2	73.9	>0.999	0.019 (0, 1)	12.9	18.2	>0.999	0.066 (0, 1)	66.7	0.0	0.156	0.756 (0, 1)	25.0	20.0	>0.999	0.056 (0, 1)	25.0	0.0	0.353	0.265 (0, 1)	17.4	26.7	0.781	0.111 (0, 1)
	Positive (%)	37.5	20.0			6.2	100.0			27.8	26.1			87.1	81.8			33.3	100.0			75.0	80.0			75.0	100.0			82.6	73.3		
Polarity of sentences		-0.00±0.09	-0.04±0.17	0.425	0.112 (0, 0.342)*	-0.05±0.22	-0.01±0.05	0.91	0.016 (0, 0.263)*	-0.07±0.23	-0.07±0.17	0.824	0.031 (0.008, 0.294)*	0.10±0.50	0.08±0.37	0.572	0.078 (0.005, 0.319)*	-0.04±0.30	0.16±0.39	0.28		0.01±0.21	0.19±0.51	0.405	0.12 (0.004, 0.394)*	-0.04±0.33	0.25±0.46	0.047	0.287 (0.079, 0.552)*	0.03±0.18	0.07±0.40	0.61	0.072 (0.002, 0.282)*

Data expressed as mean ± standard deviation or with relative values (%); 95% confidence interval; *nonparametric r effect size. ^significant if p<0.05.



Supplementary Material. Figure S5. Semantic coherence and exclusivity of each question.



Supplementary Material. Figure S6: Exclusivity vs. semantic coherence.

Supplementary Material. Table S4. Analysis of qualitative coding by type of clinic.

If you answered yes to the previous question, please, could you specify which electricity saving systems you use		If your center generates waste such as paraffin, creams, medicines, cosmetics, etc..... please? Could you specify how you carry out the removal of this waste in your center?								What type of heating/air conditioning systems do you use?				Did you consider looking for a type of heating that is as sustainable as possible in relation to the environmental impact?				If you are aware of it, write down the cleaning products used in your clinic				Which of the 17 Sustainable Development Goals are you familiar with?				Which of these Agenda 2030 goals apply to your clinic?				Would you be willing to implement the necessary sustainability measures in the clinic to further adapt to the 2040 agenda? If yes, please briefly define the measures that you would adapt										
		More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)	More than 90 m²	Less than 90 m²	*p value	Cramer's V (95%CI)							
Number of coded segments		32	18			34	18			33	18			34	18			11	6			33	15			33	15			34	17									
Regulators and thermostats, n(%)	Coded	1 (3.1)	3 (16.7)	0.25	0.24 (0, 1)	Clean point, n(%)	6 (17.6)	3 (16.7)	>0.999	0.012 (0, 1)	Electric radiator, n(%)	4 (12.1)	3 (16.7)	0.98	0.063 (0, 1)	No other systems available, n(%)	5 (14.7)	2 (11.1)	>0.999	0.05 (0, 1)	Bleach, n(%)	0 (0.0)	4 (66.7)	0.012	0.751 (0, 1)	Awareness of all objectives, n(%)	0 (0.0)	2 (13.3)	0.173	0.309 (0, 1)	Recycle, n(%)	1 (3.0)	1 (6.7)	>0.999	0.084 (0, 1)	Economic and labor conditions, n(%)	5 (14.7)	2 (11.8)	>0.999	0.04 (0, 1)
	Not coded	31 (96.9)	15 (83.3)				28 (82.4)	15 (83.3)				29 (87.9)	15 (83.3)				29 (85.3)	16 (88.9)				11 (100.0)	2 (33.3)				33 (100.0)	13 (86.7)			32 (97.0)	14 (93.3)			29 (85.3)	15 (88.2)				
Timers, n(%)	Coded	8 (25.0)	5 (27.8)	>0.999	0.03 (0, 1)	No action taken, n(%)	5 (14.7)	6 (33.3)	0.227	0.217 (0, 1)	Heat-cooling pump, n(%)	15 (45.5)	7 (38.9)	0.876	0.063 (0, 1)	No knowledge of other systems, n(%)	1 (2.9)	1 (5.6)	>0.999	0.065 (0, 1)	Disinfectants, n(%)	3 (27.3)	3 (50.0)	0.685	0.227 (0, 1)	Recycle, n(%)	1 (3.0)	2 (13.3)	0.469	0.197 (0, 1)	No knowledge of the measures, n(%)	23 (69.7)	7 (46.7)	0.228	0.22 (0, 1)	Will implement them but do not know what measures to take, n(%)	16 (47.1)	5 (29.4)	0.365	0.169 (0, 1)
	Not coded	24 (75.0)	13 (72.2)				29 (85.3)	12 (66.7)				18 (54.5)	11 (61.1)				33 (97.1)	17 (94.4)				8 (72.7)	3 (50.0)				32 (97.0)	13 (86.7)			10 (30.3)	8 (53.3)			18 (52.9)	12 (70.6)				
LED and energy-saving lights, n(%)	Coded	27 (84.4)	17 (94.4)	0.55	0.149 (0, 1)	Specialized company, n(%)	8 (23.5)	3 (16.7)	0.826	0.08 (0, 1)	Gas heating, n(%)	3 (9.1)	1 (5.6)	>0.999	0.063 (0, 1)	System already installed in the center, n(%)	7 (20.6)	5 (27.8)	0.811	0.081 (0, 1)	Ammonia, n(%)	0 (0.0)	1 (16.7)	0.751	0.339 (0, 1)	Little or no knowledge of objectives, n(%)	26 (78.8)	8 (53.3)	0.145	0.26 (0, 1)	None of the measures applied, n(%)	5 (15.2)	2 (13.3)	>0.999	0.024 (0, 1)	Laundry management, n(%)	0 (0.0)	1 (5.9)	0.721	0.2 (0, 1)
	Not coded	5 (15.6)	1 (5.6)				26 (76.5)	15 (83.3)				30 (90.9)	17 (94.4)				27 (79.4)	13 (72.2)				11 (100.0)	5 (83.3)				7 (21.2)	7 (46.7)			28 (84.8)	13 (86.7)			34 (100.0)	16 (94.1)				
Use of natural light, n(%)	Coded	2 (6.2)	1 (5.6)	>0.999	0.014 (0, 1)	Sorting containers, n(%)	8 (23.5)	3 (16.7)	0.826	0.08 (0, 1)	Central heating, n(%)	5 (15.2)	1 (5.6)	0.574	0.142 (0, 1)	Considered but not installed, n(%)	2 (5.9)	0 (0.0)	0.771	0.146 (0, 1)	Soap and detergents, n(%)	2 (18.2)	1 (16.7)	>0.999	0.019 (0, 1)	Opinion that they are deficient, n(%)	0 (0.0)	1 (6.7)	0.683	0.216 (0, 1)	Sustainability and responsible consumption measures, n(%)	2 (6.1)	1 (6.7)	>0.999	0.012 (0, 1)	Would not apply any measure, n(%)	4 (11.8)	2 (11.8)	>0.999	0 (0, 1)
	Not coded	30 (93.8)	17 (94.4)				26 (76.5)	15 (83.3)				28 (84.8)	17 (94.4)				32 (94.1)	18 (100.0)				9 (81.8)	5 (83.3)				33 (100.0)	14 (93.3)			31 (93.9)	14 (93.3)			30 (88.2)	15 (88.2)				
No action taken, n(%)	Coded	4 (12.5)	2 (11.1)	>0.999	0.021 (0, 1)	Do not generate biohazardous waste, n(%)	8 (23.5)	5 (27.8)	>0.999	0.047 (0, 1)	Air conditioning, n(%)	12 (36.4)	8 (44.4)	0.791	0.079 (0, 1)	Cleanliness of energy source, n(%)	1 (2.9)	1 (5.6)	>0.999	0.065 (0, 1)	Organic products, n(%)	4 (36.4)	1 (16.7)	0.768	0.207 (0, 1)	Clean energy, n(%)	3 (9.1)	0 (0.0)	0.574	0.174 (0, 1)	Reduction of inequalities, n(%)	1 (3.0)	0 (0.0)	>0.999	0.098 (0, 1)	Fight against climate change, n(%)	1 (2.9)	0 (0.0)	>0.999	0.1 (0, 1)
	Not coded	28 (87.5)	16 (88.9)				26 (76.5)	13 (72.2)				21 (63.6)	10 (55.6)				33 (97.1)	17 (94.4)				7 (63.6)	5 (83.3)				30 (90.9)	15 (100.0)			32 (97.0)	15 (100.0)			33 (97.1)	17 (100.0)				
Energy efficient appliances, n(%)	Coded	2 (6.2)	1 (5.6)	>0.999	0.014 (0, 1)	Do not know what measures are taken, n(%)	1 (2.9)	0 (0.0)	>0.999	0.102 (0, 1)	Biodegradable source, n(%)	1 (3.0)	0 (0.0)	>0.999	0.104 (0, 1)	No choice raised, n(%)	7 (20.6)	2 (11.1)	0.635	0.119 (0, 1)	Glass cleaner, n(%)	1 (9.1)	0 (0.0)	>0.999	0.185 (0, 1)	Gender equality, n(%)	2 (6.1)	1 (6.7)	>0.999	0.012 (0, 1)	Improving health and well-being, n(%)	2 (6.1)	1 (6.7)	>0.999	0.012 (0, 1)	Social improvements, n(%)	1 (2.9)	0 (0.0)	>0.999	0.1 (0, 1)
	Not coded	30 (93.8)	17 (94.4)				33 (97.1)	18 (100.0)				32 (97.0)	18 (100.0)				27 (79.4)	16 (88.9)				10 (90.9)	6 (100.0)				31 (93.9)	14 (93.3)			31 (93.9)	14 (93.3)			33 (97.1)	17 (100.0)				
Structural insulation, n(%)	Coded	1 (3.1)	0 (0.0)	>0.999	0.107 (0, 1)									Architectural conditions, n(%)	3 (8.8)	2 (11.1)	>0.999	0.037 (0, 1)	Generic and economic products, n(%)	0 (0.0)	1 (16.7)	0.751	0.339 (0, 1)	Sustainability and responsible consumption, n(%)	2 (6.1)	2 (13.3)	0.778	0.122 (0, 1)	Gender equality, n(%)	1 (3.0)	0 (0.0)	>0.999	0.098 (0, 1)	No knowledge of the measures, n(%)	11 (32.4)	4 (23.5)	0.744	0.091 (0, 1)		
	Not coded	31 (96.9)	18 (100.0)												31 (91.2)	16 (88.9)				11 (100.0)	5 (83.3)				31 (93.9)	13 (86.7)			32 (97.0)	15 (100.0)			23 (67.6)	13 (76.5)						
Biodegradable sources, n(%)	Coded	1 (3.1)	0 (0.0)	>0.999	0.107 (0, 1)									Energy efficiency and lower cost, n(%)	8 (23.5)	5 (27.8)	>0.999	0.047 (0, 1)	Don't know which products are used, n(%)	2 (18.2)	0 (0.0)	0.746	0.27 (0, 1)	Reduction of inequalities and poverty, n(%)	4 (12.1)	1 (6.7)	0.949	0.083 (0, 1)	Energy saving measures, n(%)	0 (0.0)	3 (20.0)	0.044	0.383 (0, 1)	Waste management, n(%)	3 (8.8)	2 (11.8)	>0.999	0.047 (0, 1)		
	Not coded	31 (96.9)	18 (100.0)												26 (76.5)	13 (72.2)				9 (81.8)	6 (100.0)				29 (87.9)	14 (93.3)			33 (100.0)	12 (80.0)			31 (91.2)	15 (88.2)						
	Coded													System recommendation, n(%)	1 (2.9)	0 (0.0)	>0.999	0.102 (0, 1)							Improving health and well-being, n(%)	4 (12.1)	1 (6.7)	0.949	0.083 (0, 1)	Clean energy, n(%)	1 (3.0)	0 (0.0)	>0.999	0.098 (0, 1)	Reduce energy consumption, n(%)	2 (5.9)	1 (5.9)	>0.999	0 (0, 1)	

Not coded	33 (97.1)	18 (100.0)	29 (87.9)	14 (93.3)	32 (97.0)	15 (100.0)	32 (94.1)	16 (94.1)							
Coded	Fight against hunger, n(%)	3 (9.1)	2 (13.3)	>0.999	0.064 (0, 1)	Applies almost all measures, n(%)	0 (0.0)	1 (6.7)	0.683	0.216 (0, 1)	Consume more organic products, n(%)	1 (2.9)	1 (5.9)	>0.999	0.071 (0, 1)
Not coded		30 (90.9)	13 (86.7)				33 (100.0)	14 (93.3)				33 (97.1)	16 (94.1)		
Coded	Climate action, n(%)	3 (9.1)	0 (0.0)	0.574	0.174 (0, 1)										
Not coded		30 (90.9)	15 (100.0)												
Coded	Improving education, n(%)	2 (6.1)	1 (6.7)	>0.999	0.012 (0, 1)										
Not coded		31 (93.9)	14 (93.3)												
Coded	Energy saving measures, n(%)	0 (0.0)	2 (13.3)	0.173	0.309 (0, 1)										
Not coded		33 (100.0)	13 (86.7)												
Coded	Access to drinking water, n(%)	2 (6.1)	0 (0.0)	0.846	0.141 (0, 1)										
Not coded		31 (93.9)	15 (100.0)												

Data with absolute and relative values (%); 95% confidence interval (95%CI). *significant if p< 0.05.

Supplementary Material. Table S5. Analysis of qualitative coding.																
If you answered yes to the previous question, please, could you specify which electricity saving systems you use			If your center generates waste such as paraffin, creams, medicines, cosmetics, etc..., please? Could you specify how you carry out the removal of this waste in your center?		What type of heating/air conditioning systems do you use?		What made you consider this choice of air conditioning/heating system? Did you consider looking for a type of heating that is as sustainable as possible in relation to the environmental impact?		If you are aware of it, write down the cleaning products used in your clinic		Which of the 17 Sustainable Development Goals are you familiar with?		Which of these Agenda 2030 goals apply to your clinic?		Would you be willing to implement the necessary sustainability measures in the clinic to further adapt to the 2040 agenda? If yes, please briefly define the measures that you would adapt	
Code			Code		Code		Code		Code		Code		Code		Code	
Number of coded segments			Number of coded segments 52		Number of coded segments 51		Number of coded segments 52		Number of coded segments		Number of coded segments		Number of coded segments		Number of coded segments 51	
Regulators and thermostats,n(%)	Coded	4 (8.0)	Clean point,n(%)	9 (17.3)	Electric radiator,n(%)	7 (13.7)	No other systems available,n(%)	7 (13.5)	Lye,n(%)	4 (23.5)	Knowledge of all objectives,n(%)	2 (4.2)	Recycle,n(%)	2 (4.2)	Economic and labor conditions,n(%)	7 (13.7)
	Not coded	46 (92.0)		43 (82.7)		44 (86.3)		45 (86.5)		13 (76.5)		46 (95.8)		46 (95.8)		44 (86.3)
Timers,n(%)	Coded	13 (26.0)	No action taken,n(%)	11 (21.2)	Heat/cold pump,n(%)	22 (43.1)	No knowledge of other systems,n(%)	2 (3.8)	Disinfectants,n(%)	6 (35.3)	Recycle,n(%)	3 (6.2)	No knowledge of the measures,n(%)	30 (62.5)	Will apply them but do not know what measures to adopt,n(%)	21 (41.2)
	Not coded	37 (74.0)		41 (78.8)		29 (56.9)		50 (96.2)		11 (64.7)		45 (93.8)		18 (37.5)		30 (58.8)
LED and energy-saving lights,n(%)	Coded	44 (88.0)	Specialized company,n(%)	11 (21.2)	Gas heating,n(%)	4 (7.8)	System already installed in the plant,n(%)	12 (23.1)	Ammonia,n(%)	1 (5.9)	Little or no knowledge of objectives,n(%)	34 (70.8)	None of the measures applied,n(%)	7 (14.6)	Laundry management,n(%)	1 (2.0)
	Not coded	6 (12.0)		41 (78.8)		47 (92.2)		40 (76.9)		16 (94.1)		14 (29.2)		41 (85.4)		50 (98.0)
Use of natural light,n(%)	Coded	3 (6.0)	Sorting containers,n(%)	11 (21.2)	Central heating,n(%)	6 (11.8)	Considered but did not install,n(%)	2 (3.8)	Soap and/or detergents,n(%)	3 (17.6)	Opinion that they are deficient,n(%)	1 (2.1)	Sustainability and responsible consumption measures,n(%)	3 (6.2)	Would not apply any measure,n(%)	6 (11.8)
	Not coded	47 (94.0)		41 (78.8)		45 (88.2)		50 (96.2)		14 (82.4)		47 (97.9)		45 (93.8)		45 (88.2)
No action taken,n(%)	Coded	6 (12.0)	Do not generate biohazardous waste,n(%)	13 (25.0)	Air conditioning,n(%)	20 (39.2)	Cleanliness of energy source,n(%)	2 (3.8)	Organic products,n(%)	5 (29.4)	Clean energy,n(%)	3 (6.2)	Reduction of inequalities,n(%)	1 (2.1)	Fight against climate change,n(%)	1 (2.0)
	Not coded	44 (88.0)		39 (75.0)		31 (60.8)		50 (96.2)		12 (70.6)		45 (93.8)		47 (97.9)		50 (98.0)
Energy efficient appliances,n(%)	Coded	3 (6.0)	Not aware of the measures taken,n(%)	1 (1.9)	Biodegradable source,n(%)	1 (2.0)	No choice raised,n(%)	9 (17.3)	Glass cleaner,n(%)	1 (5.9)	Gender equality,n(%)	3 (6.2)	Improving health and well-being,n(%)	3 (6.2)	Social improvements,n(%)	1 (2.0)
	Not coded	47 (94.0)		51 (98.1)		50 (98.0)		43 (82.7)		16 (94.1)		45 (93.8)		45 (93.8)		50 (98.0)
Structural insulation,n(%)	Coded	1 (2.0)					Architectural conditions,n(%)	5 (9.6)	Generic and economic products,n(%)	1 (5.9)	Sustainability and responsible consumption,n(%)	4 (8.3)	Gender equality,n(%)	1 (2.1)	No knowledge of the measures,n(%)	15 (29.4)
	Not coded	49 (98.0)						47 (90.4)		16 (94.1)		44 (91.7)		47 (97.9)		36 (70.6)
Biodegradable sources,n(%)	Coded	1 (2.0)					Energy efficiency and lower cost,n(%)	13 (25.0)	Do not know which products are used,n(%)	2 (11.8)	Reduction of inequalities and poverty,n(%)	5 (10.4)	Energy saving measures,n(%)	3 (6.2)	Waste management,n(%)	5 (9.8)
	Not coded	49 (98.0)						39 (75.0)		15 (88.2)		43 (89.6)		45 (93.8)		46 (90.2)
							System recommendation,n(%)	1 (1.9)			Improving health and well-being,n(%)	5 (10.4)	Clean energy,n(%)	1 (2.1)	Reduce energy consumption,n(%)	3 (5.9)
								51 (98.1)				43 (89.6)		47 (97.9)		48 (94.1)
											Fight against hunger,n(%)	5 (10.4)	Applies almost all measures,n(%)	1 (2.1)	Consuming more organic products,n(%)	2 (3.9)
												43 (89.6)		47 (97.9)		49 (96.1)
											Climate action,n(%)	3 (6.2)				
												45 (93.8)				
											Improve education,n(%)	3 (6.2)				
												45 (93.8)				

	Energy saving measu- res,n(%)	2 (4.2)
		46 (95.8)
	Access to drinking wa- ter,n(%)	2 (4.2)
		46 (95.8)

Data with absolute and relative values (%).