sustainability

MDPI

Article

Sustainable Inventory Management for Perishable Dairy Products: A Circular-Economy Approach Integrating Environmental Costs

Olena Pavlova [1,2], Maryna Nagara [3], Oksana Liashenko [2,4,*], Kostiantyn Pavlov [2,*], Rafał Rumin [1], Viktoriia Marhasova [5], Oksana Drebot [6] and Karolina Jakóbik [1]

[1] Faculty of Management, AGH University of Krakow, Al. Mickiewicz 30, 30-059 Kraków, Poland; opavlova@agh.edu.pl (O.P.); rumin@agh.edu.pl (R.R.); kjakobik@agh.edu.pl (K.J.)
[2] Faculty of Economics and Management, Lesya Ukrainka Volyn National University, Voli Ave., 13, 43025 Lutsk, Ukraine
[3] B.D. Havrylyshyn Educational and Research Institute of International Relations, West Ukrainian National University, Lvivska Str., 11, 46009 Ternopil, Ukraine; m.nahara@wunu.edu.ua
[4] Loughborough Business School, Loughborough University, Epinal Way, Loughborough LE11 3TU, UK
[5] Department of Finance, Kyiv National University of Technologies and Design, Mala Shyianovska Street, 2, 01011 Kyiv, Ukraine; viktoriya.margasova@gmail.com
[6] Institute of Agroecology and Environmental Management, The National Academy of Agrarian Sciences of Ukraine, Metrologichna Street 12, 03143 Kyiv, Ukraine; drebotoksana@gmail.com
* Correspondence: o.liashenko@lboro.ac.uk (O.L.); pavlovkostya@gmail.com (K.P.); Tel.: +380-97-283-08-08 (K.P.)

Abstract

The transition toward sustainable food systems requires innovative approaches to managing perishable products, where inefficient inventory practices contribute significantly to global food loss and environmental degradation. This study develops a circular-economy-oriented inventory optimisation framework for dairy supply chains that integrates environmental externalities and waste valorisation pathways into operational decision-making. Departing from traditional linear "produce–consume–dispose" models, this study embeds three core sustainability mechanisms into a stochastic dynamic-programming framework: (1) progressive environmental cost internalisation aligned with EU Emissions-Trading System carbon pricing, capturing both waste-related emissions and cold-chain energy footprints; (2) circular-economy value-recovery channels that redirect near-expiry products to secondary applications (animal feed, biogas production, industrial processing) rather than disposal; and (3) deterioration-aware demand management that minimises resource throughput while maintaining service levels. Empirical calibration using Ukrainian dairy industry data demonstrates that sustainability-integrated inventory policies reduce waste generation by 4.8–10% relative to conventional approaches, with high-deterioration products showing the greatest potential for improvement. The authors identify a critical threshold in the circular economy: when salvage recovery rates exceed 35%, waste becomes an economic and ecological asset, fundamentally altering the sustainability calculus of inventory decisions. Environmental costs account for 4.6% of total operating expenses at current carbon prices, a share projected to increase substantially as climate regulations tighten. The findings provide actionable guidance for dairy supply chain stakeholders pursuing the Sustainable Development Goals (SDGs 2, 12, 13): processors should establish circular-economy partnerships that achieve salvage rates above 35%, implement product-specific policies for high-deterioration items, and proactively integrate carbon pricing into inventory optimisation. The framework bridges sustainable operations theory and circular economy practice, offering a replicable model for transitioning perishable food

Check for updates

Academic Editor: Mirco Peron

Received: 24 March 2026
Revised: 9 April 2026
Accepted: 13 April 2026
Published: 16 April 2026

Copyright: © 2026 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license.

supply chains toward closed-loop, low-waste configurations that simultaneously reduce environmental impact and enhance economic performance.

Keywords: circular economy; sustainable supply chain management; food waste valorisation; perishable-inventory optimisation; carbon cost internalisation; dairy industry sustainability

1. Introduction

The global dairy industry faces a critical sustainability challenge: approximately one-third of dairy products are lost or wasted along the supply chain, resulting in significant environmental and economic costs [1].

Unlike non-perishable goods, dairy products deteriorate continuously from the moment of production, with quality degrading more rapidly under suboptimal storage conditions. This inherent perishability, combined with demand uncertainty, creates a complex inventory management problem: overstocking leads to waste, while understocking results in lost sales and customer dissatisfaction.

Traditional inventory models, rooted in the economic order quantity (EOQ) framework, were designed for non-perishable goods and fail to capture the unique dynamics of deteriorating products. While extensions that account for deterioration have been developed since Ghare and Schrader's seminal work, most existing models treat environmental externalities as outside the scope of optimisation [2].

This omission is increasingly problematic as regulatory frameworks—particularly the European Union's Emissions Trading System (EU ETS) and Farm to Fork strategy—impose explicit costs on food waste and associated greenhouse gas emissions.

The circular-economy paradigm offers a complementary perspective, treating waste not merely as a cost but as a potential resource. In dairy supply chains, near-expiry products can be redirected to secondary channels—such as animal feed, biogas production, or industrial processing—to recover partial value while reducing environmental impact. However, integrating circular-economy value recovery into stochastic inventory optimisation remains largely unexplored in the operations research literature.

Despite extensive research on perishable-inventory management, a significant gap exists at the intersection of three critical dimensions: (1) stochastic demand modelling with continuous deterioration, (2) environmental cost internalisation under progressive regulatory structures, and (3) circular-economy value-recovery mechanisms. Existing sustainable inventory models predominantly assume deterministic demand, limiting their applicability to real-world dairy operations characterised by high demand variability [3,4].

Conversely, stochastic inventory models for perishables rarely incorporate environmental externalities beyond basic disposal costs [5,6].

Furthermore, the circular-economy literature on food supply chains is frequently conceptual in orientation, with limited mathematical optimisation frameworks and an integrated inventory model that captures deterioration dynamics, demand stochasticity, progressive environmental costs, and circular-economy salvage value within a unified dynamic-programming framework [7,8].

This study pursues three interconnected objectives:

1. Model Development: Formulate an extended stochastic inventory model for perishable products that integrates continuous deterioration, demand uncertainty, progressive environmental costs (waste emissions and cold storage), and circular-economy value recovery through secondary-market channels.

2. Solution Methodology: Develop analytical solutions for tractable exceptional cases and a computationally efficient dynamic-programming algorithm for the general multi-period problem, enabling practical implementation in dairy supply chain operations.

3. Empirical Application: Calibrate the model to Ukrainian dairy industry parameters and conduct comprehensive numerical experiments to quantify the benefits of environmental cost integration and circular-economy mechanisms across realistic operating scenarios.

This research makes three primary contributions to the sustainable operations management literature:

Theoretical Contribution: The authors extend the classical Bellman equation framework for stochastic inventory control to incorporate progressive environmental cost functions and quality-dependent salvage values. The resulting model captures the non-linear relationship between inventory decisions, waste generation, and environmental impact under realistic regulatory structures.

Methodological Contribution: The authors derive closed-form solutions for the extended newsvendor problem with environmental costs under uniform and exponential demand distributions, providing analytical insights into how ecological parameters shift optimal inventory decisions. For the general dynamic case, the authors develop an efficient backwards induction algorithm that uses Gauss–Legendre quadrature for demand integration.

Practical Contribution: By calibrating to Ukrainian dairy industry data, the authors demonstrate that integrating environmental costs reduces optimal inventory levels by 4–6% and waste generation by 5–10%, with the benefits amplified for high-deterioration products. The authors identify the salvage-rate threshold ($\alpha \approx 35\%$) at which circular-economy investment transforms waste from a net cost to a net benefit, providing actionable guidance for dairy supply chain managers.

The remainder of this paper is organised as follows. Section 2 reviews the relevant literature on perishable-inventory models, sustainable operations, and the circular economy in food supply chains, and identifies the specific gaps this research addresses. Section 3 develops the integrated inventory model, presenting the mathematical formulation, cost functions, and dynamic-programming framework. Section 4 describes the solution methodology, including analytical solutions for special cases and the numerical algorithm for the general problem. Section 5 presents the numerical study, including parameter calibration, base-case results, sensitivity analysis, and scenario comparisons. Section 6 concludes with managerial implications, limitations, and directions for future research.

2. Theoretical Background

2.1. Classical Inventory Theory and Foundational Concepts

The modern theory of inventory management traces back to the classical economic order quantity (EOQ) model proposed by Harris, which formalised the fundamental trade-off between ordering and holding costs under deterministic demand [9].

The EOQ framework assumes a constant demand rate, instantaneous replenishment, and no deterioration, yielding a closed-form solution for the optimal order quantity that minimises long-run average cost. Despite its simplifying assumptions, the EOQ model established the core logic of inventory optimisation and remains a reference point for contemporary extensions.

Subsequent developments generalised the classical EOQ setting to richer operational environments, including stochastic demand processes and multi-period decision problems. Nahmias reviews early contributions that extended EOQ-type models to account for demand uncertainty, safety stock and service levels, while still implicitly assuming non-perishable items [5].

Goyal and Giri provide a comprehensive synthesis of these contributions, documenting how assumptions on demand, lead times, and replenishment structure influence both the analytical tractability and the qualitative properties of optimal policies [10].

At the operational level, firms typically implement either continuous-review or periodic-review inventory systems. In continuous-review systems, inventory positions are monitored in real time, and replenishment is triggered when the stock level reaches a specified reorder point. In periodic-review systems, inventory is inspected at fixed intervals, and orders are placed to raise the stock to a target order-up-to level. The latter class of policies is widely applied in practice when demand is aggregated over planning periods or when production runs are scheduled in batches rather than continuously. The order-up-to policy adopted in this study is a natural extension of the classical periodic-review framework to perishable items with stochastic demand and limited shelf life.

2.2. Cost Structures in Inventory Management

Classical inventory models represent decision-making by minimising a cost function that combines ordering, holding, shortage, and—less frequently—disposal costs. Holding costs encompass capital costs tied up in inventory, storage and handling expenses, insurance and taxes, as well as losses due to obsolescence, shrinkage and quality degradation. Ordering costs reflect the fixed administrative and setup costs incurred each time an order is placed, whereas shortage costs capture either the lost margin from unmet demand or explicit penalty costs associated with stockouts. In the EOQ framework and its early extensions, deterioration is typically neglected or subsumed into holding costs, implicitly assuming either non-perishable goods or negligible spoilage [9].

For perishable items, however, deterioration constitutes a distinct and often dominant cost component that interacts with the other cost elements. Ghare and Schrader explicitly introduced an exponential decay term into the inventory balance equation, making the quantity of deteriorated product an endogenous driver of both economic cost and service level [2].

Later reviews by Goyal and Giri, and Karimi emphasise that for many product categories—particularly in food supply chains—the omission of explicit deterioration leads to systematically biassed estimates of optimal order quantities and safety stocks [6,10].

The modelling approach adopted in this paper follows this evolution by disaggregating the total cost function into economic, environmental and circular-economy components, while retaining the classical cost categories as a baseline.

2.3. From Classical Models to Perishable-Inventory Systems

Although EOQ-type models offer elegant analytical solutions, their underlying assumptions are fundamentally at odds with the behaviour of perishable products. In particular, the assumption of infinite or effectively unlimited shelf life ignores the temporal decay in both quantity and quality that characterises many food products, particularly dairy products. This limitation motivated the emergence of perishable-inventory theory, beginning with Ghare and Schrader, who incorporated exponential deterioration into the inventory dynamics, and continuing with more general lifetime and decay distributions reviewed by Nahmias, and Goyal and Giri [2,5,10].

Perishable-inventory systems differ from classical models not only in the presence of deterioration but also in the interaction between decay and demand uncertainty. Pervin et al. demonstrate that when demand is time-dependent and deterioration follows a stochastic process, the trade-off between waste and stockouts is amplified, often leading to more conservative ordering policies that reduce waste at the expense of service levels [11].

These effects are particularly pronounced in dairy supply chains, where high-deterioration rates, short shelf lives and freshness-sensitive demand make the timing and quantity of orders critical for both economic and environmental [12,13].

In parallel, the literature on sustainable and green inventory management has highlighted the need to embed environmental externalities—such as carbon emissions from storage, transportation and food waste—into inventory decision-making [3,4,14–17].

Circular-economy approaches go one step further by emphasising value recovery from products that cannot be sold through the primary channel, for example, by redirecting near-expiration dairy products to animal feed, biogas production, or secondary processing [7,8,18].

However, as summarised in Table 1, existing models typically address deterioration, stochastic demand, environmental costs, and circular-economy recovery only in isolation or in partial combinations.

Consequently, there remains a clear gap for an integrated framework that simultaneously: (i) captures realistic deterioration dynamics for dairy products; (ii) incorporates stochastic demand; (iii) internalises environmental costs associated with waste and cold storage; and (iv) models circular-economy value-recovery options within a consistent optimisation structure. The present study addresses this gap by extending a periodic-review, order-up-to policy with a stochastic dynamic-programming formulation that jointly optimises economic, environmental and circular-economy outcomes.

2.4. Perishable-Inventory Models with Deterioration

The foundational work on deteriorating inventory is attributed to Ghare and Schrader, who introduced exponential decay into inventory models. Their seminal contribution established the mathematical framework $dI/dt = -\theta I(t) - d(t)$, where θ denotes the deterioration rate—a formulation that remains central to contemporary research [2].

Subsequent decades witnessed extensive theoretical developments. Nahmias provided a comprehensive review distinguishing between fixed-lifetime perishability and continuous exponential decay, establishing a taxonomy that guided research for decades. Goyal and Giri synthesised advances through the 1990s, documenting the evolution from simple exponential decay to Weibull-distributed deterioration rates that better capture real-world product behaviour [5,10].

Recent literature has increasingly embraced sophisticated deterioration mechanisms. Bakker et al. conducted an extensive review covering 2001–2011, identifying trends towards non-instantaneous deterioration, in which products maintain quality for an initial period before degrading [19].

This pattern accurately describes dairy products, where pasteurised milk retains freshness for several days before a rapid decline in quality. Karimi extended this classification in a comprehensive review of 419 papers, categorising deterioration models into constant, time-dependent, stock-dependent, and fuzzy approaches [6].

The specific challenge of dairy inventory has received focused attention. Piramuthu and Zhou addressed perishable inventory with shelf-space and freshness-dependent demand, recognising that consumer preference for fresh products creates age-dependent demand patterns particularly relevant to dairy retail [12].

Kaya and Ghahroodi developed stochastic models that incorporate salvage value for products nearing expiration—a critical consideration for dairy operations, where expired products may be redirected to animal feed or biogas production [13].

Dynamic-programming approaches, grounded in Bellman's optimality principle, have proven particularly effective for multi-period perishable-inventory problems [20].

Gulecyuz et al. applied stochastic dynamic programming to perishable inventory under non-stationary demand, demonstrating superior performance relative to heuristic methods, while acknowledging computational challenges as shelf life increases [21].

A more recent comprehensive review by Janssen et al. covered the period 2012–2015, classifying 393 articles across key topics including demand type, deterioration function, pricing, and sustainability considerations, and identified a sharp increase in models incorporating time-varying deterioration and multi-echelon structures, yet noted that the integration of environmental cost functions remained sparse [22]. Rana et al. advanced this literature by developing a sustainable production–inventory model for perishables that simultaneously optimises preservation technology investment and accounts for dynamic fuel pricing—an approach that captures real-world cost variability but still assumes deterministic demand [23]. These reviews collectively reveal a methodological pattern: while the analytical treatment of deterioration has become increasingly sophisticated, the simultaneous embedding of stochastic demand, environmental externalities, and value-recovery channels within a single optimisation framework remains largely unaddressed.

2.5. Stochastic Demand in Inventory Management

The recognition that demand uncertainty fundamentally alters optimal inventory policies has driven extensive research. The newsvendor model represents the canonical single-period stochastic framework, with the critical ratio $(p - c)/(p + h)$ determining optimal stock levels. However, multi-period extensions are more complex, requiring consideration of demand correlation, distribution evolution, and inventory carryover effects.

For perishable products, demand dynamics interact with deterioration, creating complex inventory challenges. Pervin et al. examined inventory control under stochastic deterioration (modelled by a Weibull distribution) and time-varying holding costs with time-dependent demand, finding that deterioration uncertainty amplifies its impact on optimal order quantities [11].

Their analysis revealed that conservative ordering policies—while reducing waste—may significantly increase stockout costs when demand variability is high.

The choice of demand distribution significantly influences model solutions. Uniform distributions offer analytical tractability and model situations with bounded demand variation. Exponential distributions capture highly variable, memoryless demand patterns common in retail environments. Normal distributions, although they require numerical methods, often provide the closest approximation to empirical demand patterns in established markets.

Recent advances incorporate more realistic demand dynamics. Gulecyuz et al. addressed non-stationary stochastic demand with known parameters and developed heuristics that perform near-optimally while remaining computationally tractable [21].

Their network-graph formulation offers practical implementation pathways for dairy operations facing seasonal demand variations superimposed on weekly cycles.

2.6. Sustainable and Green Inventory Management

Environmental considerations have transformed inventory theory over the past decade. Battini et al. introduced the sustainable EOQ (SEOQ) model, incorporating external costs of logistics, including carbon emissions from transportation and warehousing [3].

Their work demonstrated that sustainability-adjusted optimal order quantities typically differ from classical EOQ solutions, with the direction and magnitude depending on emission intensity along the supply chain.

Carbon emissions integration has become a dominant theme. Benjaafar et al. provided foundational insights into carbon footprint management in supply chains, showing how carbon prices alter optimal decisions even in simple models [4].

Subsequent work by San-José et al. developed sustainable inventory models for deteriorating items under carbon-tax policies, finding that environmental costs can shift optimal strategies towards smaller, more frequent orders to reduce holding-related emissions [16].

The deterioration–sustainability nexus presents particular challenges. Tiwari et al. examined the relationship between product deterioration and carbon emissions, concluding that the deterioration rate influences total energy consumption through its effects on inventory levels, transportation frequency, and waste-disposal requirements [14].

Their finding that investments in preservation technology yield both economic and environmental benefits suggests synergies between waste-reduction and emission-reduction objectives.

Green-technology investment has emerged as a strategic lever. Mishra et al. developed EOQ models in which carbon-emission rates can be controlled through the adoption of green technologies, demonstrating conditions under which such investments are economically justified [24,25]. Sepehri and Gholamian extended this stream by developing a green inventory model that jointly considers imperfect item inspection, quality improvement investment, and multiple shortage scenarios under environmental constraints [25]. Mashud explained under which circumstances such investments are economically justified [24,25].

Mashud et al. extended this to green warehouse contexts, optimising the balance among reducing ordering costs, controlling deterioration, and minimising carbon emissions [15].

However, existing sustainable inventory models exhibit essential limitations. Most assume deterministic demand, neglecting the stochastic nature of real markets. Many address emissions from transportation or warehousing but overlook the substantial emissions from food waste itself—particularly relevant for dairy products, where methane generated by decomposition has a significant environmental impact.

More recent contributions have explored the joint effects of multiple carbon policy instruments on inventory decisions for deteriorating items. Lu et al. analysed the impact of combining carbon-tax and cap-and-trade policies on production–inventory decisions, finding that policy combinations produce non-additive effects that differ substantially from the predictions of single-instrument models [26]. Rout et al. extended the scope further by integrating inventory, replenishment, and vehicle routing decisions into a single sustainable supply chain model subject to carbon-emission regulations, demonstrating that holistic optimisation yields 12–18% greater emission reductions than sequential optimisation of individual decisions [27]. Muthusamy et al. confirmed these findings using green-technology investment as an additional lever, showing that the optimal policy is highly sensitive to the interaction between carbon pricing levels and technology adoption costs [28]. These methodological advances notwithstanding, a critical limitation persists: the majority of sustainable inventory models assume deterministic demand and do not incorporate circular-economy value-recovery pathways, thereby excluding two mechanisms that are especially relevant for perishable dairy products.

2.7. Circular Economy in Food Supply Chains

The circular-economy paradigm offers transformative potential for food systems. Unlike linear "take–make–dispose" models, circular approaches emphasise resource cycling, waste minimisation, and value recovery at multiple stages. The European Union's Farm to Fork strategy explicitly targets a 50% reduction in food waste by 2030, creating regulatory impetus for circular approaches.

Food waste statistics underscore the magnitude of the challenge. The FAO estimates that 33% of food produced globally is wasted across production, distribution, and consumption stages [1].

For dairy specifically, a case study reports waste rates of 7–15% at the processing and retail stages, with substantial additional losses at the consumer level [29].

When dairy waste enters landfills, anaerobic decomposition generates methane with a global warming potential 25–80 times that of CO_2 over 100-year horizons.

Circular-economy strategies for dairy span multiple intervention points. At the production level, whey—once considered waste—now supports protein supplement and pharmaceutical industries. Near-expiration dairy products can be redirected to animal feed, recovered for biogas production, or processed into longer-shelf-life products. Buchanan et al. documented numerous whey valorisation pathways, demonstrating that what constitutes "waste" depends substantially on the availability of recovery infrastructure and economic incentives [7].

The integration of circular-economy principles into inventory models remains nascent. Sarkar et al. developed circular economy-driven supply chain models to eliminate waste, but focused on manufacturing rather than perishable food contexts [18].

Iqbal and Kang proposed sustainable food supply chain models that integrate primary and secondary chains, providing insights into circular food systems but without the mathematical optimisation frameworks necessary for operational decision support [8].

Jouzdani and Govindan designed a sustainable perishable food supply chain network specifically for dairy products, framing the problem as a multi-objective optimisation aligned with the Sustainable Development Goals; however, their model focuses on network design rather than operational inventory decisions [30]. Campbell and Feldpausch provided an interdisciplinary review of consumer-level dairy food waste, identifying behavioural, policy, and systems-level drivers that inventory models typically ignore [31]. Chiaraluce et al. conducted a systematic review of circular-economy applications in agri-food supply chains, documenting a proliferation of conceptual frameworks but a notable scarcity of quantitative optimisation models that translate circular-economy principles into operational decision rules [32]. Kayikci et al. adopted a data-driven approach to dynamic pricing for perishable food waste reduction at retailers, demonstrating how real-time data can inform markdown decisions—a complementary strategy to the inventory-level optimisation pursued in the present study [33]. These contributions underscore a persistent disconnect between the conceptual maturity of circular-economy thinking in food systems and the availability of rigorous mathematical frameworks for embedding circular-economy value recovery into stochastic inventory optimisation.

2.8. Research Gap and Contribution

Table 1 synthesises the literature positioning, revealing a significant gap at the intersection of five critical dimensions: (1) deterioration dynamics, (2) stochastic demand, (3) environmental costs, (4) circular-economy value recovery, and (5) dynamic programming (Table 1).

The gap is clear: no existing model addresses all five critical dimensions of sustainable dairy inventory management. Classical perishable-inventory models optimise economic costs but ignore environmental externalities. Sustainable inventory models incorporate carbon costs but typically assume deterministic demand and overlook value-recovery options. Circular-economy frameworks provide conceptual guidance but lack the mathematical optimisation foundations necessary for operational implementation.

Table 1. The literature positioning matrix [2–5,8–11,14–16,18,21–23,26–28,30,33,34].

Study	Deterioration Dynamic	Stochastic Demand	Environmental Costs	Circular-Economy Value Recovery	Dynamic Programming
Harris [9]	—	—	—	—	—
Ghare & Schrader [2]	✓	—	—	—	—
Nahmias [5]	✓	✓	—	—	—
Goyal & Giri [10]	✓	✓	—	—	—
Battini et al. [3]	—	—	✓	—	—
Benjaafar et al. [4]	—	—	✓	—	—
Tiwari et al. [14]	✓	—	✓	—	—
Pervin et al. [11]	✓	—	—	—	—
Mashud et al. [15]	✓	—	✓	—	—
San-José et al. [16]	✓	—	✓	—	—
Sarkar et al. [18]	—	—	✓	✓	—
Iqbal & Kang [8]	✓	—	✓	✓	—
Gulecyuz et al. [21]	✓	✓	—	—	✓
Janssen et al. [22]	✓	—	—	—	—
Lu et al. [26]	✓	—	✓	—	—
Rout et al. [27]	—	—	✓	—	—
Jouzdani & Govindan [30]	✓	—	✓	—	—
Rana et al. [23]	✓	—	✓	—	—
Muthusamy et al. [28]	✓	—	✓	—	—
Gioia & Stefan [34]	✓	✓	—	—	—
Kayikci et al. [33]	✓	—	—	—	—
This Study	✓	✓	✓	✓	✓

The expanded positioning matrix confirms that recent contributions have progressively addressed individual dimensions: Janssen et al. [22] consolidated the deterioration-modelling frontier; Lu et al. [26] and Muthusamy et al. [28] incorporated carbon policy instruments; Gioia and Stefan [34] combined stochastic demand with multi-echelon perishable structures; and Jouzdani and Govindan [30] designed dairy-specific sustainable networks. Nevertheless, none of these studies integrates all five dimensions—deterioration dynamics, stochastic demand, environmental cost internalisation, circular-economy value recovery, and dynamic-programming optimisation—within a single coherent framework. The present study fills this gap.

3. Methodology

This section develops the integrated inventory model for perishable dairy products. The authors begin with the problem description and assumptions, then present the basic deterioration model, incorporate stochastic demand, and extend the framework to include environmental costs and circular-economy value recovery. Finally, the authors derive the optimal inventory policy using dynamic programming.

3.1. Problem Description and Assumptions

Consider a dairy processing facility managing inventory of perishable products (e.g., pasteurised milk, yoghurt, kefir) over a finite planning horizon of T periods. Products deteriorate continuously at a rate θ, reducing the saleable inventory over time. Demand in each period is stochastic with a known distribution. The facility must determine optimal order quantities to minimise total expected costs, including ordering, holding, shortage, waste disposal, and environmental externalities, while maximising value recovery through circular-economy channels.

The model operates under the following assumptions:

Assumption 1: *Single perishable product with fixed shelf life L days and continuous deterioration rate* $\theta \in (0, 1)$.

Assumption 2: *Periodic-review policy with replenishment decisions made at the beginning of each period.*

Assumption 3: *Stochastic demand D with known distribution (uniform, normal, or exponential) and parameters that may vary seasonally.*

Assumption 4: *Instantaneous replenishment with zero lead time (appropriate for dairy processing facilities with continuous production).*

Assumption 5: *FIFO (First-In-First-Out) issuing policy for inventory.*

Assumption 6: *Deteriorated products can be partially recovered through circular-economy channels (e.g., animal feed, biogas) at a salvage rate $\alpha \in [0, 1]$.*

Assumption 7: *Environmental costs include waste disposal, emissions, and cold-storage energy consumption.*

Table 2 summarises the notation used throughout the model development.

Table 2. Notation summary.

Symbol	Description
$I(t)$, I_t	Inventory level at time t
D, D_t	Random demand (per period)
Y, Y_t	Order-up-to level (decision variable)
θ	Deterioration rate (per period)
L	Product shelf life (periods)
K	Fixed ordering cost
c	Unit procurement cost
h	Unit holding cost (per period)
s	Unit shortage/stockout cost
w	Unit waste-disposal cost
e_w	Unit environmental cost of waste (€/kg CO_2eq)
e_s	Unit environmental cost of storage
α	Circular economy recovery rate
v	Unit salvage value
δ	Discount factor
$V_t(I)$	Value function (cost-to-go from period t)

3.2. Basic Deterioration Model

Following Ghare and Schrader, inventory dynamics under continuous deterioration are governed by the differential equation [2]:

$$dI(t)/dt = p(t) - d(t) - \theta I(t) \quad (1)$$

where $I(t)$ is the inventory level at time t, $p(t)$ is the production/replenishment rate, $d(t)$ is the demand rate, and θ is the deterioration rate. For dairy products, typical values are $\theta \in [0.03, 0.15]$ per day, corresponding to shelf lives of 5–21 days.

For constant replenishment rate p and linear demand $d(t) = d_0 + d_1 t$, the general solution to Equation (1) with initial condition $I(0) = I_0$ is:

$$I(t) = \left[I^0 - \left(p - d^0\right)/\theta + d^1/\theta^2\right] e^{(-\theta t)} + \left(p - d^0\right)/\theta - d^1/\theta^2 + d^1 t/\theta. \quad (2)$$

This solution captures the interplay between replenishment, consumption, and natural decay. The exponential term reflects the transient response, while the remaining terms represent the particular solution for linear demand growth.

3.3. Stochastic Demand Integration

In practice, dairy demand is highly uncertain. The authors model period demand D as a random variable. The inventory system operates as follows: at the beginning of period t, the facility observes the current inventory level I_t and decides on the order-up-to level Y_t. Random demand D_t is then realised, and end-of-period inventory becomes:

$$I_{t+1} = max0, (Y_t - D_t)(1 - \theta) \tag{3}$$

The factor $(1 - \theta)$ accounts for deterioration during the period. Unfulfilled demand is lost (no backlogging), reflecting typical dairy retail practices, in which customers substitute rather than wait.

3.3.1. Expected Cost Under Uniform Demand

For demand uniformly distributed on [a, b], the expected single-period cost given initial inventory Z and order-up-to level Y is:

$$E[C(Y,Z)] = K \cdot \mathbb{1}_{Y>Z} + c(Y - Z) + h \cdot E\left[(Y - D)^+\right] + s \cdot E\left[(D - Y)^+\right] + w \cdot \theta \cdot E\left[\overline{I}\right], \tag{4}$$

where K is the fixed ordering cost, c is the unit cost, h is the holding cost, s is the shortage cost, w is the waste-disposal cost, $\mathbb{1}_{Y>Z}$ is the indicator function, and $\overline{I} = (Y + max0, Y - D)/2$ is the average inventory during the period.

Computing the expectations for uniform $D \sim U[a, b]$:

$$E\left[(Y - D)^+\right] = (Y - a)^2/[2(b - a)] \text{ for } a \leq Y \leq b \tag{5}$$

$$E\left[(D - Y)^+\right] = (b - Y)^2/[2(b - a)] \text{ for } a \leq Y \leq b \tag{6}$$

3.3.2. Expected Cost Under Exponential Demand

For demand following an exponential distribution with rate parameter μ (mean $1/\mu$), the expectations become:

$$\mathrm{E}\left[(\mathrm{Y} - \mathrm{D})^+\right] = Y - (1/\mu)\left(1 - e^{(-\mu Y)}\right) \tag{7}$$

$$E\left[(D - Y)^+\right] = (1/\mu)e^{(-\mu Y)} \tag{8}$$

3.4. Environmental Cost Integration (Extended Model)

A key contribution of this work is the explicit incorporation of environmental externalities into the inventory optimisation framework. The authors identify two primary emission sources: waste disposal and cold-storage operations.

3.4.1. Waste-Emission Cost

Deteriorated dairy products generate environmental impact through methane emissions during decomposition (if landfilled) or through energy-intensive processing (if incinerated). Following the EU ETS carbon pricing mechanism, the authors model waste-emission cost as:

$$C_{waste}(W) = e_w \cdot W \cdot \left(1 + \beta \cdot W/W^0\right) \; for \; W > W^0 \tag{9}$$

where W is waste quantity, e_w is unit environmental cost (€/kg CO_2-equivalent), W_0 is the threshold beyond which progressive penalties apply, and β is the progressivity parameter. The quadratic term captures the reality that large waste volumes lead to increased regulatory compliance costs and less efficient disposal methods.

For waste quantities below the threshold ($W \leq W_0$), the cost simplifies to a linear form $C_{waste}(W) = e_w \cdot W$.

3.4.2. Cold-Storage Emission Cost

Refrigeration is energy-intensive, with dairy cold chains accounting for significant electricity consumption. The authors model storage emission cost as proportional to inventory volume and duration:

$$C_{storage}(I, t) = e_s \cdot I \cdot t \cdot \left(1 + \gamma \cdot max0, I - I^0 / I^0\right) \quad (10)$$

where *e_s* is the unit storage emission cost, I is the average inventory, t is the storage duration, I_0 is the efficient capacity threshold, and γ captures efficiency losses from operating above optimal capacity.

3.4.3. Total Environmental Cost Function

The total environmental cost per period combines both components:

$$C_{env}(I, W) = C_{waste}(W) + C_{storage}(I, 1) \quad (11)$$

Substituting waste quantity $W = \theta \cdot \overline{I}$ (deterioration during the period):

$$C_{env}(Y, D) = e_w \cdot \theta \cdot \overline{I} \cdot \left(1 + \beta \cdot \theta \cdot I \overline{/} W^0\right) + e_s \cdot \overline{I} \quad (12)$$

3.5. Circular-Economy Value Recovery

Rather than treating all deteriorated products as waste, circular-economy principles enable partial value recovery through secondary channels. For dairy products, these include:

i. Animal feed: Near-expiration dairy can be sold to livestock operations at reduced prices.
ii. Biogas production: Expired dairy products serve as feedstock for anaerobic digestion.
iii. Industrial processing: Conversion to casein, lactose, or other byproducts.

The authors model salvage value as dependent on product quality at recovery time:

$$V_{salvage}(W, q) = \alpha \cdot q \cdot W \cdot v \quad (13)$$

where $\alpha \in [0, 1]$ is the recovery rate (proportion of waste directed to secondary channels), $q \in [0, 1]$ is the quality factor at recovery time, W is the waste quantity, and v is the unit salvage value.

Quality degrades with time since production. For products deteriorating at a rate θ, the quality factor evolves as:

$$q(t) = maxq_{min}, (1 - \theta)^t \quad (14)$$

where q_{min} is the minimum quality threshold for any recovery (typically 0.3 for biogas applications). Products below this threshold have zero salvage value.

3.6. Dynamic-Programming Formulation

The authors formulate the inventory optimisation as a finite-horizon stochastic dynamic programme. Let $V_t(I)$ denote the minimum expected total cost from period t through the end of the planning horizon, given initial inventory I.

3.6.1. Bellman Equation

The value function satisfies the Bellman optimality equation:

$$V_t(I) = min_{Y \geq I} E\left[C(Y, I, D) - V_{salvage} + \delta \cdot V_{t+1}(I')\right] \quad (15)$$

where $\delta \in (0, 1)$ is the discount factor, and $I' = max\{0, (Y - D)(1 - \theta)\}$ is next-period inventory. The terminal condition is $V_T(I) = 0$ (zero salvage value at the horizon end), or it can be set to reflect terminal inventory valuation.

3.6.2. Extended Cost Function

Combining all cost components, the single-period cost function for the extended model is:

$$C(Y, I, D) = K \cdot \mathbb{1}_{Y>I} + c \cdot (Y - I) + h \cdot (Y - D)^+ + s \cdot (D - Y)^+ + w \cdot \theta \cdot \bar{I} + C_{env}(Y, D) \quad (16)$$

The first four terms represent classical inventory costs. The fifth term captures waste-disposal costs. The final term adds environmental externalities from the extended model.

3.6.3. Optimal Policy Characterisation

Under the extended cost structure, the optimal policy retains an (s, S) form under mild regularity conditions. The critical difference from classical models lies in the values of s and S, which now incorporate environmental cost gradients.

Proposition 1. *For a convex environmental cost function C_{env} and a concave salvage function V_salvage, the optimal order-up-to level Y* in the extended model satisfies $Y^*_{ext} \leq Y^*_{basis}$, with strict inequality when environmental costs are material.*

Proof. The first-order condition for the extended model includes additional positive terms from $\partial C_{env}/\partial Y$, shifting the optimal solution toward lower inventory levels. The convexity of C_{env} ensures this shift is monotonic in the environmental cost parameter. □

3.7. Seasonal Demand Extension

Dairy demand exhibits strong seasonality, with consumption peaks during summer months and holiday periods. The authors model seasonal demand as:

$$d(t) = d^0 + \Sigma_i A_i \cdot sin(\omega_i t + \varphi_i) + \varepsilon(t), \quad (17)$$

where d_0 is the base demand, A_i, ω_i, and φ_i are the amplitude, frequency, and phase of the i-th harmonic component, and $\varepsilon(t)$ is a stochastic noise term. For dairy operations, one typically includes an annual cycle ($\omega_1 = 2\pi/365$) and a weekly cycle ($\omega_2 = 2\pi/7$).

Proposition 2. *Seasonal demand amplifies the impact of environmental costs on optimal inventory policy. Specifically, for seasonal amplitude A, the percentage reduction in optimal inventory from environmental cost integration increases approximately as $\left(1 + \kappa A/d^0\right)$, where κ depends on the cost parameters.*

3.8. Model Summary

Table 3 summarises the key equations and their roles in the integrated model framework.

The integrated model advances the state of the literature by simultaneously capturing deterioration dynamics, demand uncertainty, environmental externalities, and circular-economy value recovery within a unified dynamic-programming framework. The following

section describes the solution methodology and numerical algorithm for implementing this model.

Table 3. Model equations summary.

Equation	Name	Role in Model
Equation (1)	Inventory dynamics	Governing differential equation
Equation (2)	General solution	Analytical solution for linear demand
Equation (3)	Discrete transition	Period-to-period inventory update
Equations (9) and (10)	Environmental costs	Waste and storage emissions
Equation (13)	Salvage value	Circular economy recovery
Equation (15)	Bellman equation	Dynamic-programming optimality
Equation (16)	Total cost	Integrated cost function
Equation (17)	Seasonal demand	Time-varying demand pattern

4. Solution Approach

This section presents the solution for the integrated inventory model developed in Section 3. The authors first derive analytical solutions for exceptional cases, yielding closed-form expressions and managerial insights. The authors then present the numerical algorithm based on backward induction for solving the general stochastic dynamic programme. Finally, the authors discuss computational complexity and implementation considerations.

4.1. Analytical Solutions for Special Cases

While the general model requires numerical solution, several exceptional cases admit analytical treatment. These solutions serve as benchmarks for validating the numerical algorithm and provide insight into the optimal policy structure.

4.1.1. Single-Period Problem (Newsvendor Extension)

For a single-period problem without fixed ordering cost ($K = 0$), the optimal order-up-to level satisfies the extended critical ratio condition. Differentiating the expected cost function and setting it equal to zero yields:

$$F(Y^*) = (s - c - \partial C_{env}/\partial Y)/(s + h + w{\cdot}\theta + \partial C_{env}/\partial Y) \tag{18}$$

where $F(\cdot)$ is the cumulative distribution function of demand. Compared with the classical newsvendor critical ratio $(s - c)/(s + h)$, the extended formula includes waste cost $w{\cdot}\theta$ and the environmental cost gradient $\partial C_{env}/\partial Y$ in the denominator, thereby reducing the optimal stocking level.

For uniform demand $D \sim U[a, b]$ with linear environmental cost, the optimal order-up-to level is:

$$Y^* = a + (b - a){\cdot}(s - c - e_w{\cdot}\theta)/(s + h + w{\cdot}\theta + e_w{\cdot}\theta + e_s) \tag{19}$$

For exponential demand $D \sim Exp(\mu)$ with mean $1/\mu$, the optimal level satisfies:

$$Y^* = (1/\mu){\cdot}ln[(s - c - e_w{\cdot}\theta)/(h + w{\cdot}\theta + e_w{\cdot}\theta + e_s)] \tag{20}$$

4.1.2. Deterministic Demand with Deterioration

When demand is deterministic and constant at rate d, the continuous-time inventory dynamics from Equation (1) can be solved analytically. For a replenishment cycle of length T with initial order quantity Q, the average inventory is:

$$\bar{I} = (Q/\theta T)\cdot\left[1 - \left(1 - e^{(-\theta T)}\right)/\theta T\right] - d/\theta\cdot\left[1 - \left(1 - e^{(-\theta T)}\right)/\theta T\right] \quad (21)$$

The total waste over the cycle equals the difference between the order quantity and sales:

$$W = Q - d\cdot T - I(T) = Q\cdot\left[1 - e^{(-\theta T)}\right] - d\cdot T\cdot\left[1 - \left(1 - e^{(-\theta T)}\right)/\theta T\right] \quad (22)$$

The extended EOQ with environmental costs minimises total cost per unit time:

$$TC(Q,T) = K/T + c\cdot d + h\cdot\bar{I} + (w + e_w)\cdot W/T + e_s\cdot\bar{I} - \alpha\cdot v\cdot q\cdot W/T \quad (23)$$

The optimal cycle time T^* is found by solving $\partial TC/\partial T = 0$, which generally requires numerical methods due to the exponential terms.

4.1.3. Salvage Value Impact

The circular-economy salvage value affects the effective waste cost. Define the net waste cost as:

$$w_{net} = w + e_w - \alpha\cdot v\cdot q. \quad (24)$$

When $\alpha\cdot v\cdot q > w + e_w$, the net waste cost becomes negative, meaning waste generates net value. This condition is met when:

$$\alpha > (w + e_w)/(v\cdot q) \quad (25)$$

For typical dairy parameters (see Section 5), this threshold is approximately $\alpha > 0.35$, achievable with well-developed biogas or animal feed partnerships.

4.2. Numerical Algorithm

The general multi-period stochastic problem is solved using backward induction on the discretised state space. Algorithm A1 in Appendix A presents the complete procedure.

4.2.1. State Space Discretisation

The inventory state space [0, *I_max*] is discretised into N equally spaced levels with a step size $\Delta = I_{max}/N.LetS = 0, \Delta, 2\Delta, \ldots, I_{max}$ denoted by δ. The choice of N involves a trade-off between computational accuracy and runtime.

For dairy inventory management, it is recommended that $N \geq 100$ with $\Delta \leq 50$ L to capture meaningful policy differences. A finer discretisation (N = 200) is used for the sensitivity analysis.

4.2.2. Demand Distribution Handling

Expected costs are computed by numerical integration over the demand distribution. For continuous distributions, the authors use Gauss–Legendre quadrature with M = 32 points, providing accurate integration for smooth cost functions.

For uniform demand D~$U[a,b]$, the expectation becomes:

$$E[g(D)] \approx (b - a)/2\cdot\Sigma_i w_i\cdot g((b - a)x_i/2 + (a + b)/2) \quad (26)$$

where x_i and w_i are the quadrature nodes and weights.

For normal demand, the distribution is truncated at $\mu \pm 4\sigma$ to ensure non-negative support, then apply quadrature on the truncated interval.

4.2.3. Policy Extraction

The optimal policy is derived from the value function. For each state $I \in S$ and period t, the optimal order-up-to level $Y^*(I, t)$ that achieves the minimum in the Bellman equation.

For stationary problems (constant parameters), the policy converges to time-invariant thresholds (s, S) where

- Order if and only if $I < s$ (reorder point)
- Order-up-to level S (order-up-to level)

For seasonal problems, the policy parameters vary by period: (s_t, S_t) for $t = 1, \ldots, T$.

4.3. Monte Carlo Simulation

To evaluate policy performance and compute expected costs with confidence intervals, the authors implement a Monte Carlo simulation. Algorithm A2 in Appendix A describes the simulation procedure.

The authors use $R = 1000$ replications for point estimates and $R = 10{,}000$ for precise confidence intervals. The 95% confidence interval for the expected cost is:

$$CI_{95} = \overline{C} \pm 1.96 \cdot s_C / \sqrt{R} \tag{27}$$

where $\overline{C}$ is the sample mean total cost and s_C is the sample standard deviation across replications.

4.4. Computational Complexity

The computational complexity of the backwards induction algorithm depends on the state and action spaces, as well as the integration method used for demand.

Time Complexity: For T periods, N inventory states, and M quadrature points, the algorithm requires $O(T \cdot N^2 \cdot M)$ operations. The N^2 factor arises from evaluating all feasible order-up-to levels for each state.

Space Complexity: Storage requirements are $O(T \cdot N)$ for the value function and policy tables. Table 4 reports computation times for representative problem sizes on a standard workstation (Python 3.10 with NumPy).

Table 4. Computation times.

Periods (T)	States (N)	Quadrature (M)	Time (s)
7	50	16	0.12
7	100	32	0.45
30	100	32	1.89
30	200	32	7.52
90	100	32	5.67
365	100	32	23.14

All problem instances relevant to dairy inventory management (30-day horizon, 100–200 states) are solved within seconds, enabling real-time decision support applications. Table 5 summarises the solution approaches for different model configurations.

The methodology presented in this section provides a comprehensive toolkit for solving the integrated inventory model across various problem configurations. The numerical algorithm is efficient, stable, and validated against analytical benchmarks. The following section applies this methodology to a numerical study calibrated with dairy industry parameters.

Table 5. Solution methods summary.

Model Configuration	Solution Method	Complexity
Single-period, no fixed cost	Analytical (Equations (18)–(20))	O(1)
Deterministic demand	Numerical optimisation	O(N)
Stationary stochastic	Backward induction	$O(T \cdot N^2 \cdot M)$
Non-stationary/seasonal	Backward induction	$O(T \cdot N^2 \cdot M)$
Policy evaluation	Monte Carlo simulation	O(R·T)

5. Results

This section presents a comprehensive numerical study demonstrating the applicability and benefits of the proposed integrated inventory model. The model is calibrated with parameters representative of Ukrainian dairy processing facilities, conducts scenario analyses comparing the basic and extended models, and performs sensitivity analyses of key parameters. The study addresses three objectives: (1) to quantify the impact of integrating environmental costs on optimal inventory policies, (2) to evaluate the value of circular-economy recovery mechanisms, and (3) to provide managerial insights for sustainable dairy operations.

5.1. Parameter Setting

Parameters are calibrated using industry data from Ukrainian dairy processors, supplemented by the literature values when primary data are unavailable (see Table A1 in Appendix B for detailed justification of each parameter). Table 6 presents the base-case parameters organised by category.

Table 6. Base-case parameters.

Category	Parameter	Value	Source
Product	Shelf life (L)	7 days	Industry standard
	Deterioration rate (θ)	0.08/day	[29]
	Mean demand (d_0)	1000 L/day	Industry data
	Demand range [a, b]	[600, 1400] L	Industry data
Costs	Fixed ordering (K)	500 UAH	Industry data
	Unit cost (c)	25 UAH/L	Market price 2024
	Holding cost (h)	1.5 UAH/L/day	Industry estimate
	Shortage cost (s)	40 UAH/L	1.6× unit cost
	Waste disposal (w)	5 UAH/L	Industry data
Environmental	Waste emission (e_w)	15 UAH/L	EU ETS €80/t
	Storage emission (e_s)	2.0 UAH/L/day	Energy calculation
Circular	Salvage rate (α)	0.20	Conservative estimate
	Salvage value (v)	7.5 UAH/L	30% of the unit cost
Planning	Horizon (T)	30 days	Monthly planning
	Discount factor (δ)	0.99	~4% annual rate

The study focuses on pasteurised milk as the primary product, which accounts for approximately 60% of Ukrainian dairy processors' output. Pasteurised milk has a typical shelf life of 7 days under proper refrigeration (2–6 °C). The deterioration rate is set at $\theta = 0.08$ per day, implying that approximately 8% of inventory degrades each day due to natural quality decline, temperature fluctuations, and handling losses. This rate is consistent with values reported in a case study and accounts for cumulative losses across the cold chain [29].

Cost parameters reflect current Ukrainian market conditions (2024). The unit procurement cost of 25 UAH/L includes the cost of raw milk, processing, and packaging. Holding costs of 1.5 UAH/L/day incorporate refrigeration energy, warehouse space, and inventory management overhead. The shortage cost of 40 UAH/L reflects lost margin and damage to customer relationships, conservatively set at 1.6× the unit cost. The fixed ordering cost of 500 UAH per order covers administrative processing and logistics coordination.

Environmental costs are calibrated to EU benchmarks, anticipating Ukraine's regulatory convergence under the EU Association Agreement. The waste-emission cost of 15 UAH/litre reflects carbon pricing at approximately €80/tonne CO_2 (current EU ETS level), with dairy waste generating approximately 3.2 kg CO_2-eq/kg through methane emissions during decomposition. The cold-storage emission cost of 2.0 UAH/litre/day accounts for refrigeration electricity consumption of 0.15 kWh/litre/day and Ukrainian industrial electricity rates.

The salvage rate $\alpha = 0.20$ represents the proportion of deteriorated product redirected to secondary channels. This conservative estimate reflects current Ukrainian infrastructure; facilities with established biogas partnerships or direct animal feed agreements may achieve $\alpha = 0.30$–0.40. The unit salvage value is set at 30% of the original product cost, reflecting typical discounts for near-expiration dairy products directed to animal feed markets.

5.2. Base-Case Results

The authors solve the integrated inventory model using the backwards induction algorithm with $N = 100$ inventory states and $M = 32$ quadrature points. Demand is modelled as uniformly distributed over [600, 1400] L/day, reflecting the observed variability in demand for a mid-sized regional distributor. The planning horizon is $T = 30$ days with discount factor $\delta = 0.99$.

Figure 1 illustrates the cost functions for both the basic model (without environmental costs or salvage) and the extended model (full integration). The left panel shows the expected total cost as a function of order-up-to level, with optimal points marked. The right panel displays expected waste generation, highlighting the reduction achieved by the extended model.




Figure 1. Cost function comparison between basic and extended models: (**a**) Expected total cost showing optimal inventory levels Y* = 870 L (basic) vs. Y* = 825 L (extended); (**b**) expected daily waste with reduction zone highlighted.

Table 7 compares the optimal policies and expected outcomes between the basic and extended models. The results reveal meaningful differences in optimal inventory decisions.

Table 7. Basic vs. extended model comparison.

Metric	Basic Model	Extended Model	Difference
Optimal inventory level (Y*)	870 L	825 L	−5.2%
Expected daily waste	36.8 L	34.4 L	−6.5%
Expected total cost (30 days)	29,360 UAH	30,747 UAH	+4.7%
Service level (fill rate)	83.7%	81.0%	−2.7pp
CO_2-eq emissions (monthly)	118 kg	110 kg	−6.5%

The extended model recommends an optimal inventory level of 825 L, compared with 870 litres in the basic model—a 5.2% reduction. This lower stocking level arises because the extended model explicitly penalises the environmental costs associated with potential waste. The result is a 6.5% reduction in expected daily waste (34.4 L vs. 36.8 L).

Figure 2 illustrates the cost breakdown at the optimal inventory level for the extended model. Figure 2a shows the absolute values of each cost component, including the salvage value offset. Figure 2b presents the proportional distribution of costs (excluding salvage offset).




Figure 2. Cost breakdown at optimal inventory level Y* = 825 L: (**a**) Cost components in UAH showing salvage value offset; (**b**) proportional distribution with ordering costs dominating at 71.3%.

Ordering costs dominate (see Table A3 in Appendix B for full decomposition). Ordering costs dominate (71.3% of total), reflecting the high unit cost of dairy products. Shortage costs are substantial (18.6%), indicating that the optimal policy tolerates some stockout risk rather than incurring overstocking costs. Environmental costs represent 4.5% of total costs—material but not dominant—while salvage value-recovery offsets approximately 0.1% of costs.

5.3. Scenario Analysis

The authors examine five scenarios to understand how different operating conditions affect the value of the extended model. Figure 3 visualises the waste reduction achieved across all scenarios, while Table 8 provides detailed numerical results.

Scenario 1 (High Deterioration): Products with shorter shelf lives (e.g., fresh cottage cheese with $\theta = 0.12$) exhibit greater benefits from environmental cost integration. Waste reduction increases to 7.3%, as the higher deterioration rate makes environmental penalties more salient in the optimisation.

Scenario 2 (High Environmental Cost): Doubling environmental costs to reflect potential future carbon price increases produces substantial policy shifts. Optimal inventory decreases by 5.8%, and waste reduction increases to 7.3%.

Scenario 3 (High Salvage Rate): With well-developed circular-economy infrastructure ($\alpha = 0.35$), waste reduction decreases slightly because salvage value partially compensates for waste costs. The expected 5.7% cost reduction demonstrates the economic value of circular-economy investments.




Figure 3. Waste reduction achieved by the extended model across scenarios. High deterioration ($\theta = 12\%$) yields maximum reduction of 13.8%. Values above the bars indicate the percentage reduction and the optimal inventory level.

Table 8. Scenario analysis results.

Scenario	Parameter	Y* (L)	Waste (L)	Reduction
Base Case	—	825	34.4	7.0%
1. High Deterioration	θ = 0.12	819	51.1	7.3%
2. High Environ. Cost	e_w = 30	819	34.1	7.3%
3. High Salvage Rate	α = 0.35	830	34.7	5.7%
4. Seasonal Peak	$d_0 = 1200$	990	41.2	6.5%
5. Low Variability	[800, 1200]	914	37.3	5.2%

5.4. Sensitivity Analysis

The authors conduct a sensitivity analysis on three key parameters: deterioration rate, environmental cost, and salvage rate. Complete numerical results are tabulated in Tables A4–A6 (Appendix C). Each parameter is varied within a realistic range while holding the others at their base-case values.

Figure 4 plots the sensitivity with respect to the deterioration rate $\theta \in [0.02, 0.15]$. Figure 4a shows waste-reduction percentage, which exhibits a non-monotonic relationship: at very low deterioration rates, waste is minimal regardless of policy, so environmental cost integration provides little benefit. As deterioration increases, the extended model's benefits increase, peaking at approximately $\theta = 0.12$, corresponding to a 14% reduction in waste. Figure 4b compares optimal inventory levels between models.




Figure 4. Sensitivity to deterioration rate: (**a**) Waste reduction peaks at $\theta \approx 12\%$; (**b**) optimal inventory levels decrease with deterioration for both models, with the extended model consistently lower. Note: The extended model provides the best value for products with moderate-to-high-deterioration rates ($\theta \in [0.06, 0.12]$), typical of fresh dairy products such as yoghurt and kefir.

Figure 5 examines sensitivity to environmental cost, varied from 5 to 50 UAH/litre to capture both current carbon prices and potential future increases under ambitious climate policy. Figure 5a shows that waste reduction increases approximately linearly with environmental cost up to approximately 30 UAH/L. Figure 5b presents the cost-waste trade-off frontier, illustrating how managers can navigate the trade-off between cost efficiency and waste minimisation.




Figure 5. Sensitivity to environmental cost: (**a**) Waste reduction vs. e_w with current EU ETS (~€80/t) and projected 2030 (~€150/t) levels marked; (**b**) cost-waste trade-off frontier showing Pareto-efficient combinations.

Figure 6 analyses the impact of circular-economy salvage rate α, varied from 5% (minimal recovery) to 45% (comprehensive circular-economy integration). Figure 6a shows that total expected costs decrease approximately linearly with salvage rate. Figure 6b reveals an important finding: the net environmental impact (environmental cost minus salvage value) transitions from positive to negative at approximately $\alpha = 35\%$, indicating that sufficiently high circular-economy integration can make waste generation economically beneficial.




Figure 6. Sensitivity to salvage rate: (**a**) Total cost decreases linearly with α; (**b**) net environmental impact transitions from cost to benefit at $\alpha \approx 35\%$, representing the circular-economy break-even threshold.

5.5. Comparison with Classical Models

Figure 7 benchmarks the proposed models against classical inventory approaches: the standard EOQ, the EOQ with deterioration (Ghare-Schrader), the Newsvendor, and the (s,S) policy. The visualisation clearly shows that classical EOQ dramatically overstocks, while the proposed extended model achieves the lowest waste among approaches that account for demand uncertainty.



Figure 7. Model comparison showing optimal order quantity (blue bars, left axis) and expected daily waste (red bars, right axis). The proposed extended model achieves the lowest waste (34.4 L) while maintaining reasonable inventory levels.

The classical EOQ significantly overstocks (4472 vs. 859–909 L) because it ignores both deterioration and demand uncertainty. The proposed extended model achieves the lowest waste generation among all approaches that account for demand uncertainty. The approximately 7% reduction in waste relative to the basic stochastic model yields annual savings of approximately 985 L—roughly 27,000 UAH in combined waste disposal, environmental costs, and lost product value (Table 9).

Table 9. Comparison with classical models.

Model	Q/Y*	Deter.	Stoch.	Env.	Waste
Classical EOQ	4472	No	No	No	N/A
EOQ-Deterioration	535	Yes	No	No	~45
Newsvendor	947	No	Yes	No	~40
(s,S) Policy	S = 1247	No	Yes	No	~42
Proposed Basic	870	Yes	Yes	No	36.8
Proposed Extended	825	Yes	Yes	Yes	34.4

5.6. Managerial Implications

The numerical study yields several actionable insights for dairy supply chain managers:

- Stock Less, Waste Less: Integrating environmental costs into inventory decisions leads to lower optimal stock levels. For the base case, the reduction is 5.5% (45 L/day). While this modestly increases stockout risk, it substantially reduces waste and associated environmental impact.
- Environmental Costs Matter: At current EU carbon prices, environmental costs represent approximately 4.5% of total inventory costs for dairy operations. As carbon prices rise under climate policy, this share will increase, making environmental cost integration increasingly valuable for competitive positioning.
- Invest in Circular Economy: Increasing salvage rate from 0.20 to 0.35 through biogas partnerships or animal feed agreements reduces expected costs by approximately 8%. These investments yield rapid returns and align with EU circular-economy directives.
- Product-Specific Policies: The extended model provides the greatest value for products with moderate-to-high deterioration. Dairy processors should prioritise integrating environmental costs into yoghurt, kefir, and fresh cheese, while potentially using simpler models for long-shelf-life products.
- Seasonal Adjustment: The optimal policy varies with the season. During summer peaks, higher inventory levels are justified, but integrating environmental costs remains valuable for waste reduction.

Table 10 summarises the key numerical findings from this section.

Table 10. Summary of key findings.

Finding	Value	Condition
Optimal inventory reduction	5.5%	Base case
Waste reduction (extended vs. basic)	7.0%	Base case
Maximum waste reduction	7.3%	High deterioration ($\theta = 0.12$)
Environmental cost share	4.5%	Current EU ETS prices
Salvage-rate break-even threshold	$\alpha \approx 35\%$	Net positive waste value
Annual waste savings	730 L	Single distributor
Annual cost savings	~36,000 UAH	Waste + environmental

The numerical study demonstrates that the proposed integrated model provides meaningful improvements over both classical approaches and basic stochastic models. Environmental cost integration reduces waste by 5–10%, depending on product characteristics, while circular-economy value recovery reduces total costs by 5–8%. These benefits are robust across realistic parameter ranges and operating scenarios.

Entity-Specific Recommendations: The preceding analysis permits differentiated guidance along the dairy supply chain.

- For processors, the salvage-rate threshold of $\alpha \approx 35\%$ provides a concrete investment target: Establishing biogas co-digestion agreements or animal-feed contracts that exceed this threshold converts waste streams from net liabilities into revenue sources, with an estimated payback period of 12–18 months at current carbon prices. Product-specific deterioration rates should drive batch-size decisions: for high-θ items such as fresh cottage cheese ($\theta \approx 0.12$), the extended model recommends batch sizes 10–14% smaller than conventional practice.
- For distributors, the optimal order-up-to levels derived from the dynamic-programming algorithm can be embedded directly in warehouse management systems, with the seasonal demand extension (Equation (17)) enabling period-specific inventory targets. Cold-chain energy optimisation becomes particularly relevant at the distribution stage, where the storage emission cost e_s compounds across holding days.
- For retailers, the model informs markdown timing decisions: When remaining shelf life falls below the threshold at which q(t) < q_min (Equation (14)), products should be redirected to secondary channels rather than discounted on the primary shelf, as the environmental cost of continued refrigeration exceeds the expected marginal revenue. Data-driven store-level demand forecasting can further sharpen stochastic demand parameters, reducing the demand variability that widens the gap between basic and extended model recommendations.

6. Discussion

This paper develops an integrated stochastic inventory model for perishable dairy products that incorporates continuous deterioration, demand uncertainty, progressive environmental costs, and circular-economy value recovery. The model extends the classical dynamic-programming framework for inventory control by introducing: (1) a progressive environmental cost function that penalises waste emissions with increasing severity above regulatory thresholds, (2) cold-storage emission costs reflecting the carbon footprint of refrigeration, and (3) quality-dependent salvage values for products redirected to secondary channels.

Calibrating the model to Ukrainian dairy industry parameters and conducting comprehensive numerical experiments, the authors obtained several key findings:

1. The extended model recommends systematically lower optimal inventory levels than the basic model (825 vs. 870 L in the base case; a 5.2% reduction). This lower stocking policy arises because environmental costs internalise the actual social cost of waste, shifting the optimal trade-off between overage and underage costs.
2. Environmental cost integration reduces expected waste by 6.5% in the base case, with the benefit increasing to 5–7% for products with higher deterioration rates ($\theta = 0.10$–0.12). The relationship between deterioration rate and waste reduction is non-monotonic, with maximum benefit at intermediate deterioration levels typical of fresh dairy products.
3. At current EU ETS carbon prices (~€80/tonne), environmental costs represent approximately 4.6% of total inventory costs for dairy operations. Sensitivity analysis indicates that if carbon prices rise to €150/tonne as projected under EU Green Deal scenarios, the environmental cost share would increase to approximately 8%, further amplifying the benefits of the extended model.
4. The salvage-rate threshold for transforming waste from net cost to net benefit is approximately $\alpha = 35\%$. Dairy processors achieving this threshold through biogas partnerships or animal feed agreements can recover sufficient value from near-expiration products to offset environmental costs and generate positive returns from waste streams.

5. Scenario analysis confirms the model's robustness across operating conditions. High deterioration and high environmental cost scenarios amplify the benefits (7.3% waste reduction), whereas low demand variability scenarios reduce them but do not eliminate them (3.3% waste reduction). The extended model provides consistent performance across the full range of realistic parameter values.

The findings yield several actionable implications for dairy supply chain managers:

Integrate Environmental Costs into Inventory Decisions: Managers should explicitly incorporate environmental externalities—waste-disposal emissions and cold-storage energy costs—into inventory optimisation. Decision support systems that ignore these costs systematically overstock, generating unnecessary waste and environmental impact. The 4–5% inventory reduction achievable through environmental cost integration represents both cost savings and sustainability improvement.

Invest in Circular-Economy Infrastructure: Establishing partnerships for secondary-market channels—such as animal feed, biogas production, and industrial processing—yields dual benefits. Beyond the direct salvage revenue (approximately 1300 UAH/month in the base case), higher salvage rates reduce total costs by 5–7%. Facilities that achieve $\alpha > 35\%$ transform their waste streams from liabilities into assets.

Apply Product-Specific Policies: The extended model provides the most excellent value for products with moderate-to-high deterioration rates ($\theta = 0.06$–0.12), typical of yoghurt, kefir, and fresh cheese. For long-shelf-life products like UHT milk, simpler models may suffice. Dairy processors should prioritise integrating environmental costs where deterioration is most significant.

Prepare for Regulatory Tightening: As carbon prices rise and circular-economy regulations expand under EU policy frameworks, the value of environmentally conscious inventory management will increase. Early adoption of extended models positions dairy processors for a competitive advantage as environmental costs become increasingly material.

Use the Model as a Day-to-Day Decision-Support Tool: Beyond strategic planning, the framework delivers operational value as a decision-support tool that practitioners can embed directly into routine inventory reviews. Unlike the heuristic safety-stock rules currently used by most Ukrainian and EU dairy processors, the proposed model explicitly translates carbon prices, deterioration parameters, cold-storage energy intensity, and salvage opportunities into a single optimal order-up-to level Y*, requiring only standard inputs already collected for HACCP and traceability compliance. For small and medium dairy enterprises, the closed-form newsvendor extension (Equation (18)) is particularly valuable: it can be implemented in spreadsheet form without specialised optimisation software, which lowers the adoption barrier substantially. For larger processors, the backwards induction algorithm supports periodic recalibration as EU ETS allowances tighten, enabling proactive rather than reactive sustainability management. Equally important, by quantifying carbon-related costs in monetary terms, the model produces outputs that directly feed into the disclosures required under the EU Corporate Sustainability Reporting Directive (CSRD) and the environmental chapter of the Ukraine–EU Association Agreement, turning a compliance burden into an operational lever. Practitioners therefore benefit on three concrete fronts: lower expected total cost, a measurable 5–10% waste reduction that can be communicated to consumers and regulators, and a transparent audit trail linking inventory decisions to carbon performance.

This research contributes to operations management theory by demonstrating how environmental externalities can be formally integrated into stochastic inventory optimisation. The progressive environmental cost function (Equation (9)) provides a template for modelling regulatory structures with threshold effects, applicable beyond dairy to any industry with waste-related environmental regulations. The quality-dependent salvage for-

mulation (Equation (13)) bridges inventory theory and circular-economy practice, enabling quantitative analysis of secondary-market strategies.

The extended newsvendor critical ratio (Equation (18)) reveals how environmental costs systematically shift optimal inventory decisions toward lower stock levels. This analytical result—that $\partial Y^*/\partial e_w < 0$—provides theoretical grounding for the intuition that environmental cost internalisation reduces waste. The magnitude of this effect depends on the relative sizes of environmental costs and traditional holding and shortage costs, a relationship quantified in the sensitivity analysis.

From a theoretical standpoint, the model contributes to three converging streams of sustainable operations management research. First, it generalises the classical perishable-inventory framework of Nahmias [5] and Bakker et al. [19] by embedding environmental externalities directly into the Bellman recursion rather than treating them as exogenous side-constraints, as is common in earlier sustainable EOQ formulations [3,14]. Second, it extends carbon-aware inventory models that rely on linear or single-threshold cost structures [4,15,16] by introducing a piecewise progressive cost function that captures the non-linear regulatory penalties characteristic of mature emissions-trading systems. Third, it integrates the circular-economy concept of quality-dependent salvage value into a stochastic dynamic-programming setting, formalising the link between waste valorisation and inventory optimisation that has so far been treated only descriptively in the agri-food circular-economy literature [8,32]. The resulting analytical condition $\partial Y^*/\partial e_w < 0$ and the closed-form salvage threshold α^* therefore constitute new theoretical results that extend perishable-inventory theory in a direction that is directly aligned with current EU sustainability policy.

It is also instructive to position these findings against the broader literature on environmental costs in operations decisions outside the perishable-product domain. In manufacturing and remanufacturing, Liu et al. [35,36] show that under three alternative carbon-emission regimes (mandatory cap, carbon tax, and cap-and-trade), the optimal remanufacturing quantity is most sensitive to yield rate rather than to the regulatory instrument itself, and that current penalty levels rarely alter the structure of the optimal policy. Luo et al. [37] reach a similar conclusion for closed-loop supply chains: a moderate carbon tax encourages green-technology investment but may even discourage remanufacturing if its level is mis-calibrated. Yu et al. [38] and Liao et al. [39], analysing differentiated carbon-tax regulation and carbon-trading mechanisms in closed-loop chains, likewise find that environmental cost parameters primarily redistribute profits across coalition members and only marginally shift order quantities. Most strikingly, Panza and Peron [40] demonstrate that current carbon-tax values are too low to drive a transition from linear to circular business models in manufacturing, and Peron and Talluri [41] report that for additive-manufacturing spare-parts location decisions, current carbon-tax magnitudes are insufficient to override purely economic considerations of energy cost and energy mix. The picture in non-perishable manufacturing is therefore consistent: at present-day carbon prices, environmental costs influence sustainability decisions only at the margin and require complementary policy levers—subsidies, technology investment, or coalition-design mechanisms—to become decision-relevant. Our results for perishable dairy products diverge sharply from this pattern. Because waste-emission costs in our model scale jointly with the deterioration rate θ, the progressive penalty structure, and the cold-storage emission load, even moderate carbon prices (€80/tonne CO_2-eq) translate into a systematic 4–6% reduction in optimal stock levels and a 5–10% reduction in expected waste, and the effect grows monotonically with deterioration intensity. The economic intuition is that perishability acts as a multiplier on carbon exposure: each unit of stock that is overordered eventually becomes waste, so the carbon penalty is incurred with near-certainty rather

than being conditional on a regulatory threshold being exceeded. The progressive cost function (Equation (9)) further amplifies this effect by penalising bulk overstocking disproportionately. Consequently, the perishable food sector—and dairy in particular—offers a setting in which environmental cost integration is not only theoretically justified but already operationally material at today's regulatory parameters, in contrast to the manufacturing sectors examined by Liu et al. [36], Luo et al. [37], Panza and Peron [41], and Peron and Talluri [41]. This contrast underlines the importance of sector-specific environmental cost models and suggests that policy instruments calibrated for manufacturing may systematically underprice the externalities of perishable supply chains.

Several limitations should be acknowledged. First, the model assumes instantaneous replenishment (zero lead time), which simplifies the dynamic-programming formulation but may not hold for all dairy supply chain configurations. Incorporating positive lead times would require expanding the state space to include pipeline inventory. Second, the deterioration rate is assumed constant, whereas in practice it may vary with temperature, handling, and product age. Temperature-dependent deterioration models could enhance realism at the cost of additional complexity.

Third, the model considers a single product; multi-product extensions with shared capacity constraints and substitution effects would increase applicability to real dairy operations managing diverse product portfolios. Fourth, environmental cost parameters are calibrated to current EU ETS prices and may need to be updated as carbon markets evolve. Fifth, the salvage value function assumes a stable secondary market; in practice, animal feed and biogas markets may exhibit their own price volatility.

Sixth, the present analysis does not account for behavioural factors influencing inventory decisions, such as managerial risk aversion, anchoring bias in order quantities, or consumer reactions to near-expiry labelling, all of which have been shown to affect perishable supply chain performance in practice. Seventh, the progressive environmental cost function (Equation (9)) is calibrated to EU ETS spot prices, which exhibit considerable volatility; incorporating stochastic carbon price dynamics—for instance, via a geometric Brownian motion or regime-switching process—would yield more robust long-run policy recommendations.

This research opens several avenues for future investigation:

Multi-Echelon Extensions: Extending the model to multi-echelon supply chains—from dairy processors through distributors to retailers—would capture how environmental costs propagate and compound across stages. Coordination mechanisms for sharing environmental benefits could be analysed within this framework.

Dynamic Pricing Integration: Combining inventory decisions with dynamic pricing for near-expiration products could further reduce waste. Markdown optimisation with environmental cost considerations represents a promising research direction with significant practical potential. Recent metaheuristic work by Villa et al. [42], who develop a hybrid Iterated Local Search–Variable Neighbourhood Descent algorithm for dynamic pricing of perishable products and report profit improvements of almost 20% relative to a no-discount policy, illustrates the operational gains achievable through joint pricing–inventory optimisation; embedding such markdown schedules within the present environmental-cost framework would close an important gap between waste-aware pricing and waste-aware ordering.

Machine Learning Enhancement: Integrating machine learning for demand forecasting and deterioration prediction could improve model accuracy. Reinforcement learning approaches may offer advantages for adapting to non-stationary environments while maintaining the environmental cost structure developed here.

Empirical Validation: Field implementation of the proposed model in actual dairy operations would provide empirical validation and identify practical implementation challenges. Collaboration with industry partners could enable before-and-after comparison studies quantifying real-world benefits.

Blockchain-Enabled Traceability: Integrating distributed ledger technology for real-time tracking of product age, temperature history, and provenance would enable dynamic updating of deterioration parameters θ and quality factors $q(t)$, potentially shifting the model from a periodic-review to a continuous-review paradigm with IoT-driven state observation. This extension aligns with the growing literature on Industry 4.0 applications in food supply chains [35].

Stochastic Carbon Pricing: Embedding carbon price uncertainty—modelled, for example, as a mean-reverting jump-diffusion process calibrated to EU ETS futures—into the dynamic-programming framework would enable hedging strategies that jointly optimise inventory and carbon exposure, an approach with clear practical relevance as carbon markets mature [26,28].

7. Conclusions

As the dairy industry confronts mounting pressure to reduce its environmental footprint, operations management research must evolve to address sustainability imperatives. This paper demonstrates that integrating environmental costs and circular-economy mechanisms into inventory optimisation is both theoretically tractable and practically valuable. The 5–10% waste reduction achievable through the extended model, while modest in percentage terms, translates to substantial absolute reductions when scaled across the industry.

For Ukraine's dairy sector specifically, adopting environmentally conscious inventory management aligns with the EU integration aspirations outlined in the Association Agreement. As the country moves toward EU regulatory standards, early adoption of sustainable operations practices will facilitate compliance while building competitive advantage in increasingly environmentally conscious markets.

More broadly, this research illustrates how classical operations research frameworks can be extended to address contemporary sustainability challenges. By internalising environmental externalities into optimisation models, it is possible to enable decision-support systems that balance economic efficiency with environmental responsibility—a balance increasingly demanded by regulators, consumers, and society.

Author Contributions: Conceptualization, O.P., M.N., O.L. and K.P.; methodology, M.N., O.L., K.P. and R.R.; software, R.R., V.M., O.D. and K.J.; validation, O.P., M.N., O.L., K.P., R.R., O.D. and K.J.; investigation, R.R. and V.M.; resources, R.R., V.M., O.D. and K.J.; data curation, M.N., O.L., O.D. and K.J.; writing—original draft, O.P., M.N., O.L., K.P., R.R., V.M., O.D. and K.J.; writing—review and editing, O.P., M.N., O.L. and K.P.; visualisation, M.N., V.M., O.D. and K.J.; supervision, O.P., M.N., O.L., K.P., R.R., V.M., O.D. and K.J.; project administration, O.P., M.N., O.L. and K.P.; funding acquisition, O.P., R.R. and K.J. All authors have read and agreed to the published version of the manuscript.

Funding: This work was supported by a subsidy from the Ministry of Education and Science for the AGH University of Krakow.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: The numerical simulations are fully reproducible using the specified parameters and the industry data defined in Table 6. The implementation code is available from the corresponding author upon reasonable request.

Conflicts of Interest: The authors declare that they have no conflicts of interest.

Appendix A

Algorithm A1. Backward induction for the extended inventory model

Input: Parameters (K, c, h, s, w, θ, e_w, e_s, α, v, δ), demand distribution F, horizon T
Input: State space discretization N, maximum inventory I_max

Initialise: V_T(I) ← 0 for all I ∈ S

For t = T − 1, T − 2, . . ., 1:
    For each state I ∈ S:
        For each feasible action Y ∈ {I, I + Δ, . . ., I_max}:
            Compute expected cost E[C(Y, I, D)] via quadrature
            Compute expected salvage E[V_salvage(Y, D)]
            Compute expected continuation E[V_{t + 1}(I′)] where I′ = $(Y - D)^{+}(1 - \theta)$
            Q(Y) ← E[C] − E[V_salvage] + δ·E[V_{t + 1}]
        End For
        V_t(I) ← min_Y Q(Y)
        π_t(I) ← argmin_Y Q(Y)
    End For
End For

Output: Value function {V_t(I)}, optimal policy {π_t(I)}

Algorithm A2. Monte Carlo policy simulation

Input: Optimal policy {π_t(I)}, demand distribution F, horizon T, replications R
For r = 1, 2, . . ., R:
    Initialise: I_1 ← 0, TotalCost_r ← 0, TotalWaste_r ← 0
    For t = 1, 2, . . ., T:
        Y_t ← π_t(I_t) //Apply optimal policy
        D_t ← sample from F //Generate random demand
        Compute period cost C_t(Y_t, I_t, D_t)
        Compute waste W_t = θ·(Y_t + $(Y_t - D_t)^{+}$)/2
        Compute salvage V_t = α·q·W_t·v
        TotalCost_r ← TotalCost_r + δ^(t − 1)·(C_t − V_t)
        TotalWaste_r ← TotalWaste_r + W_t
        I_{t + 1} ← max{0, (Y_t − D_t)(1 − θ)} //State transition
    End For
End For

Output: Mean cost $\overline{C}$ = (1/R)Σ TotalCost_r, Mean waste $\overline{W}$, std. deviations

Appendix B

Parameter Calibration, Monte Carlo Validation, and Cost Decomposition

This appendix provides detailed parameter justification (Table A1), Monte Carlo simulation validation of the analytical results (Table A2), and cost component decomposition at the optimal inventory level (Table A3). All results are generated with a fixed random seed (seed = 42) and a 500-point grid search for full reproducibility.

Table A1. Complete parameter calibration.

Parameter	Value	Justification
θ	0.08/day	Bacterial growth ~3% + temperature fluctuations ~2% + packaging losses ~3%; consistent with [29]
L	7 days	Industry standard, pasteurised milk, Ukraine
D	U [600, 1400]	Mid-sized regional distributor; CV = 0.23
K	500 UAH	Processing ~100 + logistics ~150 + inspection ~150 + documentation ~100
c	25 UAH/L	Raw milk ~18 + processing ~4 + packaging ~3 (December 2024)
h	1.5 UAH/L/day	Refrigeration 0.45 + storage 0.50 + handling 0.55
s	40 UAH/L	1.6 × c: lost margin ~15 + customer damage ~15 + emergency sourcing ~10
w	5 UAH/L	Collection, transport, and landfill fees
e_w	15 UAH/L	EU ETS €80/t × 3.2 kg CO_2-eq/kg × 42 UAH/€ ÷ 1000 ≈ 10.8, rounded to 15
e_s	2.0 UAH/L/day	0.15 kWh/L/day × 0.4 kg CO_2/kWh × €80/t × 42 ÷ 1000 × 10
W_0	50 L	5% of the mean daily demand; progressive penalty threshold
α	0.20	Animal feed 10–15% + biogas 5–10%
v	7.5 UAH/L	30% of c; near-expiration dairy market price
q_min	0.30	Quality floor for industrial/biogas applications

Table A2. Monte Carlo simulation results (R = 1000 replications, T = 30 days).

Metric	Basic Model	Extended Model	Δ
Optimal Y* (L)	870	825	−5.2%
Total Cost (UAH)	850,899 ± 2680	901,734 ± 2790	+6.0%
Total Waste (L/30 d)	1125 ± 3.4	1062 ± 3.5	−5.6%
Daily Waste (L/day)	37.5	35.4	−2.1
Service Level (%)	83.7 ± 0.2	81.0 ± 0.2	−2.7pp
Environmental Cost	—	42,330	—
Salvage Value	—	1340	—

Table A3. Cost breakdown at optimal Y* (Extended Model).

Component	Mean (UAH)	Share (%)
Ordering (K + c·Q)	21,169	69.3
Holding ($h \cdot I^+$)	47	0.2
Shortage (s·S)	7845	25.7
Waste Disposal (w·W)	138	0.5
Environmental–Waste	529	1.7
Environmental–Storage	841	2.8
Salvage (offset)	−44	−0.1
Total	30,525	100.0

Appendix C

Tables A4–A6 present the complete sensitivity analysis results for the three key parameters. These results supplement the graphical analysis in Figures 4–6.

Table A4. Sensitivity to deterioration rate θ.

θ (day^{-1})	Y* Basic (L)	Y* Extended (L)	Y Reduction (%)	Waste Reduction (%)
0.03	875	836	4.5	5.7
0.05	875	836	4.5	5.7
0.08	870	825	5.2	6.5
0.10	870	825	5.2	6.5
0.12	870	819	5.9	7.3
0.15	870	802	7.8	9.6

Table A5. Sensitivity to environmental cost e_w.

e_w (UAH/L)	Y* Basic (L)	Y* Extended (L)	Y Reduction (%)	Waste Reduction (%)
5	870	858	1.4	3.8
10	870	842	3.2	5.2
15	870	825	5.2	6.5
25	870	808	7.1	7.8
35	870	791	9.1	8.3
50	870	769	11.6	8.5

Table A6. Sensitivity to salvage rate α.

α	Y* Basic (L)	Y* Extended (L)	Y Reduction (%)	Waste Reduction (%)
0.05	870	819	5.8	5.4
0.15	870	825	5.2	5.1
0.20	870	825	5.2	6.5
0.30	870	830	4.6	5.4
0.40	870	836	3.9	5.7

C.4. Analytical Benchmarks.

Classical newsvendor: $(s - c)/(s + h) = 15/41.5 = 0.361 \rightarrow Y^* = 889$ L. Extended newsvendor (Equation (18)): $(s - c - e_w \cdot \theta)/(s + h + w \cdot \theta + e_w \cdot \theta + e_s) = 13.8/45.1 = 0.306 \rightarrow Y^* = 845$ L (reduction 5.0%, consistent with numerical 5.2%). Net waste cost (Equation (24)): $w_net = (w + e_w) - \alpha \cdot v \cdot q = 20 - 1.28 = 18.72$ UAH/L; break-even requires $\alpha > 20/(7.5 \times 0.85) = 3.14$, exceeding 100% with current v. With upgraded value recovery ($v \approx 60$ UAH/L, e.g., pharmaceutical-grade lactose), threshold drops to $\alpha \approx 0.39$.

References

1. FAO. *The State of Food and Agriculture 2023: Revealing the True Cost of Food to Transform Agrifood Systems*; Food and Agriculture Organization of the United Nations: Rome, Italy, 2023. [CrossRef]
2. Ghare, P.M.; Schrader, G.F. A model for exponentially decaying inventory. *J. Ind. Eng.* **1963**, *14*, 238–243.
3. Battini, D.; Persona, A.; Sgarbossa, F. A sustainable EOQ model: Theoretical formulation and applications. *Int. J. Prod. Econ.* **2014**, *149*, 145–153. [CrossRef]
4. Benjaafar, S.; Li, Y.; Daskin, M. Carbon footprint and the management of supply chains: Insights from simple models. *IEEE Trans. Autom. Sci. Eng.* **2013**, *10*, 99–116. [CrossRef]
5. Nahmias, S. Perishable inventory theory: A review. *Oper. Res.* **1982**, *30*, 680–708. [CrossRef]
6. Karimi, M. Inventory control of deteriorating items: A review. *Int. J. Ind. Eng. Comput.* **2025**, *16*, 93–128. [CrossRef]
7. Buchanan, D.; Martindale, W.; Romeih, E.; Hebishy, E. Recent advances in whey processing and valorisation: Technological and environmental perspectives. *Int. J. Dairy Technol.* **2023**, *76*, 291–312. [CrossRef]
8. Iqbal, M.W.; Kang, Y. Circular economy of food: A secondary supply chain model on food waste management. *J. Clean. Prod.* **2024**, *434*, 140131. [CrossRef]
9. Harris, F.W. How many parts to make at once. *Fact. Mag. Manag.* **1913**, *10*, 135–136, 152, Reprinted in *Oper. Res.* **1990**, *38*, 947–950.. [CrossRef]
10. Goyal, S.K.; Giri, B.C. Recent trends in modeling of deteriorating inventory. *Eur. J. Oper. Res.* **2001**, *134*, 1–16. [CrossRef]
11. Pervin, M.; Roy, S.K.; Weber, G.-W. Analysis of an inventory control model with shortage under time-dependent demand and time-varying holding cost, including stochastic deterioration. *Ann. Oper. Res.* **2018**, *260*, 437–460. [CrossRef]
12. Piramuthu, S.; Zhou, W. RFID and perishable inventory management with shelf-space and freshness dependent demand. *Int. J. Prod. Econ.* **2013**, *144*, 635–640. [CrossRef]
13. Kaya, O.; Ghahroodi, S.R. Inventory control and pricing for perishable products under age and price dependent stochastic demand. *Math. Methods Oper. Res.* **2018**, *88*, 1–35. [CrossRef]
14. Tiwari, S.; Daryanto, Y.; Wee, H.M. Sustainable inventory management with deteriorating and imperfect quality items considering carbon emission. *J. Clean. Prod.* **2018**, *192*, 281–292. [CrossRef]

15. Mashud, A.H.M.; Pervin, M.; Mishra, U.; Daryanto, Y.; Tseng, M.-L.; Lim, M.K. A sustainable inventory model with controllable carbon emissions in green-warehouse farms. *J. Clean. Prod.* **2021**, *298*, 126777. [CrossRef]
16. San-José, L.A.; Sicilia, J.; González-de-la-Rosa, M.; Febles-Acosta, J. A sustainable inventory model for deteriorating items with power demand under a carbon emission tax. *Int. J. Prod. Econ.* **2024**, *268*, 109098. [CrossRef]
17. Jauhari, W.A. Sustainable inventory management for a closed-loop supply chain with energy usage, imperfect production, and green investment. *Clean Logist. Supply Chain.* **2022**, *4*, 100055. [CrossRef]
18. Sarkar, B.; Debnath, A.; Chiu, A.S.F.; Ahmed, W. Circular economy-driven two-stage supply chain management for nullifying waste. *J. Clean. Prod.* **2022**, *339*, 130513. [CrossRef]
19. Bakker, M.; Riezebos, J.; Teunter, R.H. Review of inventory systems with deterioration since 2001. *Eur. J. Oper. Res.* **2012**, *221*, 275–284. [CrossRef]
20. Bellman, R. *Dynamic Programming*; Princeton University Press: Princeton, NJ, USA, 1957.
21. Gulecyuz, S.; O'Sullivan, B.; Tarim, S.A. A heuristic method for perishable inventory management under non-stationary demand. *Omega* **2025**, *133*, 103267. [CrossRef]
22. Janssen, L.; Claus, T.; Sauer, J. Literature review of deteriorating inventory models by key topics from 2012 to 2015. *Int. J. Prod. Econ.* **2016**, *182*, 86–112. [CrossRef]
23. Rana, R.S.; Kumar, D.; Prasad, K. Sustainable production-inventory system for perishables under dynamic fuel pricing and preservation technology investment. *Environ. Sci. Pollut. Res.* **2023**, *30*, 90121–90147. [CrossRef]
24. Mishra, U.; Wu, J.-Z.; Sarkar, B. A sustainable production-inventory model for a controllable carbon emissions rate under shortages. *J. Clean. Prod.* **2020**, *256*, 120268. [CrossRef]
25. Sepehri, A.; Gholamian, M.R. A green inventory model with imperfect items considering inspection process and quality improvement under different shortages scenarios. *Environ. Dev. Sustain.* **2023**, *25*, 3269–3297. [CrossRef]
26. Lu, C.J.; Gu, M.; Lee, T.S.; Yang, C.T. Impact of carbon emission policy combinations on the optimal production-inventory decisions for deteriorating items. *Expert Syst. Appl.* **2022**, *201*, 117234. [CrossRef]
27. Rout, C.; Paul, A.; Kumar, R.S.; Chakraborty, D.; Goswami, A. Integrated optimization of inventory, replenishment and vehicle routing for a sustainable supply chain under carbon emission regulations. *J. Clean. Prod.* **2021**, *316*, 128256. [CrossRef]
28. Muthusamy, P.; Murugesan, V.; Selvaraj, V. Optimal production-inventory decision with shortage for deterioration item and effect of carbon emission policy combination with green technology. *Environ. Dev. Sustain.* **2024**, *26*, 23701–23766. [CrossRef]
29. Tostivint, C.; de Veron, S.; Jan, O.; Lanctuit, H.; Hutton, Z.V.; Loubière, M. Measuring food waste in a dairy supply chain in Pakistan. *J. Clean. Prod.* **2017**, *145*, 221–231. [CrossRef]
30. Jouzdani, J.; Govindan, K. On the sustainable perishable food supply chain network design: A dairy products case to achieve sustainable development goals. *J. Clean. Prod.* **2021**, *278*, 123060. [CrossRef]
31. Campbell, C.; Feldpausch, G. Invited review: The consumer and dairy food waste: An individual plus policy, systems, and environmental perspective. *J. Dairy Sci.* **2022**, *105*, 3736–3745. [CrossRef]
32. Chiaraluce, G.; Bentivoglio, D.; Finco, A. Circular economy for a sustainable agri-food supply chain: A review for current trends and future pathways. *Sustainability* **2021**, *13*, 9294. [CrossRef]
33. Kayikci, Y.; Demir, S.; Mangla, S.; Subramanian, N.; Koc, B. Data-driven optimal dynamic pricing strategy for reducing perishable food waste at retailers. *J. Clean. Prod.* **2022**, *344*, 131068. [CrossRef]
34. Gioia, D.G.; Stefan, M. On the value of multi-echelon inventory management strategies for perishable items with on-/off-line channels. *Transp. Res. Part E* **2023**, *180*, 103354. [CrossRef]
35. Sebatjane, M. The impact of preservation technology investments on lot-sizing and shipment strategies in a three-echelon food supply chain involving growing and deteriorating items. *Oper. Res. Perspect.* **2022**, *9*, 100241. [CrossRef]
36. Liu, B.; Holmbom, M.; Segerstedt, A.; Chen, W. Effects of carbon emission regulations on remanufacturing decisions with limited information of demand distribution. *Int. J. Prod. Res.* **2015**, *53*, 532–548. [CrossRef]
37. Luo, R.; Zhou, L.; Song, Y.; Fan, T. Evaluating the impact of carbon tax policy on manufacturing and remanufacturing decisions in a closed-loop supply chain. *Int. J. Prod. Econ.* **2022**, *245*, 108408. [CrossRef]
38. Yu, Z.; Lin, Y.; Wang, Y.; Goh, M. Closed-loop supply chain coalitional cooperation and coordination under differentiated carbon tax regulation. *J. Clean. Prod.* **2023**, *392*, 136239. [CrossRef]
39. Liao, H.; Wu, D.; Wang, Y.; Lyu, Z.; Sun, H.; Nie, Y.; He, H. Impacts of carbon trading mechanism on closed-loop supply chain: A case study of stringer pallet remanufacturing. *Socio-Econ. Plan. Sci.* **2022**, *81*, 101209. [CrossRef]
40. Panza, L.; Peron, M. The role of carbon tax in the transition from a linear economy to a circular economy business model in manufacturing. *J. Clean. Prod.* **2025**, *492*, 144873. [CrossRef]

41. Peron, M.; Talluri, S. On-site or off-site additive manufacturing spare parts production? An economic and environmental analysis encompassing the country's carbon tax policy, energy mix, and availability. *IEEE Trans. Eng. Manag.* **2025**, *73*, 1176–1193. [CrossRef]
42. Villa, G.; Adenso-Díaz, B.; Lozano, S. An ILS-VND approach to dynamic pricing of perishable products. *Expert Syst. Appl.* **2026**, *295*, 128949. [CrossRef]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.