

Article

Evaluating the Significance of Criteria Contributing to Decision-Making on Brownfield Land Redevelopment Strategies in Urban Areas

Marija Burinskienė ^{1,*}, Vytautas Bielinskas ^{1,†}, Askoldas Podviezko ^{2,†}, Virginija Gurskienė ⁴ and Vida Maliene ^{3,4,*}

¹ Department of Urban Engineering, Vilnius Gediminas Technical University, Sauletekio ave. 11, LT-10223 Vilnius, Lithuania; vytautas.bielinskas@vgtu.lt

² Institute of Economics, Mykolas Romeris University, Ateities g. 20, LT-08303 Vilnius, Lithuania; askoldas@gmail.com

³ Department of the Built Environment, Faculty of Engineering and Technology, Liverpool John Moores University, Liverpool L3 3AF, UK

⁴ Institute of Land Management and Geomatics, Faculty of Water and Land Management, Aleksandras Stulginskis University, Studentu 11, Akademija, LT-53361 Kaunas distr., Lithuania; virginija.gurskiene@asu.lt

* Correspondence: marija.burinskiene@vgtu.lt (M.B.); v.maliene@ljmu.ac.uk (V.M.); Tel.: +370-6-860-8322 (M.B.); +44-151-231-2854 (V.M.)

† These authors contributed equally to this work.

Academic Editor: Tan Yigitcanlar

Received: 3 March 2017; Accepted: 1 May 2017; Published: 6 May 2017

Abstract: Brownfield land is one of the least exploited resources for urban development in a number of Eastern European countries. Establishing a rational strategy for redeveloping brownfields is an unambiguously complex task that requires considering a number of different economic, social, physical and environmental factors. The strategic decision-making has a long term impact on the quality of life, ecological balance and urban structure. Therefore, the paper is aimed at developing a comprehensive set of criteria that contribute to the redevelopment of brownfield land in urban areas. It focuses on six main development strategies that embrace creating residential, green, commercial, recreational activity and industrial areas or leaving land as a reserve. Geographic information system (GIS) tools are employed to collect the spatial information, obtain the initial set of criteria and derive the statistical data. Expert's evaluations along with a statistical method of gauging the level of concordance of their opinion combined with Delphi method are used for determining significance of criteria within economic, social, physical (urbanistic) and environmental criteria groups. This study establishes the most significant criteria for implementing different scenarios of the brownfield land redevelopment in Vilnius, Lithuania. Developed framework will support the decision-making process in the brownfield land redevelopment aiding a sustainable urban planning.

Keywords: brownfield land; decision making; criteria analysis; sustainable urban development

1. Introduction

The reclamation of brownfield land, including old industrial and commercial areas, remains one of the priorities set by the EU policy aimed at gradually increasing density of population in urban areas. It has been estimated that approximately 500,000 hectares of brownfields suitable for reclamation were in Europe in 2005. Today, a large proportion of the brownfield land is still available for regeneration. It can be utilized for raising the economic attractiveness of cities to new investment, preserving urban identity, improving social climate and developing the prevention of natural elements in the city.

The brownfields can be defined as a land that has previously been developed, but is not in current use [1]. Derelict (abandoned) and vacant (not occupied) land can also be classified as the brownfield land. However, it should be noted that the definitions of the brownfield land vary significantly in various countries and are shaped by deindustrialization, urbanization, high density of population or other socio-economic factors [2]. Brownfields are also described as a territory that is affected by the previous use or the impact of the surrounding land and becomes unused or useless without further intervention [3]. Brownfield land provides a possibility of using free space and potential for additional urban development considering changes in the needs of the population [4]. Regeneration is the most commonly used way to exploit the potential of brownfields [5–7].

The research on brownfields provides a number of excellent examples of how such areas can be reclaimed thus achieving a new quality of the environment [8–12]. The reclamation of brownfields in Europe has been pursued through the effective integration of the concept of sustainable development into the EU projects such as Regeneration of European Sites in Cities and Urban Environments (RESCUE) [13,14] and Concerted Action on Brownfield and Economic Regeneration Network (CABERNET) [15]. The projects have been aimed at simplifying the procedure for new practical solutions seeking a sustainable development of the brownfield land. Notably, a public–private partnership (PPP) model has been increasingly successful for implementing projects on the redevelopment of brownfields [16–18]. A regeneration project in coastal area of Liverpool, UK, provides an excellent example of the partnership between public and private sectors [9,19]. In 2005, the EU and UK together with the private sector have paid a total of 560 million Euros for the redevelopment of the Waterfront area situated in the city. On the principle of the PPP, business and leisure complexes consisting of mixed-use areas have been built in brownfields and unused territories. About 2500 new jobs and an environmental aesthetic image have been created. Some of the old buildings have been renovated thus preserving the cultural heritage and city's identity. A flood protection system has also been installed. The adoption of various environment-friendly solutions has resulted in a significantly decreased need for water, as well as a reduced air and water pollution in the Waterfront area of Liverpool.

The regeneration of territories and redevelopment of the brownfield land are progressively running through sustainable development and should integrally solve social, economic and environmental issues as well the problems of the physical environment [20–23]. However, the imbalance between the volumes of urban development objects and brownfields remains high, particularly, in many countries of the Eastern Europe [24–26]. After dissolution of Soviet bloc, Eastern European countries have experienced a sudden transition from central planning to the decentralized regulation of the market economy [27,28]. The need to reclaim unused urban brownfields, including military, industrial, and commercial buildings that do not perform their primary function, has significantly increased due to intensive economic processes, growing number of the population in big cities and the implementation of sustainable development policy [29–32]. However, due to a tight financial situation, the problem of brownfields in some Eastern European countries still remains a serious challenge. For example, in Czech Republic and Slovakia, the ongoing redevelopment processes of brownfields take place only in high-priority inner urban areas [24]. Moreover, many post-Soviet countries require methodology and strategies for brownfields redevelopment.

The paper is aimed at establishing the framework for supporting decision-making processes in the brownfield land redevelopment. The research was performed using data acquired in twenty districts (neighborhoods) of Vilnius, the capital city of Lithuania. It allowed determining the most significant criteria contributing to decision-making on brownfield land redevelopment strategies in urban areas. The obtained results will facilitate the decision-making process in the brownfield land redevelopment and assist the urban planning.

2. Methodology

2.1. Hierarchical System of Criteria

To determine the most significant criteria for implementing different scenarios of the brownfield land redevelopment, a comprehensive set of 152 criteria was established through the literature review [33–40]. As described previously [41], this initial set of criteria was used to develop the hierarchical system including economic, social, physical (urbanistic) and environmental criteria groups.

A hierarchical system of criteria used in this study allowed the following: (1) overcoming difficulties arising from using a sufficiently large set of criteria for multi-criteria analysis; (2) reducing the complexity and bias in eliciting weights of importance of criteria by experts; and (3) exploiting the flexibility and convenience of the tool of hierarchical structures.

Moreover, there are a number of other prominent features of hierarchical systems, which provide advantage whenever complexity is involved [42–52]. Hierarchical systems are built in blocks, which imply a faster speed of creating them. Higher levels of hierarchy have influence on the lower ones. Hierarchies are flexible, which means they can be modified in the creation process [53]. There are no formalized methods for building a hierarchical system. Usually, it is built using tradition, intuition, or structures of databases [54]. Hierarchical system can be deduced using literature or communication with experts of the related field [53].

In this study, an expert's ranking in combination with a multiple criteria decision making (MCDM) method [41] was used to identify a final set of criteria.

2.2. Data Collection

The GIS technology was used to capture and digitize spatial data obtained for brownfield land in twenty districts of Vilnius city, as well as to combine and link up various data, including economic, social, physical and environmental indicators as described previously [55]. GIS data were then used for evaluation of each criterion from the final set of 18 criteria. As a result, a data set of 360 different multi-dimensional indicators was established. These indicators were then used for establishing criteria relative weights.

2.3. Relative Weights of Criteria

The task of establishing relative weights of criteria is a compulsory stage of any multiple criteria analysis. There are several approaches how to estimate weights of criteria by eliciting opinions from experts. The simplest and easiest to understand for experts would be using Likert scale of an appropriate number of grades. This approach unfortunately would hardly satisfy natural precision prerequisite, as vague weights would correspond to each grade [56]. At the other extreme, popular worldwide AHP (Analytic Hierarchy Process) method proposed by Saaty can be used. The latter method uses the 9-point scale, in which usually only 5 grades in fact are used [57]. In the study, having a relatively large number of criteria, this would be a serious limitation [58]. In addition, the AHP method can only be used by experts familiar with this method. Such method as UTA [59] attempts to resemble decision-maker's global preferences omitting the stage of obtaining weights. It requires from each expert not only the evaluation of utilities induced by each value of each criterion, but also the estimation of differences between utilities of different projects. Its upgraded version UTASTAR uses group decision-support aggregation-disaggregation procedures for obtaining estimates of decision-makers' preferences. It is a multiple stage, complicated process of reciprocal communication with experts, which again is a serious limitation in the case, when experts are chosen from the field other than operational research. Taking all above into consideration, a more favorable Delphi technique was chosen for working with a group of experts aiming to obtain consistent estimations [60].

In present study, the multiple criteria analysis was aimed at determining the most suitable redevelopment scenario T_1 for each urban brownfield land. Therefore, relative weights of criteria were established for every brownfields redevelopment scenario T_{1-6} by using expert opinions as described

previously [41]. The experts were chosen by following strict selection criteria, requiring that each expert met at least one of the following requirements: (1) have three years of experience in spatial planning, economic, environmental protection, sociology and real estate management; (2) have three years of experience in the field of architecture and at least two designed and implemented projects; and/or (3) have three years of experience in policy making with respect to urban development, spatial planning and real estate market.

In total, twelve experts agreed to participate in the survey. Relative weights of criteria were determined within each group including economic, social, urbanistic and environmental. The maximum number of criteria per criteria group was five, making the task more feasible, since a smaller number of criteria required be comparing and evaluating by the expert. Experts were asked to fill in created proprietary forms in which they were required to state weights of criteria in percent. Overall, 12 experts have responded.

2.4. Non-Parametric Statistical Analysis

In order to assess agreement among experts in respect to criteria weights, the theory of Kendall was applied [61]. Initially, the magnitudes of criteria weights were ranked. Since each brownfields regeneration scenario is perceived in a different way, weights of the criteria were determined considering each scenario T_1 – T_6 separately. Such ranks were denoted as e_{ik} , where $i = 1, 2, \dots, m$ is the index of criteria (in our case, m is equal to 4 or 5) while $k = 1, 2, \dots, r$ is the index of denoting experts (where r is the number of responded experts, 12 in our case). Kendall's W was used in the chi-squared test statistics for gauging the level of concordance, which depends on the sum of squared deviations of all ranks e_{ik} by all experts.

$$e_i = \sum_{k=1}^r e_{ik} \quad (1)$$

From the mean of such sums

$$\bar{e} = \frac{\sum_{i=1}^m e_i}{m} \quad (2)$$

Consequently, Kendall's W equals the ratio between the sum S mentioned above, calculated by Formula (3), and its largest deviation, denoted by S_{\max} , calculated by Formula (4). The latter sum is observed in the case of the absolute concordance of expert opinions in terms of ranks of importance of criteria.

$$S = \sum_{i=1}^m (e_i - \bar{e})^2 \quad (3)$$

$$S_{\max} = \frac{r^2 \times m \times (m^2 - 1)}{12} \quad (4)$$

Consequently,

$$W = \frac{S}{S_{\max}} = \frac{12 \cdot S}{r^2 \times m \times (m^2 - 1)} \quad (5)$$

Chi-squared test statistics for this variable is

$$\chi^2 = W \times r \times (m - 1) = \frac{12 \times S}{r \times m \times (m + 1)} \quad (6)$$

The number of degrees of freedom $\nu = m - 1$. For the test statistics, the level of significance $\alpha = 0.05$ was chosen. Next, equal ranks within 6 sets of criteria were found. There were only two equal

ranks at most. For the cases when ranks were equal, the following adjustment of the coefficient of concordance was applied [61].

$$W = \frac{12 \times S}{r^2 \times m \times (m^2 - 1) - r \times \sum_{\phi} (t_{\phi}^3 - t_{\phi})} \quad (7)$$

where ϕ denotes the sets of equal ranks, and t_{ϕ} denotes the number of equal ranks within a set within ϕ .

Averages of weights elicited from experts, which were found to be concordant, were used in the followed analyses. The overall methodology pipeline is shown in Figure 1.




Figure 1. Methodology pipeline.

3. Results

3.1. Brownfield Land Redevelopment Scenarios

In order to build a framework that can support the decision-making on the brownfield land redevelopment in urban areas and to assist urban planning and development, this study aimed to establish what criteria are the most significant for redevelopment of brownfield land into the urban land of a different use. Whereas a number of models involving different types of the urban land use have been described previously [62,63], the following six scenarios can be distinguished for the redevelopment of brownfield land in urban areas (Figure 2a):

- redevelopment to a green area (T_1);
- redevelopment to a commercial area (T_2);
- redevelopment to a recreational area (T_3);
- redevelopment to an industrial area (T_4);
- redevelopment to a residential area (T_5); and
- leaving land as a city reserve (T_6).

The brownfield land redevelopment scenarios T_i were considered for twenty districts of Vilnius city (Figure 2b) [64]. Resulting scenarios may reflect the character of the urban area and the possible potential of the locality. Such brownfield land redevelopment opportunities can then be successfully used for developing partnerships between public and private capital applying the PPP principle [65].




Figure 2. Redevelopment of urban brownfields to the land of a different function (a); and districts of Vilnius city (b).

3.2. Development of the Hierarchical System of Criteria: Case Study of Vilnius City

In order to determine the most suitable redevelopment scenario for each urban brownfield land, weights of criteria have to be evaluated for each scenario T_i establishing the most significant criteria. Therefore, an initial set of 152 criteria was established as described in Methodology. To reduce complexity, the study was confined to 48 criteria (selected set of criteria), and only the 18 highest ranked criteria (final set of criteria) (Figure 3) were used for further analyses.




Figure 3. Hierarchical system of criteria.

The GIS data collected in Lithuania showed that the capital city, Vilnius, contains a brownfield land area of 10.9 km² (Figure 4), the major part of which (83%) is a vacant land. Twenty districts of Vilnius city, identified as important for redevelopment of brownfield land, were selected for case study. With the help of GIS technology, the data set of 360 different multi-dimensional indicators was created

for 20 districts of the city providing data platform for the multiple criteria evaluation. All investigated indicators were attributed to a certain group of criteria C_j as in Figure 3. In the final set of criteria, each criteria group comprises of up to five criteria as follows: $\{E_1, \dots, E_4\} \in C_1$; $\{U_1, \dots, U_5\} \in C_2$; $\{S_1, \dots, S_5\} \in C_3$; $\{N_1, \dots, N_4\} \in C_4$. Altogether, they form list of criteria (Table 1) used for further expert evaluation and establishing the most significant criteria.




Figure 4. Spatial dispersion of urban projects developed in the brownfields of Vilnius city.

3.3. Establishing the Weights of Criteria

Most important criteria (Table 1) of different groups allow comprising facets that can influence the choice of scenario for brownfield land redevelopment from different perspectives. In this study, the mathematical model described below was used for deriving weights of 18 key criteria. This is a compulsory initial step required for applying multiple criteria evaluation.

Table 1. Definitions of criteria.

Group of Economic Criteria	Group of Urbanistic Criteria
<ul style="list-style-type: none"> E_1—Infrastructure investment E_2—Cost for new real estate E_3—Number of projects funded by EU E_4—Number of workspaces 	<ul style="list-style-type: none"> U_1—Empty sites U_2—Number of schools U_3—State and average age of new constructions U_4—Magnitude of new constructions U_5—Distance to the city center
Group of Social Criteria	Group of Environmental Criteria
<ul style="list-style-type: none"> S_1—The level of unemployment S_2—The level of poverty S_3—Household incomes S_4—The level of public crimes S_5—Access to educational institutions 	<ul style="list-style-type: none"> N_1—Soil contamination N_2—Heavy industry pollution N_3—Green areas N_4—Transport pollution

As described in the Methodology, the relative weights of criteria were established using the Delphi technique involving a group of experts.

In order to establish the level of concordance of expert opinions for each scenario T_1 – T_6 within all groups C_1 – C_4 of criteria, calculations of the Kendall's W along with the Chi-squared test statistics, were performed for sets of criteria within the groups and criteria groups (Table 2).

Table 2. The values of the Kendall's W and Chi-squared for the sets of criteria within groups, and criteria groups prior to corrections.

	W	χ^2	No. of Objects	χ^2_{cr}	$\chi^2 - \chi^2_{cr}$
T_1					
Groups	0.330	11.87	4	7.81	4.06
Economic	0.821 *	29.56 *	4	7.81	21.75
Urbanistic	0.361	17.33	5	9.49	7.84
Social	0.314	15.08	5	9.49	5.59
Environmental	0.337	12.13	4	7.81	4.32
T_2					
Groups	0.815	29.33	4	7.81	21.52
Economic	0.767	27.60	4	7.81	19.79
Urbanistic	0.301 *	14.43 *	5	9.49	4.94
Social	0.174	8.33	5	9.49	−1.16
Environmental	0.185	6.67	4	7.81	−1.14
T_3					
Groups	0.550 *	19.79 *	4	7.81	11.98
Economic	0.633	22.80	4	7.81	14.99
Urbanistic	0.443	21.25	5	9.49	11.76
Social	0.417 *	20.00 *	5	9.49	10.51
Environmental	0.715	25.73	4	7.81	17.92
T_4					
Groups	0.456	16.40	4	7.81	8.59
Economic	0.744	26.80	4	7.81	18.99
Urbanistic	0.663 *	31.81 *	5	9.49	22.32
Social	0.328	15.75	5	9.49	6.26
Environmental	0.604	21.73	4	7.81	13.92
T_5					
Groups	0.626	22.53	4	7.81	14.72
Economic	0.685	24.67	4	7.81	16.86
Urbanistic	0.191 *	9.15 *	5	9.49	−0.34
Social	0.344	16.50	5	9.49	7.01
Environmental	0.078	2.80	4	7.81	−5.01
T_6					
Groups	0.278	10.00	4	7.81	2.19
Economic	0.167	6.00	4	7.81	−1.81
Urbanistic	0.587	28.17	5	9.49	18.68
Social	0.198	9.50	5	9.49	0.01
Environmental	0.104	3.73	4	7.81	−4.08

* Adjusted Kendall's W and Chi-squared value, whenever equal ranks are found in a set, are denoted with an asterisk.

In the six sets of responses, the expert opinions appeared to be non-concordant (Table 2). The most divergent cases were presented to the same experts along with a summary of the results elicited from the group of experts, by following the Delphi method recommendations [66,67]. Therefore, the adjusted relative weights of criteria, as a remedy to the discrepancies in the expert opinion, were determined (Tables 3–8).

Table 3. Corrections in Scenario 2 by Expert 10 (social criteria).

Criterion	Unemployment Rate	Poverty Rate	Total Household Income	Crime Index	Access to Schools and Pre-Schools
Before	27%	12%	8%	19%	35%
After	22%	17%	27%	19%	15%

Table 4. Corrections in Scenario 2 by Expert 11 (environmental criteria).

Criterion	Soil Pollution	Pollution from Factories, etc.	Spread of Forests and Green Areas	Pollution from Transport
Before	30%	10%	35%	25%
After	10%	30%	35%	25%

Table 5. Corrections in Scenario 5 by Expert 11 (urbanistic criteria).

Criterion	Empty Sites	Number of Schools	State and Average Age of New Constructions	Magnitude of New Constructions	Distance to the City Centre
Before	25%	30%	10%	15%	20%
After	10%	30%	25%	15%	20%

Table 6. Corrections in Scenario 5 by Expert 2 (environmental criteria).

Criterion	Soil Pollution	Pollution from Factories, etc.	Spread of Forests and Green Areas	Pollution from Transport
Before	35%	10%	25%	30%
After	10%	35%	25%	30%

Table 7. Corrections in Scenario 5 by Expert 5 (environmental criteria).

Criterion	Soil Pollution	Pollution from Factories, etc.	Spread of Forests and Green Areas	Pollution from Transport
Before	30%	11%	33%	26%
After	11%	30%	33%	26%

Table 8. Corrections in Scenario 6 by Expert 2 (economic criteria).

Criterion	Investments in Infrastructure	New Construction Cost	Number of Undertaken EU Projects	Number of Work-Places
Before	15%	23%	27%	35%
After	35%	23%	15%	27%

Following the first round of Delphi-adjustment only, along with the feedback communicating the results obtained from the first round, the amended opinions of experts appeared to be concordant. Calculations of the adjusted Kendall's W along with the Chi-squared test statistics for the new opinions of experts, for each scenario T_1 – T_6 within all groups C_1 – C_4 of criteria, and for the groups, revealed the results presented in Table 9.

Table 9. The values of the Kendall's W and Chi-squared for the sets of criteria within groups, and criteria groups after adjustment.

	W	χ^2	No. of Objects	χ^2_{cr}	$\chi^2 - \chi^2_{cr}$
T_1					
Groups	0.330	11.87	4	7.81	4.06
Economic	0.821 *	29.56 *	4	7.81	21.75
Urbanistic	0.361	17.33	5	9.49	7.84
Social	0.314	15.08	5	9.49	5.59
Environmental	0.337	12.13	4	7.81	4.32

Table 9. Cont.

	W	χ^2	No. of Objects	χ^2_{cr}	$\chi^2 - \chi^2_{cr}$
<i>T</i> ₂					
Groups	0.815	29.33	4	7.81	21.52
Economic	0.767	27.60	4	7.81	19.79
Urbanistic	0.301 *	14.43 *	5	9.49	4.94
Social	0.326	15.67	5	9.49	6.18
Environmental	0.274	9.87	4	7.81	2.06
<i>T</i> ₃					
Groups	0.550 *	19.79 *	4	7.81	11.98
Economic	0.633	22.80	4	7.81	14.99
Urbanistic	0.443	21.25	5	9.49	11.76
Social	0.417 *	20.00 *	5	9.49	10.51
Environmental	0.715	25.73	4	7.81	17.92
<i>T</i> ₄					
Groups	0.456	16.40	4	7.81	8.59
Economic	0.744	26.80	4	7.81	18.99
Urbanistic	0.663 *	31.81 *	5	9.49	22.32
Social	0.328	15.75	5	9.49	6.26
Environmental	0.604	21.73	4	7.81	13.92
<i>T</i> ₅					
Groups	0.626	22.53	4	7.81	14.72
Economic	0.685	24.67	4	7.81	16.86
Urbanistic	0.263 *	12.67 *	5	9.49	3.18
Social	0.344	16.50	5	9.49	7.01
Environmental	0.337	12.13	4	7.81	4.32
<i>T</i> ₆					
Groups	0.278	10.00	4	7.81	2.19
Economic	0.315	11.33	4	7.81	3.52
Urbanistic	0.587	28.17	5	9.49	18.68
Social	0.198	9.50	5	9.49	0.01
Environmental	0.332	11.97	4	7.81	4.16

* Adjusted Kendall's *W* and Chi-squared value, whenever equal ranks are found in a set, are denoted with an asterisk.

In order to derive relative weights of criteria considering all 18 criteria listed in Table 1, the method of deriving weight of each criterion using both weights of the group and of each criterion within the group, as proposed by Podvieszko [54], was applied. This method is appropriate to use in cases when hierarchical system of criteria is built. The weights of criteria groups are multiplied by the weights of criteria within each group as shown in Formula (8):

$$\omega_i = \omega_{i_k} \times \omega_k \quad (8)$$

where *k* is the index of groups, and *i_k* is the index of criteria within group *C_k*.

For each brownfield redevelopment scenario *T*₁–*T*₆, the weights of the criteria groups were calculated using Formula (8) (Figure 5). This allowed establishing the significance of each group of criteria in the case that the brownfield land is redeveloped based on particular scenario *T_i*. Then, the weights of each criterion within each criteria group were established (Table 10). This allowed concluding that the application of Formula (8) can assist significantly in calculating weights of criteria in a hierarchical system of criteria.




Figure 5. Relative weights of each group of criteria for each brownfield redevelopment scenario (%).

Table 10. Weights of individual criteria for each brownfield scenario T_{1-6} in each group of criteria (%).

	T_1	T_2	T_3	T_4	T_5	T_6
E_1	34.33	33.25	33.08	30.50	29.83	31.92
E_2	28.42	29.42	27.25	23.75	30.67	23.50
E_3	18.58	16.50	21.08	16.67	18.92	20.08
E_4	18.67	20.67	18.67	28.92	20.42	24.50
$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$
U_1	22.75	21.25	27.58	28.83	14.50	30.92
U_2	13.92	11.75	22.33	12.67	23.67	14.75
U_3	20.58	18.92	17.33	17.92	21.58	18.00
U_4	17.25	25.42	14.50	23.75	20.33	22.17
U_5	27.75	23.00	18.25	16.83	20.17	14.17
$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$
S_1	15.00	18.17	16.50	26.42	17.42	15.25
S_2	18.42	19.83	15.08	20.92	18.42	21.42
S_3	17.17	24.83	17.67	21.08	20.92	16.00
S_4	25.17	22.67	25.92	17.00	16.58	23.17
S_5	24.42	14.58	24.75	14.42	26.58	24.33
$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$
N_1	20.00	18.92	18.00	30.92	17.17	22.00
N_2	19.33	28.75	31.92	29.33	30.83	20.83
N_3	29.50	29.67	30.67	18.92	26.08	32.92
N_4	31.25	22.67	19.42	20.83	25.75	24.33
$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$	$\Sigma = 100\%$

3.4. Establishing the Most Significant Criteria Contributing to Brownfield Land Redevelopment Strategies

In order to establish the most significant criteria contributing to the redevelopment scenarios of brownfield land, the weights of all criteria for each brownfield redevelopment scenario were derived as described in Methodology (Figure 6). For convenience of decision-making process, the calculated weights of individual criteria for each redevelopment task in each group of criteria are presented in this paper in the scalar distribution form. This comparison allows a decision-maker to assess the meaningfulness of each criterion in redevelopment processes while working out a solution for one of the problems T_i .




Figure 6. The weights of individual criteria for each brownfield redevelopment scenario ($\omega_{Mi|T1 \dots 6}$).

The results revealed the most significant criteria contributing to the redevelopment of brownfield land applying a particular scenario T_i . As a result, the following most significant criteria for each case of brownfield land redevelopment scenario were identified:

Scenario T_1 : The criteria of the environmental group have a decisive impact, particularly criteria N_3 (green areas per inhabitant, $\omega_{N3} = 0.089$) and N_4 (pollution from transport, $\omega_{N4} = 0.095$).

Scenario T_2 : The criteria of the economic group have a decisive impact, particularly criteria E_1 (investments in infrastructure, $\omega_{E1} = 0.112$) and E_2 (cost of new rental estate, $\omega_{E2} = 0.099$).

Scenario T_3 : The criteria of social and urbanistic groups have a decisive impact, particularly criteria S_4 (crime index, $\omega_{S4} = 0.083$), S_5 (access to educational institutions, $\omega_{S5} = 0.079$) and U_1 (empty sites, $\omega_{U1} = 0.076$).

Scenario T_4 : The criteria of almost all groups, except those of the social one, equally strongly determine this redevelopment scenario. Among the prevailing criteria, E_1 (investments in infrastructure, $\omega_{E1} = 0.096$), E_4 (number of work-places, $\omega_{E4} = 0.091$), U_2 (number of schools, $\omega_{U2} = 0.076$), U_5 (distance to the city centre, $\omega_{U5} = 0.063$) and N_2 (pollution from heavy industry, $\omega_{N2} = 0.078$) have the major impact.

Scenario T_5 : The criteria of the social group have a decisive impact, particularly criteria S_5 ($\omega_{S5} = 0.091$) specifying accessibility to education and pre-school educational establishments.

Scenario T_6 : This scenario is strongly affected by environmental and urbanistic criteria, among which criteria N_3 (green areas per inhabitant, $\omega_{N3} = 0.102$) and U_1 (empty sites per inhabitant, $\omega_{U1} = 0.082$) have the major impact.

To conclude, the average weights of criteria significance (ω_{Mi}) and standard deviation (d_i) were calculated. Subsequently, they were ranked (Figure 7) showing that, overall, E_{a1} (investments in infrastructure; $\omega_{avg.E1} = 0.079$), N_{a3} (green areas per inhabitant; $\omega_{avg.N3} = 0.073$), E_{a2} (cost of new real estate; $\omega_{avg.E2} = 0.067$), U_1 (areas of empty sites per inhabitant; $\omega_{avg.U1} = 0.065$) and N_2 (pollution from heavy industry; $\omega_{avg.N2} = 0.064$) are the most influential criteria in making decisions on brownfield redevelopment.




Figure 7. The calculated average values ($\omega_{Mi,di}$) of criteria weights and their standard deviations.

4. Discussion and Conclusions

Brownfields represent specific challenges for the environment and adjacent community as it has been affected by former uses; is derelict or underused; requires intervention to bring it back to beneficial use; and may have real or perceived contamination problems [68,69]. Moreover, all brownfields sites vary concerning their unique characteristics, such as location, size, extent of potential contamination resulting from previous use, etc. As a result, diverse stakeholders have heterogeneous concerns regarding successful and sustainable brownfield land regeneration [25].

In order to deal with the complex decision-making processes, several multi-criteria decision analysis (MCDA) approaches and tools have been developed and increasingly applied in different fields, including the land-use context. Prioritization tools based on sustainability frameworks and MCDA allow assessing requalification options from different points of view, respecting the needs of multiple stakeholders [20,43,68,70]. Due to MCDA ability to combine heterogeneous inputs with cost/benefit information and stakeholder views and being recognized as suitable tool to support the ranking of regeneration alternatives based on the sustainability framework [21–23,70], the previously described MCDA method [41] in combination with the expert's ranking was used to identify a final set of criteria in this study.

With this study we aimed to establish the framework of criteria for supporting decision-making processes in the brownfield land redevelopment. The research was performed using data acquired in twenty districts of Vilnius city. A complex structure of criteria was required for such a multifaceted task. The division of criteria into groups has proved to be the most helpful solution allowing both to cast the set of criteria and enabling experts to estimate the weights of criteria.

The paper proposes a new approach for evaluation of criteria importance. The method utilizes relative weights of criteria groups and relative weights of criteria within the groups for estimation of the weights of individual criteria for each brownfield redevelopment scenario. In particular, results revealed that the redevelopment of brownfields to the commercial area is primarily related to economic criteria ($\omega_{E|T2,\%} = 31.58\%$), whereas redevelopment of brownfield land to residential areas is influenced by the social criteria ($\omega_{S|T5,\%} = 34.08\%$). Not surprisingly, the economic criteria has the greatest impact on brownfields redevelopment into industrial areas ($\omega_{E|T4,\%} = 31.58\%$).

Notably, the most significant criteria contributing to the decision-making strategies for the redevelopment of brownfield land in urban areas were determined in this study. Not surprisingly, majority most important criteria for redevelopment to green, commercial, recreational, or residential areas were very relevant to the redevelopment strategy and were from the criteria groups such as environmental (green areas per inhabitant and pollution from transport), economic (investments in infrastructure and cost of new rental estate), social (crime index and access to educational institutions) and social (accessibility to education and pre-school educational establishments), respectively. Interestingly, results revealed that for redevelopment to the industrial area, criteria from three criteria groups including economic, urbanistic and environmental were found to be equally important.

Overall, the analysis of brownfield land redevelopment scenarios and evaluation of the criteria significance will assist in developing decision-making guidelines for various brownfield land redevelopment solutions.

Acknowledgments: We thank Vilnius Gediminas Technical University (VGTU) for funding publication fees.

Author Contributions: All authors contributed equally to this work. Marija Burinskienė developed project idea, led the development of the methodology and contributed to draft the paper. Vytautas Bielinskas conducted the expert interviews, created graphs and figures, outlined conclusions and recommendations, contributed to draft the paper. Askoldas Podviezko developed the model of quantitative and qualitative data collection, performed multiple criteria analysis and calculations, and contributed to draft the paper. Virginija Gurskienė contributed to the revision and improvement of final paper. Vida Maliene analyzed data, contributed to draft the paper and was responsible for the final paper revision and improvement. All authors discussed the results and commented on the paper.

Conflicts of Interest: The authors declare no conflicts of interest.

References

1. Alker, S.; Joy, V.; Roberts, P.; Smith, N. The definition of brownfield. *J. Environ. Plan. Manag.* **2000**, *43*, 49–69. [CrossRef]
2. Tang, Y.-T.; Nathanail, C.P. Sticks and Stones: The Impact of the Definitions of Brownfield in Policies on Socio-Economic Sustainability. *Sustainability* **2012**, *4*, 840–862. [CrossRef]
3. CABERNET. *Sustainable brownfield Regeneration: CABERNET Network Report*; Ferber, U., Grimski, D., Millar, K., Nathanail, P., Eds.; University of Nottingham: Nottingham, UK, 2016.
4. Bardos, R.P.; Jones, S.; Stephenson, I.; Menger, P.; Beumer, V.; Neonato, F.; Maring, L.; Ferber, U.; Track, T.; Wendler, K. Optimising value from the soft re-use of brownfield sites. *Sci. Total Environ.* **2016**, *563*–564, 769–782. [CrossRef] [PubMed]
5. Dixon, T.; Otsuka, N.; Abe, H. Critical success factors in urban brownfield regeneration: An analysis of ‘hardcore’ sites in Manchester and Osaka during the economic recession (2009–10). *Environ. Plan. A* **2011**, *43*, 961–980. [CrossRef]
6. Heberle, L.; Wernstedt, K. Understanding brownfields regeneration in the US. *Local Environ.* **2006**, *11*, 479–497. [CrossRef]
7. Franz, M.; Güles, O.; Prey, G. Place-making and ‘green’ reuses of brownfields in the Ruhr. *Tijdschrift voor Economische en Sociale Geografie* **2008**, *99*, 316–328. [CrossRef]
8. Raco, M.; Henderson, S. Sustainable urban planning and the brownfield development process in the United Kingdom: Lessons from the Thames Gateway. *Local Environ.* **2006**, *11*, 499–513. [CrossRef]
9. Maliene, V.; Wignall, L.; Malys, N. Brownfield Regeneration: Waterfront Site Developments in Liverpool and Cologne. *J. Env. Eng. Landsc. Manag.* **2012**, *20*, 5–16. [CrossRef]
10. Frantál, B.; Kunc, J.; Klusáček, P.; Martinát, S. Assessing success factors of brownfields regeneration: International and inter-stakeholder perspective. *Transylvanian Rev. Admin. Sci.* **2015**, *44*, 91–107.
11. Chen, I.-C.; Tsai, Y.-C.; Ma, H.-W. Toward sustainable brownfield redevelopment using life-cycle thinking. *Sustainability* **2016**, *8*, 994. [CrossRef]
12. Rădulescu, C.M.; Ștefan, O.; Rădulescu, G.M.T.; Rădulescu, A.T.G.M.; Rădulescu, M.V.G.M. Management of stakeholders in urban regeneration projects. Case study: Baia-Mare, Transylvania. *Sustainability* **2016**, *8*, 238. [CrossRef]
13. Regeneration of European Sites in Cities and Urban Environments. Development of an Analytical Sustainability Framework for the Context of Brownfield Regeneration in France, Germany, Poland and the United Kingdom. 2005. Available online: http://www.rescueeurope.com/download/reports/1_Analytical%20sustainability%20framework.pdf (accessed on 8 December 2016).
14. Pahlen, G.; Glockner, S. Sustainable regeneration of European brownfield sites. In *Brownfield Sites II: Assessment, Rehabilitation and Development*; Donati, A., Rossi, C., Brebbia, C.A., Eds.; WIT Press: Southampton, UK, 2004; pp. 221–232.
15. CABERNET. Concerted Action on Brownfield and Economic Regeneration Network. 2009. Available online: <http://www.cabernet.org.uk> (accessed on 20 December 2016).

16. Thornton, G.; Franz, M.; Edwards, D.; Pahlen, G.; Nathanail, P. The challenge of sustainability: Incentives for brownfield regeneration in Europe. *Environ. Sci. Policy* **2007**, *10*, 116–134. [CrossRef]
17. Tolle, A. Report about Concepts and Tools for Brown field Redevelopment Activities (Output No. 3.1.1 of the COBRAMAN Project). Bydgoszcz, Poland, 2009. Available online: http://www.central2013.eu/fileadmin/user_upload/Downloads/outputlib/cobraman_tools_brownfield_regeneration.pdf (accessed on 5 December 2016).
18. Meyer, P.B.; Lyons, T.S. Lessons from private sector brownfield redevelopers. *J. Am. Plan. Assoc.* **2000**, *66*, 46–57. [CrossRef]
19. European Commission. Thematic Issue: Brownfield Regeneration, Issue 39. 2013. Available online: http://ec.europa.eu/environment/integration/research/newsalert/pdf/39si_en.pdf (accessed on 10 January 2017).
20. Nogués, S.; Arroyo, N. Alternative approach to prioritization of brownfield reclamation attending to urban development potentialities: Case study in a depressed industrial district in northern Spain. *J. Urban Plan. Dev.* **2016**, *142*, 05015002. [CrossRef]
21. Critto, A.; Cantarella, L.; Carlon, C.; Giove, S.; Petruzzelli, G.; Marcomini, A. Decision support-oriented selection of remediation technologies to rehabilitate contaminated sites. *Integr. Environ. Assess. Manag.* **2006**, *2*, 273–285. [PubMed]
22. Boggia, A.; Cortina, C. Measuring sustainable development using a multi-criteria model: A case study. *J. Environ. Manag.* **2010**, *91*, 2301–2306. [CrossRef] [PubMed]
23. Rosén, L.; Back, P.E.; Söderqvist, T.; Norrman, J.; Brinkhoff, P.; Norberg, T.; Volchko, Y.; Norin, M.; Bergknut, M.; Döberl, G. SCORE: A novel multi-criteria decision analysis approach to assessing the sustainability of contaminated land remediation. *Sci. Total Environ.* **2015**, *511*, 621–638.
24. Frantál, B.; Greer-Wootten, B.; Klusaček, P.; Krejčí, T.; Kunc, J.; Martinat, S. Exploring spatial pattern of urban brownfields regeneration: The case of Brno, Czech Republic. *Cities* **2015**, *44*, 9–18. [CrossRef]
25. Martinat, S.; Dvorak, P.; Frantal, B.; Klusacek, P.; Kunc, J.; Navratil, J.; Osman, R.; Tureckova, K.; Reed, M. Sustainable urban development in a city affected by heavy industry and mining? Case study of brownfields in Karvina, Czech Republic. *J. Clean. Prod.* **2016**, *118*, 78–87. [CrossRef]
26. Rizzo, E.; Pesce, M.; Pizzol, L.; Alexandrescu, F.; Giubilato, E.; Critto, A.; Marcomini, A.; Bartke, S. Brownfield Regeneration in Europe: Identifying Stakeholder Perceptions, Concerns, Attitudes and Information Needs. *Land Use Policy* **2015**, *43*, 437–453. [CrossRef]
27. Dorsey, J.W. Brownfields and greenfields: The intersection of sustainable development and environmental stewardship. *Environ. Pract.* **2003**, *5*, 69–76. [CrossRef]
28. Osman, R.; Frantál, B.; Klusáček, P.; Kunc, J.; Martinát, S. Factors affecting brownfield regeneration in post-socialist space: The case of the Czech Republic. *Land Use Policy* **2015**, *48*, 309–316. [CrossRef]
29. Cooper, J.; Donegan, K.; Ryley, T.; Smyth, A. Densification and urban compaction: Reinforcing the drive for sustainability. *Transport. Res. Rec.* **2002**, *1817*, 102–109. [CrossRef]
30. Adams, D.; Watkins, C. *Greenfields, Brownfields and Housing Development*; Blackwell Publishing: Oxford, UK, 2002.
31. Bagaeen, S. Brownfield sites as building blocks for sustainable urban environments: A view on international experience in redeveloping former military sites. *Urban Des. Int.* **2006**, *11*, 117–128. [CrossRef]
32. Paiders, J. Status of environmental protection as a source of finance for regional economic development: Measurement of environmental and regional policy with the fisher function. *J. Env. Eng. Landsc. Manag.* **2008**, *16*, 45–55. [CrossRef]
33. Pizzol, L.; Zabeo, A.; Klusacek, P.; Giubilato, E.; Critto, A.; Frantal, B.; Martinat, S.; Kunc, J.; Osman, R.; Bartke, S. Timbre Brownfield Prioritization Tool to support effective brownfield regeneration. *J. Environ. Manag.* **2016**, *166*, 178–192. [CrossRef] [PubMed]
34. Brownfield Definition. Available online: <http://www.cabernet.org.uk/index.asp?c=1134> (accessed on 25 May 2015).
35. CEEP. Brownfields: From Redevelopment to Revitalization. Available online: <http://ceep.udel.edu/?s=Brownfields%3A+From+Redevelopment+to+Revitalization> (accessed on 25 May 2015).
36. CTLS. Reversing Urban Sprawl: A Reclaimability Index Approach for Reviving Downtown Brownfields. 2011. Available online: <http://www.ctls.uconn.edu/research/completed-projects> (accessed on 25 May 2015).
37. EPA's Smart Growth Index in 20 Pilot Communities: Using GIS Sketch Modelling to Advance Smart Growth. Available online: <http://www2.epa.gov/smart-growth/smart-growthindex> (accessed on 25 May 2015).

38. Holistic Management of Brownfield Regeneration (HOMBRE). Early Indicators for Brownfield Origination. 7th EC Framework Programme. 2013. Available online: <http://www.zerobrownfields.eu/> (accessed on 25 May 2015).
39. Mulliner, E.; Maliene, V. An Analysis of Professional Perceptions of Criteria Contributing to Sustainable Housing Affordability. *Sustainability* **2015**, *7*, 248–270. [[CrossRef](#)]
40. Prochorskaite, A.; Couch, C.; Malys, N.; Maliene, V. Housing Stakeholder Preferences for the “Soft” Features of Sustainable and Healthy Housing Design in the UK. *Int. J. Environ. Res. Public Health* **2016**, *13*, 111. [[CrossRef](#)] [[PubMed](#)]
41. Burinskienė, M.; Lazauskaitė, D.; Bielinskas, V. Preventive Indicators for Creating Brownfields. *Sustainability* **2015**, *7*, 6706–6720. [[CrossRef](#)]
42. Morio, M.; Schädler, S.; Finkel, M. Applying a multi-criteria genetic algorithm framework for brownfield reuse optimization: Improving redevelopment options based on stakeholder preferences. *J. Environ. Manag.* **2013**, *130*, 331–346. [[CrossRef](#)] [[PubMed](#)]
43. Chrysochoou, M.; Brown, K.; Dahal, G.; Granda-Carvajal, C.; Segerson, K.; Garrick, N.; Bagtzoglou, A. A GIS and indexing scheme to screen brownfield for area-wide redevelopment planning. *Landsc. Urban Plan.* **2012**, *105*, 187–198. [[CrossRef](#)]
44. Wedding, G.; Crawford-Brown, D. Measuring site-level success in brownfield redevelopment: A focus on sustainability and green building. *J. Environ. Manag.* **2007**, *85*, 483–495. [[CrossRef](#)] [[PubMed](#)]
45. Garcia-Palomares, J.C.; Gutiérrez, J.; Mínguez, C. Identification of tourist hot spots based on social networks: A comparative analysis of European metropolises using photosharing services and GIS. *Appl. Geogr.* **2016**, *63*, 408–417. [[CrossRef](#)]
46. Erener, A.; Mutlu, A.; Düzgün, S. A comparative study for landslide susceptibility mapping using GIS-based multi-criteria decision making analysis (MCDA), logistic regression (LR) and association rule mining (ARM). *Eng. Geol.* **2016**, *203*, 45–55. [[CrossRef](#)]
47. Podviezko, A.; Podvezko, V. Influence of Data Transformation on Multicriteria Evaluation Result. *Procedia Eng.* **2015**, *122*, 151–157. [[CrossRef](#)]
48. Palevicius, V.; Grigonis, V.; Podviezko, A.; Barauskaite, G. Developmental analysis of park-and-ride facilities in Vilnius. *PROMET Traffic Transp.* **2016**, *28*, 165–178. [[CrossRef](#)]
49. Parfenova, L.; Pugachev, A.; Podviezko, A. Comparative analysis of tax capacity in regions of Russia. *Technol. Econ. Dev. Econ.* **2016**, *22*, 905–925. [[CrossRef](#)]
50. Podviezko, A.; Podvezko, V. Absolute and Relative Evaluation of Socio-Economic Objects Based on Multiple Criteria Decision Making Methods. *Eng. Econ.* **2014**, *25*, 522–529. [[CrossRef](#)]
51. Ginevicius, R.; Podvezko, V.; Podviezko, A. Evaluation of Isolated Socio-Economical Processes by a Multi-Criteria Decision Aid Method ESP. In Proceedings of the 7th International Scientific Conference “Business and Management”, Vilnius, Lithuania, 10–11 May 2012.
52. Markevicius, N.; Podviezko, A. Trademarks, Trade Names and Brands as A Measure of Local, Regional and Global Competition. In Proceedings of the 8th International Days of Statistics and Economics, Prague, Czech Republic, 11–13 September 2014.
53. Saaty, T.L. *Decision Making for Leaders: The Analytical Hierarchy Process for Decisions in a Complex World*; University of Pittsburgh: Pittsburgh, PA, USA, 1988.
54. Podviezko, A. Use of multiple criteria decision aid methods in case of large amounts of data. *Int. J. Bus. Emerg. Mark.* **2015**, *7*, 155. [[CrossRef](#)]
55. Burinskienė, M.; Rudzkienė, V. Future insights, scenarios and expert method application in sustainable territorial planning. *Technol. Econ. Dev. Econ.* **2009**, *15*, 10–25. [[CrossRef](#)]
56. Nishisato, S. *The SAGE Handbook of Quantitative Methodology for the Social Sciences*; Kaplan, D., Ed.; SAGE Publications Inc.: Thousand Oaks, CA, USA, 2004; pp. 3–25.
57. Turrof, M.; Helmer, O. *The Delphi Method Techniques and Applications*; Addison-Wesley Educational Publishers Inc.: Boston, MA, USA, 2002.
58. Podvezko, V. Application of AHP technique. *J. Bus. Econ. Manag.* **2009**, *10*, 181–189. [[CrossRef](#)]
59. Jacquet-Lagrange, E.; Siskos, J. Assessing a set of additive utility functions for multicriteria decision-making, the UTA method. *Eur. J. Oper. Res.* **1982**, *10*, 151–164. [[CrossRef](#)]

60. Kilgour, D.M.; Chen, Y.; Hipel, K.W. Multiple Criteria Approaches to Group Decision and Negotiation. In *Trends in Multiple Criteria Decision Analysis*; Ehrgott, M., Figueira, J.R., Greco, S., Eds.; Springer: Boston, MA, USA, 2010; pp. 317–338.
61. Kendall, M.G.; Gibbons, J.D. *Rank Correlation Methods*; Oxford University Press: New York, NY, USA, 1990.
62. Theobald, D.M. Development and Applications of a Comprehensive Land Use Classification and Map for the US. *PLoS ONE* **2014**, *9*, e94628. [[CrossRef](#)] [[PubMed](#)]
63. Stillwell, J.; Scholten, H.J. *Land Use Simulation for Europe*; Springer: Dordrecht, The Netherlands, 2001.
64. Vilniaus Miesto Savivaldybės Teritorijos Bendrasis Planas iki 2015 Metų. S. Motieka. Municipality Embassy “Vilniaus planas”. Vilnius, 2007. Available online: <http://www.vilnius.lt> (accessed on 29 October 2016).
65. United Nations ESCAP. *A Guidebook on Public-Private Partnership in Infrastructure*; United Nations, Economic and Social Commission for Asia and the Pacific: Bangkok, Thailand, 2011; pp. 10–11.
66. Habibi, A.; Jahantigh, F.F.; Sarafrazi, A. Fuzzy Delphi Technique for Forecasting and Screening Items. *Asian J. Res. Bus. Econ. Manag.* **2015**, *5*, 130–143. [[CrossRef](#)]
67. Hwang, C.-L.; Lin, M.-J. *Group Decision Making under Multiple Criteria*; Springer: Berlin, Germany, 1987.
68. Chen, Y.; Hipel, K.W.; Kilgour, D.M.; Zhu, Y. A strategic classification support system for brownfield redevelopment. *Environ. Model. Softw.* **2009**, *24*, 647–654. [[CrossRef](#)]
69. Maliene, V.; Durney-Knight, N.; Sertysisilik, B.; Malys, N. Challenges and Opportunities in Developing Sustainable Communities in the North West of England. *Challenges* **2012**, *3*, 133–152. [[CrossRef](#)]
70. Zavadskas, E.K.; Cavallaro, F.; Podvezko, V.; Ubarte, I.; Kaklauskas, A. MCDM Assessment of a Healthy and Safe Built Environment According to Sustainable Development Principles: A Practical Neighborhood Approach in Vilnius. *Sustainability* **2017**, *9*, 702. [[CrossRef](#)]



© 2017 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).