Supplementary Materials: COVID-19 Pandemic: Impacts on Air Quality during Partial Lockdown in the Metropolitan Area of São Paulo

Figure S1. Average hourly temperature for MASP during April-May of 2017-2019 (pre-pandemic) and 2020 (during the pandemic), from AQMS at Pq. Dom Pedro and Sao Caetano do Sul.

Figure S2. Average hourly relative humidity for MASP during April-May of 2017-2019 (pre-pandemic) and 2020 (during the pandemic), from AQMS at Pq. Dom Pedro and Sao Caetano do Sul.

Figure S3. Average hourly wind speed for MASP during April-May of 2017-2019 (pre-pandemic) and 2020 (during the pandemic), from AQMS at Pq. Dom Pedro and Sao Caetano do Sul.

Figure S4. Average hourly global solar radiation for MASP during April-May of 2017-2019 (pre-pandemic) and 2020 (during the pandemic), from AQMS at Pq. Dom Pedro.

Figure S5. Total monthly precipitation for MASP during April-May of 2017-2019 (pre-pandemic) and 2020 (during the pandemic) from INMET data.

Figure S6. Comparison of monthly average AOD (550 nm) during April and May of 2020 (pandemic) and during the same period of 2017, 2018, 2019 (pre- pandemic) from AERONET versus MERRA-2 data.