

Supplementary Table S1. Neuropsychological tests

Variable	BMI <22 (n=17)	BMI ≥22 (n=26)	P- value
K-MMSE			
K-MMSE, orientation to time	4.5 (0.7)	4.5 (0.8)	0.951
K-MMSE, orientation to place	4.9 (0.2)	5.0 (0.2)	0.898
K-MMSE, attention and calculation	3.7 (1.4)	3.8 (1.3)	0.784
K-MMSE, recall	2.0 (0.9)	2.1 (0.8)	0.464
K-MMSE, drawing	0.8 (0.4)	0.8 (0.4)	0.746
K-MMSE, total score	26.4 (2.9)	27.1 (2.4)	0.248
Attention			
RCFT copy scores	72.1 (25.9)	62.8 (33.6)	0.162
Language			
Calculation total score	9.7 (2.5)	10.2 (2.5)	0.417
Memory			
SVLT recall total score	18.2 (5.4)	18.0 (4.4)	0.884
SVLT delayed recall	6.4 (2.7)	6.1 (2.5)	0.575
SVLT recognition score	19.7 (4.1)	18.0 (4.6)	0.085
RCFT immediate recall	16.7 (9.5)	16.7 (8.4)	0.989
RCFT delayed recall	15.7 (9.1)	17.4 (7.3)	0.360
RCFT recognition score	18.8 (3.0)	17.6 (3.8)	0.127

K-MMSE, Korea-mini mental status examination; SVLT, Seoul-verbal learning test; RCFT, Ray-complex figure test;