

Table S1. All-Cause 90-Day Mortality Assessment Using the American Society of Anesthesiologists Physical Status Classification Among Patients with Hepatocellular Carcinoma Undergoing Major Hepatectomy.

ASA Cumulative Scores	Major Hepatectomy		90-Day Mortality Rate after Major Hepatectomy
	Survivors	Deaths	
1	3199	195	6.10%
2	20343	783	3.85%
3	29414	893	3.04%
4	7294	854	11.71%

Table S2. All-Cause 90-Day Mortality Assessment Using the Charlson Comorbidity Index Scores Among Patients with Hepatocellular Carcinoma Undergoing Major Hepatectomy.

CCI Cumulative Scores	Major Hepatectomy		90-Day Mortality Rate after Major Hepatectomy
	Survivors	Deaths	
0	4812	258	5.36%
1	1829	25	1.37%
2	9156	276	3.01%
3	5571	217	3.90%
4	3595	166	4.62%
5	8061	270	3.35%
6	8464	300	3.54%
7	3150	207	6.57%
8	9598	454	4.73%
9	1996	183	9.17%
10	1697	134	7.90%
11	1108	99	8.94%
12	649	57	8.78%
13	326	40	12.27%
14	168	28	16.67%
15+	70	11	15.71%




Figure S1. Kaplan–Meier Survival Curve for 90-Day Mortality for Four American Society of Anesthesiologists Physical Status Classification Groups. Note: P (log-rank test) = 0.00059.




Figure S2. Kaplan–Meier Survival Curve for 90-Day Mortality for Two Charlson Comorbidity Index Score Groups. Note: P (log-rank test) < 0.0001 .




Figure S3. Kaplan–Meier 5-Year Survival Curve for Long-Term Mortality Rate of Four American Society of Anesthesiologists Physical Status Classification groups. Note: P (log-rank test) < 0.0001 .




Figure S4. Kaplan–Meier 5-Year Survival Curve for Long-Term Mortality Rate of Two Charlson Comorbidity Index Score Groups. Note: P (log-rank test) < 0.0001 .