

Supplementary Materials

Indole C6 Functionalization of Tryprostatin B Using Prenyltransferase CdpNPT

Eric D. Gardner ¹, Dustin A. Dimas ¹, Matthew C. Finneran ^{1, †}, Sara M. Brown ¹, Anthony W. Burgett ² and Shanteri Singh ^{1,*}

¹ Department of Chemistry and Biochemistry, University of Oklahoma; Norman, OK 73019, USA;
ericgardner@ou.edu (E.D.G.); Dustin.Dimas-1@ou.edu (D.A.D.); mcfinner@umich.edu (M.C.F.);
Sara.M.Brown-1@ou.edu (S.M.B.)

² Department of Pharmaceutical Sciences, University of Oklahoma; Oklahoma City, OK 73117, USA;
Anthony-Burgett@ouhsc.edu

* Correspondence: Shanteri.singh@ou.edu

† Neuroscience Graduate Program, University of Michigan Medical School, Ann Arbor, MI 48109, USA

Table of contents

1.	Figure S1: Analytical Scale CdpNPT Screening HPLC Traces.....	S2
2.	Table S1: Raw HPLC data for analytical scale TPS reactions.....	S3
3.	Figure S2: Cytotoxicity GI50 dose-response curves.....	S4
4.	Table S2: HRMS data of positive reactions in TPS enzyme screening.....	S5
5.	Figure S3: Representative NMR correlations for structural assignment.....	S6
6.	Table S3: NMR assignments of all purified TPS analogs.....	S6-S9
7.	NMR spectra of TPS analogs.....	S10-S50
	a. NMR spectra for TPS-A	S10
	b. NMR spectra for TPS-B	S11
	c. NMR spectra for TPS-2	S12-S16
	d. NMR spectra for TPS-7	S17-S20
	e. NMR spectra for TPS-16	S21-S23
	f. NMR spectra for TPS-24	S24-S27
	g. NMR spectra for TPS-25	S28-S30
	h. NMR spectra for TPS-46	S31-S34
	i. NMR spectra for TPS-52	S35-S37
	j. NMR spectra for TPS-58	S38-S41
	k. NMR spectra for TPS-61	S42-S43
	l. NMR spectra for TPS-62	S44-S46
	m. NMR spectra for TPS-65	S47-S50
8.	Raw HRMS data of TPS analogs.....	S51-S77

Analytical Scale CdpNPT Screening HPLC Traces




Figure S1. HPLC traces of analytical scale reactions containing TPS-B and CdpNPT under standard reaction conditions. Numerical labels indicate the alkyl-PP used in that reaction. TPS-B standard and enzymatic control reaction without the donor are indicated. The TPS-B used in these screenings is ~95% pure based on HPLC.

Table S1. Calculated percent turnover determined by HPLC in duplicate. Percent turnover was calculated by dividing the sum of all TPS-B and product peak areas by the peak area of remaining TPS-B.

Opp #	Trial 1 % Turnover	Trial 2 % Turnover	Mean % Turnover	Std Dev.
2	80.93	85.40	83.17	2.23
6	18.32	21.34	19.83	1.51
7	99.15	99.95	99.55	0.40
8	30.72	32.12	31.42	0.70
9	28.13	31.64	29.88	1.76
10	74.84	76.86	75.85	1.01
11	71.88	78.25	75.06	3.19
13	25.83	30.50	28.16	2.33
16	35.52	35.28	35.40	0.12
18	12.45	13.51	12.98	0.53
19	12.63	14.44	13.54	0.90
22	5.60	6.34	5.97	0.37
24	80.40	52.77	66.59	13.81
25	52.97	58.86	55.91	2.95
26	24.63	26.63	25.63	1.00
27	7.36	8.00	7.68	0.32
34	7.45	8.79	8.12	0.67
46	57.66	64.90	61.28	3.62
52	69.94	75.40	72.67	2.73
58	89.96	92.27	91.11	1.15
61	16.45	18.73	17.59	1.14
62	36.29	38.85	37.57	1.28
65	87.13	90.40	88.76	1.64
66	20.38	24.08	22.23	1.85




Figure S2. Cytotoxicity assay results for TPS analogs run in triplicate against K563 leukemia cells, with TPS-A, TPS-B, and Taxol as positive controls.

Table S2. HRMS data of the TPS analogs produced by CdpNPT and their corresponding alkyl donor

TPSB analog	Formula	Calculated Mass	Observed Mass
TPS-A	C ₂₂ H ₂₇ N ₃ O ₃ [M+H] ⁺	382.2125	382.2133
TPS-B	C ₂₁ H ₂₅ N ₃ O ₂ [M+H] ⁺	352.20194	352.203
TPS-2	C ₂₆ H ₃₃ N ₃ O ₂ [M+H] ⁺	420.26453	420.2659
TPS-6	C ₂₆ H ₃₁ N ₃ O ₂ [M+H] ⁺	418.241627	418.2498
TPS-7	C ₂₇ H ₃₅ N ₃ O ₂ [M+H] ⁺	434.272927	434.2819
TPS-8	C ₂₇ H ₃₃ N ₃ O ₂ [M+H] ⁺	432.257277	432.265
TPS-9	C ₂₇ H ₃₃ N ₃ O ₂ [M+H] ⁺	432.257277	432.2652
TPS-10	C ₂₈ H ₃₇ N ₃ O ₂ [M+H] ⁺	448.288577	448.2971
TPS-11	C ₂₈ H ₃₇ N ₃ O ₂ [M+H] ⁺	448.288577	448.2964
TPS-13	C ₂₈ H ₃₅ N ₃ O ₂ [M+H] ⁺	446.272927	446.2809
TPS-16	C ₂₇ H ₃₃ N ₃ O ₂ [M+H] ⁺	432.257277	432.2653
TPS-18	C ₂₈ H ₃₅ N ₃ O ₂ [M+H] ⁺	446.272927	446.2810
TPS-19	C ₂₉ H ₃₉ N ₃ O ₂ [M+H] ⁺	462.304226	462.3118
TPS-22	C ₂₉ H ₃₇ N ₃ O ₂ [M+H] ⁺	460.288577	460.2964
TPS-24	C ₃₀ H ₃₃ N ₃ O ₂ [M+H] ⁺	468.26453	468.2651
TPS-25	C ₃₁ H ₃₅ N ₃ O ₂ [M+H] ⁺	482.28018	482.2802
TPS-26	C ₃₁ H ₃₅ N ₃ O ₃ [M+H] ⁺	498.267842	498.2758
TPS-27	C ₂₉ H ₃₅ N ₃ O ₂ [M+H] ⁺	458.272927	458.2814
TPS-34	C ₂₇ H ₃₄ N ₆ O ₂ [M+H] ⁺	475.274324	475.2823
TPS-46	C ₂₉ H ₃₃ N ₃ O ₂ [M+H] ⁺	456.26453	456.2655
TPS-52	C ₂₉ H ₃₃ N ₃ O ₃ [M+H] ⁺	472.25945	472.2602
TPS-58	C ₂₉ H ₃₁ N ₃ O ₄ [M+H] ⁺	486.23871	486.2389
TPS-61-P1	C ₂₆ H ₂₉ N ₃ O ₃ [M+H] ⁺	432.22815	432.2292
TPS-61-P2	C ₂₆ H ₂₉ N ₃ O ₃ [M+H] ⁺	432.22815	432.2294
TPS-62	C ₂₆ H ₂₉ N ₃ O ₂ S [M+H] ⁺	448.20531	448.2061
TPS-65	C ₃₀ H ₃₁ N ₃ O ₃ [M+H] ⁺	482.2438	482.2442
TPS-66	C ₃₀ H ₃₁ N ₃ O ₂ S [M+H] ⁺	498.213699	498.2216





Table S3. Tryprostatin Analog NMR Assignment Table

TPS-65


— = COSY ↗ = HMBC

Segment	Position	δC (in ppm), type	δH (in ppm)
L-Trp	NH		5.62 (s)
	α	54.5, CH	4.33 (dd)
	β	25.6, CH ₂	2.93 (m), 3.66 (d)
	1	136.5, C	7.98 (s)
	2	104.5, C	
	3	126.8, C	
	3a	117.9, CH	7.4 (d)
	4	121.3, CH	7.04 (d)
	5	131.0, C	
	6	111.1, CH	7.21 (s)
Proline	7	136.1, C	
	7a		
	C=O		
	α	59.3, CH	4.04 (t)
	β	28.4, CH ₂	2.02 (m), 2.32 (dt)
C2-Prenyl	γ	22.7, CH ₂	1.89 (m), 2.02 (m)
	δ	45.4, CH ₂	3.58 (m), 3.65 (m)
	C=O	165.8, C	
	1'	25.1, CH ₂	3.44 (qd)
	2'	119.8, CH	5.28 (m)
C6-Sub	3'	135.5, C	
	4'	18.0, CH ₃	1.73 (s)
	5'	25.8, CH ₃	1.76 (s)
	1''	35.2, CH ₂	4.18 (s)
	2''	158.6, C	
	3''	103.3, CH	6.36 (s)
	3a''	128.9, C	
	4''	111.0, CH	7.38 (d)



Figure S3: Representative NMR correlations used to assign TPS analogs



Segment	Position	TPS-2		TPS-7		TPS-16	
		δ C, type	δ H	δ C, type	δ H	δ C, type	δ H
L-Trp	NH		5.61 (s)		5.61 (s)		5.61 (s)
	α	54.6, CH	4.36 (m)	54.6, CH	4.34 (dd)	54.6, CH	4.35 (dd)
	β	25.5 CH ₂	2.93 (dd), 3.66 (m)	25.6, CH ₂	2.92 (dd), 3.64 (m)	25.7, CH ₂	2.93 (dd), 3.65 (m)
	1		7.82 (s)		7.81 (s)		
	2						
	3						
	3a						
	4	117.7, CH	7.37 (d)	117.6, CH	7.37 (d)	117.6, CH	7.38 (d)
	5	121, CH	6.94 (d)	121.0, CH	6.94 (d)	121.1, CH	6.94 (d)
	6						
Proline	7	110.1, CH	7.12 (s)	110.1, CH	7.11 (s)	110.5, CH	7.13
	7a						
	C=O						
	α	59.3, CH	4.05 (t)	59.6, CH	4.05 (t)	59.3, CH	4.06 (t)
	β	28.4, CH ₂	2.05 (m), 2.35 (m)	28.3, CH ₂	2.04 (m), 2.33 (m)	28.4, CH ₂	2.05 (m), 2.35 (m)
C2-Prenyl	γ	22.7, CH ₂	1.92 (m), 2.05 (m)	22.6, CH ₂	1.91 (m), 2.04 (m)	22.9, CH ₂	1.92 (m), 2.05 (m)
	δ	45.5, CH ₂	3.59 (m), 3.70 (m)	45.4, CH ₂	3.59 (m), 3.67 (m)	45.4, CH ₂	3.59 (m), 3.68 (m)
	1'	25.2, CH ₂	3.46 (d)	25.1, CH ₂	3.45 (m)	25.2, CH ₂	3.46 (m)
	2'	119.8, CH	5.31 (t)	119.8, CH	5.29 (t)	119.6, CH	5.31 (t)
	3'						
C6-Sub	4'	17.8, CH ₃	1.75 (s)	18.0, CH ₃	1.74 (s)	18.0, CH ₃	1.75 (s)
	5'	25.7, CH ₃	1.76 (s)	25.7, CH ₃	1.78 (s)	25.8, CH ₃	1.79 (s)
	1''	36.5, CH ₂	3.42 (d)	34.3, CH ₂	3.44 (m)	39.1, CH ₂	3.48 (m)
	2''	124.2, CH	5.37 (t)	122.3, CH	5.36	131.0, CH	5.72 (dt)
	3''					131.4, CH	6.06 (m)
	4''	17.8, CH ₃	1.75 (s)	32.4, CH ₂	2.05 (q)	131.4, CH	6.06 (m)
	5''	25.7, CH ₃	1.79 (s)	12.7, CH ₃	1.02 (t)	127.7, CH	5.63 (m)
	6''			16.0, CH ₃	1.73 (s)	18.0, CH ₃	1.73 (d)




		TPS-24		TPS-25		TPS-46	
Segment	Position	δ C, type	δ H	δ C, type	δ H	δ C, type	δ H
L-Trp	NH		5.62 (s)		5.5 (s)		5.6 (s)
	α	54.5, CH	4.35 (dd)	54.7, CH	4.36 (dd)	54.5, CH	4.34 (dd)
	β	25.7, CH ₂	2.92 (m), 3.66 (m)	25.7, CH ₂	2.93 (dd), 3.64 (m)	25.7, CH ₂	2.91 (m), 3.65 (m)
	1		7.95 (s)		7.83 (s)		7.87 (s)
	2	135.9, C				136.0, C	
	3	104.4, C				104.4, C	
	3a	126.5, C				126.3, C	
	4	117.5, CH	7.40 (d)	117.8, CH	7.39 (d)	117.6, CH	7.36 (d)
	5	120.9, CH	6.99 (d)	121.1, CH	6.99 (dd)	121.3, CH	6.95 (d)
	6	134.1, C				135.7, C	
	7	110.5, CH	7.17 (s)	110.3, CH	7.17 (s)	110.9, CH	7.06 (s)
	7a	135.9, C					
Proline	C=O						
	α	59.2, CH	4.04 (t)	59.3, CH	4.05 (t)	59.3, CH	4.04 (t)
	β	28.4, CH ₂	2.02 (m), 2.32 (dt)	28.4, CH ₂	2.03 (m), 2.33 (dt)	28.3, CH ₂	2.02 (m), 2.32 (dt)
	γ	22.8, CH ₂	1.89 (m), 2.02 (m)	22.7, CH ₂	1.91 (m), 2.03 (m)	22.6, CH ₂	1.90 (m), 2.02 (m)
	δ	45.4, CH ₂	3.58 (m), 3.66 (m)	45.5, CH ₂	3.58 (m), 3.67 (m)	45.4, CH ₂	3.58 (m), 3.66 (m)
	C=O	165.9, C				165.9, C	
C2-Prenyl	1'	25.2, CH ₂	3.44 (qd)	25.2, CH ₂	3.45 (m)	25.0, CH ₂	3.43 (qd)
	2'	119.6, CH	5.29 (t)	119.9, CH	5.29 (t)	119.8, CH	5.26 (t)
	3'	135.4, C				135.4, C	
	4'	18.0, CH ₃	1.73 (s)	18.0, CH ₃	1.74 (s)	17.9, C	1.72 (s)
	5'	25.8, CH ₃	1.76 (s)	25.8, CH ₃	1.78 (s)	25.7	1.76 (s)
C6-Sub	1''	39.5, CH ₂	3.62 (d)	35.2, CH ₂	3.65 (d)	41.7, CH ₂	4.02 (s)
	2''	130.2, CH	6.44 (m)	127.4, CH	6.02 (t)	128.9, CH	7.08 (s)
	3''	129.2, CH	6.4 (m)			128.9, CH	7.08 (s)
	4''	137.7, C		125.8, CH	7.41 (m)	21.0, CH ₃	2.30 (s)
	5''	125.9, CH	7.35 (d)	128.2, CH	7.29 (t)	128.9, CH	7.08 (s)
	6''	128.2, CH	7.27 (t)	126.7, CH	7.21 (t)	128.9, CH	7.08 (s)
	7''	126.8, CH	7.18 (t)	128.2, CH	7.29 (t)		
	8''	128.2, CH	7.27 (t)	125.8, CH	7.41 (m)		
	9''	125.9, CH	7.35 (d)	16.0, CH ₃	2.16 (s)		




Segment	Position	TPS-52		TPS-58		TPS-61	TPS-62	
		δC , type	δH	δC , type	δH	δH	δH	δC , type
L-Trp	NH		5.62 (s)			5.60 (s)	5.61 (s)	
	α	54.5, CH	4.33 (dd)	54.5, CH	4.33 (dd)	4.35 (d)	4.36 (dd)	54.6, CH
	β	25.0, CH ₂	2.91 (dd), 3.64 (m)	25.7, CH ₂	2.91 (m), 3.63 (d)	2.93 (m), 3.66 (m)	2.93 (dd), 3.63 (m)	25.5, CH ₂
	1		7.82 (s)		7.91 (s)	7.86 (s)	7.85 (s)	
	2			136.0, C				
	3			104.5, C				
	3a			126.3, C				
	4	117.7, CH	7.37 (d)	117.5, CH	7.37 (d)	7.40 (d)	7.40 (d)	117.7, CH
	5	121.2, CH	6.95 (d)	121.1, CH	6.93 (dd)	7.00 (d)	7.02 (dd)	121.1, CH
	6			135.6, C				
Proline	7	110.6, CH	7.05 (s)	110.7, CH	7.07 (s)	7.16 (s)	7.16 (s)	110.7, CH
	7a			136.1, C				
	C=O							
	α	59.7, CH	4.04 (t)	59.3, CH	4.04 (t)	4.05 (s)	4.05 (t)	59.3, CH
	β	28.5, CH ₂	2.03 (m), 2.32 (m)	28.4, CH ₂	2.02 (m), 2.32 (dt)	2.04 (m), 2.33 (m)	2.03 (m), 2.31 (m)	28.5, CH ₂
C2-Prenyl	γ	22.6, CH ₂	1.90 (m), 2.03 (m)	22.7, CH ₂	1.89 (m), 2.02 (m)	1.90 (m), 2.33 (m)	1.89 (m), 2.01 (m)	22.8, CH ₂
	δ	45.4, CH ₂	3.58 (m), 3.66 (m)	45.4, CH ₂	3.58 (m), 3.66 (m)	3.60 (m), 3.66 (m)	3.58 (t), 3.67 (m)	45.4, CH ₂
	C=O			165.9, C				
	1'	25.2, CH ₂	3.43 (m)	25.2, CH ₂	3.43 (qd)	3.45 (m)	3.44 (t)	25.0, CH ₂
	2'	119.5, CH	5.28 (t)	119.8, CH	5.27 (m)	5.29 (t)	5.30 (t)	119.7, CH
C6-Sub	3'			135.5, C				
	4'	18.1, CH ₃	1.73 (s)	18.1, CH ₃	1.73 (s)	1.74 (s)	1.74 (s)	17.7, CH ₃
	5'	25.7, CH ₃	1.76 (s)	25.9, CH ₃	1.76 (s)	1.78 (s)	1.78 (s)	25.8, CH ₃
	1''	41.1, CH ₂	4.00 (s)	41.8, CH	3.96 (s)	4.05 (s)	4.23 (s)	36.3, CH ₂
	2''	129.7, CH	7.11 (d)	109.2, CH	6.66 (m)	6.00 (d)	6.81 (dd)	125.1, CH
	3''	113.8, CH	6.81 (d)	145.7, C		6.28 (d)	6.92 (dd)	126.8, CH
	4''	113.8, CH	6.81 (d)	147.5, C		7.32 (s)	7.13 (dd)	123.9, CH
	5''	129.7, CH	7.11 (d)	108.0, CH	6.71 (d)			
	6''	55.2, CH ₃	3.77 (s)	121.5, CH	6.66 (m)			
	7''			100.8, CH ₂	5.88 (s)			

NMR Spectra for Tryprostatin Analogs:




¹H NMR spectrum (500 MHz) of TPS-A in CDCl₃




^1H NMR spectrum (400 MHz) of TPS-B in CDCl_3


EDG-TPS-2-F55-Major_PROTON_01
EDG-TPS-2-F55-Major



^1H NMR spectrum (500 MHz) of TPS-2-C6 in CDCl₃




COSY NMR spectrum (500 MHz) of **TPS-2-C6** in CDCl_3




HSQC NMR spectrum (500 MHz) of TPS-2-C6 in CDCl_3

TPS-2-F22_minor_PROTON_02
TPS-2-F22_minor



^1H NMR spectrum (500 MHz) of TPS-2-C5 in CDCl_3

EDG-TPS-2-F55-Major_PROTON_01
EDG-TPS-2-F55-Major



N1 (s)


TPS-2-C6

H4 (d)

H7 (s)

H5 (d)

TPS-2-F22_minor_PROTON_02
TPS-2-F22_minor




N1 (s)

TPS-2-C5


H4 (s)

H7 (d)


H6 (d)




Stacked ^1H NMR Spectra (500 MHz) of isolated TPS-2 regioisomers in CDCl_3



¹H NMR spectrum (500 MHz) of TPS-7 in CDCl₃




COSY spectrum (500 MHz) of **TPS-7** in CDCl_3




HSQC NMR spectrum (500 MHz) of **TPS-7** in CDCl_3

EDG-TPS-3-F51_PROTON_02
EDG-TPS-3-F51




¹H NMR spectrum (500 MHz) of TPS-7-C5 (minor product) in CDCl₃.


TPS-18_F22_V2_PRESAT_01
TPS-18_F22_V2



^1H PRESAT NMR spectrum (500 MHz) of **TPS-16** in CDCl_3




COSY NMR spectrum (500 MHz) of **TPS-16** in CDCl_3




HSQC NMR spectrum (500 MHz) of **TPS-16** in CDCl_3


TryprostatinB-14-CrudeExtract_PROTON_01
TryprostatinB-14-CrudeExtract




^1H NMR spectrum (600 MHz) of TPS-24 in CDCl_3



COSY NMR spectrum (600 MHz) of **TPS-24** in CDCl_3




HSQC NMR spectrum (600 MHz) of TPS-24 in CDCl₃




HMBC NMR spectrum (600 MHz) of **TPS-24** in CDCl₃


TPS-B_7-OPP_PROTON_GOOD
TPS-B_7-OPP



^1H NMR spectrum (500 MHz) of TPS-25 in CDCl_3




COSY NMR spectrum (500 MHz) of **TPS-25** in CDCl₃




HSQC NMR spectrum (500 MHz) of **TPS-25** in CDCl₃


TryprostatinB-44-CrudeExtract_PROTON_01
TryprostatinB-44-CrudeExtract




^1H NMR spectrum (600 MHz) of TPS-46 in CDCl_3




COSY NMR spectrum (600 MHz) of **TPS-46** in CDCl₃




HSQC NMR spectrum (600 MHz) of **TPS-46** in CDCl₃




EDG_Tryprostatin_B_41-OPP_HPLC_Good_PROTON_01
EDG_Tryprostatin_B_41-OPP_HPLC_Good



¹H NMR spectrum (600 MHz) of TPS-52 in CDCl₃




COSY NMR spectrum (600 MHz) of **TPS-52** in CDCl_3




HSQC NMR spectrum (600 MHz) of TPS-52 in CDCl_3


TryprostatinB-EDG46-CrudeExtract_PROTON_01
TryprostatinB-EDG46-CrudeExtract




¹H NMR Spectrum (600 MHz) of TPS-58 in CDCl₃



COSY NMR spectrum (600 MHz) of **TPS-58** in CDCl_3




HSQC NMR spectrum (600 MHz) of TPS-58 in CDCl_3




HMBC NMR spectrum (600 MHz) of **TPS-58** in CDCl₃


TPS-B-70-Peak1_HPLC_PROTON_02
TPS-B-70-Peak1_HPLC




^1H NMR spectrum (500 MHz) of TPS-61 in CDCl_3




Stacked ^1H spectra of **TPS-61** fractions after partial purification. The top spectrum displays the H7 doublet and H4 singlet indicative of C-5 alkylation as a minor reaction product. The bottom spectrum is the purified C6 alkylated major product.



^1H NMR spectrum (500 MHz) of **TPS-62** in CDCl_3 . The minor C5 alkylated product is 20% of the products based on integrations.




COSY NMR spectrum (500 MHz) of **TPS-62** in CDCl_3




HSQC NMR spectrum (500 MHz) of TPS-62 in CDCl₃


TryprostatinB-AB2-8-CrudeExtract_PROTON_01
TryprostatinB-AB2-8-CrudeExtract




^1H NMR spectrum (600 MHz) of TPS-65 in CDCl_3



COSY NMR spectrum (600 MHz) of **TPS-65** in CDCl_3



HSQC NMR spectrum (600 MHz) of TPS-65 in CDCl₃



HMBC NMR spectrum (600 MHz) of TPS-65 in CDCl₃


TPS-A
Gardner

12923SS-N-002 27 (1.032) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 13:10:16

1: TOF MS ES+
2.13e6



HRMS of TPS-A


TPS-B
Gardner

12923SS-O-002 27 (1.033) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-SI#UGA589

22-Aug-2019 13:21:31

1: TOF MS ES+
2.74e7



HRMS of TPS-B


TPS-2
Gardner

12923SS-M-002 28 (1.065) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-SI#UGA589

22-Aug-2019 12:59:28

1: TOF MS ES+
3.40e7



HRMS of TPS-2


TPS-17
Gardner

13077SS-021 27 (1.033) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00); Cm (27:30)

SYNAPTG2-Si#UGA589

24-Jul-2020 14:18:06

1: TOF MS ES+
3.54e6



HRMS of TPS-6


V-3
Gardner

13104SS-003 28 (1.066) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-SI#UGA589

21-Aug-2020 13:00:18

1: TOF MS ES+
1.70e7



HRMS of TPS-7


TPS-19
Gardner

13077SS-029 27 (1.033) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00). Cm (27:30)

SYNAPTG2-Si#UGA589

24-Jul-2020 14:46:49

1: TOF MS ES+
2.39e6



HRMS of TPS-8


TPS-22
Gardner

13077SS-033 28 (1.066) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00); Crn (28:30)

SYNAPTG2-Si#UGA589

24-Jul-2020 15:01:35

1: TOF MS ES+
2.75e6




TPS-63
Gardner

13077SS-045 28 (1.066) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00); Cm (27:30)

SYNAPTG2-Si#UGA589

24-Jul-2020 15:45:08

1: TOF MS ES+
4.84e6



HRMS of TPS-10


TPS-4
Gardner

13077SS-008 28 (1.066) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00). Cm (28:30)

SYNAPTG2-SI#UGA589

24-Jul-2020 12:55:54

1: TOF MS ES+
3.49e6



HRMS of TPS-11


TPS-6
Gardner

1307SS-013 28 (1.065) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00); Crm (28.30)

SYNAPTG2-Si#UGA589

24-Jul-2020 13:48:56

1: TOF MS ES+
2.41e6



HRMS of TPS-13


TPS-18
Gardner

13077SS-025 28 (1.066) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00); Cm (28:30)

SYNAPTG2-SI#UGA589

24-Jul-2020 14:32:30

1: TOF MS ES+
4.53e6



HRMS of TPS-16


V-23
Gardner

13104SS-008 26 (0.963) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00); Cm (26:29)

SYNAPTG2-SI#UGA589

21-Aug-2020 14:02:48

1: TOF MS ES+
5.12e6



HRMS of TPS-18


TPS-60
Gardner

13077SS-041 27 (1.032) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00); Cm (27:31)

SYNAPTG2-Si#UGA589

24-Jul-2020 15:30:15

1: TOF MS ES+
1.95e6



HRMS of TPS-19


V-59
Gardner

13104SS-010 26 (0.963) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00); Cm (25:29)

SYNAPTG2-SI#UGA589

21-Aug-2020 14:10:52

1: TOF MS ES+
1.15e7



HRMS of TPS-22


TPS-14
Gardner

12923SS-A-002 31 (1.167) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 10:49:07

1: TOF MS ES+
2.08e7



HRMS of TPS-24


TPS-7
Gardner

12923SS-G-002 28 (1.066) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 11:54:22

1: TOF MS ES+
3.80e5



HRMS of TPS-25


V-15
Gardner

13104SS-012 29 (1.100) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-SI#UGA589

21-Aug-2020 14:20:38

1: TOF MS ES+
 $1.47\text{e}7$




V-32
Gardner

13104SS-014 26 (0.963) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00); Cm (25:29)

SYNAPTG2-SI#UGA589

21-Aug-2020 14:27:53

1: TOF MS ES+
1.04e7




V-36
Gardner

13104SS-016 26 (0.963) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00); Cm (25.29)

SYNAPTG2-SI#UGA589

21-Aug-2020 14:35:10

1: TOF MS ES+
7.93e6



HRMS of TPS-34

TPS-44


Gardner

12923SS-B-002 31 (1.167) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 11:00:00

1: TOF MS ES+
2.62e7



HRMS of TPS-46


TPS-41
Gardner

12923SS-E-002 30 (1.133) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 11:32:24

1: TOF MS ES+
1.81e7



HRMS of TPS-52


EDG-46
Gardner

12923SS-D-002 28 (1.065) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 11:21:38

1: TOF MS ES+
1.63e6



HRMS of TPS-58

TPS-70-P1


Gardner

12923SS-H-002 28 (1.066) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 12:05:09

1: TOF MS ES+
2.28e6



HRMS of TPS-61-P1

TPS-70-P2


Gardner

12923SS-I-002 30 (1.133) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-SI#UGA589

22-Aug-2019 12:15:57

1: TOF MS ES+
2.56e7




HRMS of TPS-61-P2

Thiopene
Gardner
12923SS-F-002 30 (1.133) AM (Cen.4, 80.00, Ar,10000.0.0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 11:43:37

1: TOF MS ES+
2.59e7




AB2-8
Gardner

12923SS-C-002 30 (1.133) AM (Cen,4, 80.00, Ar,10000.0,0.00,0.00)

SYNAPTG2-Si#UGA589

22-Aug-2019 11:10:51

1: TOF MS ES+
2.26e7



HRMS of TPS-65


TPS-67
Gardner

13077SS-049 27 (1.033) AM (Cen.4, 80.00, Ar,10000.0,0.00,0.00). Cm (27:31)

SYNAPTG2-SI#UGA589

24-Jul-2020 15:59:30

1: TOF MS ES+
2.31e6



HRMS of TPS-66