

Supplementary Materials

Nickel Foam-Supported Hierarchical NiCo₂S₄ Nanostructures as Efficient Electrocatalysts for the Methanol Oxidation Reaction

Dan Jin ¹, Wenting Cheng ², Shaoyun Wu ³, Zhen Li ^{4,*} and Zhenghua Wang ^{2,*}

1 School of Pharmacy, Wannan Medical College, Wuhu 241002, China;
jindan@wnmc.edu.cn

2 Key Laboratory of Functional Molecular Solids, Ministry of Education, College
of Chemistry and Materials Science, Anhui Normal University, Wuhu 241000, China;
2121011263@ahnu.edu.cn

3 Wuhu Medical and Health School, Wuhu 241100, China; ahxgx@163.com

4 College of Food Engineering, Anhui Science and Technology University,
Fengyang 233100, China

* Correspondence: lizhen@ahstu.edu.cn (Z.L.); zhwang@ahnu.edu.cn (Z.W.)




Figure S1. XRD pattern of the precursor.




Figure S2. CV curves of the NiS/Ni foam, Co₉S₈/Ni foam and NiCo₂S₄/Ni foam electrodes: (a) in 1 mol dm⁻³ KOH electrolyte; (b) in 1 mol dm⁻³ KOH electrolyte with 0.5 mol dm⁻³ methanol.