

From Waste to Catalyst: Transforming Mussel Shells into a Green Solution for Biodiesel Production from *Jatropha curcas* Oil

Halimah A. Alsabi ¹, Manal E. Shafi ^{2,*}, Suad H. Almasoudi ³, Faten A. M. Mufti ³, Safaa A. Alowaidi ¹,
Somia E. Sharawi ¹ and Alaa A. Alaswad ⁴

¹ Department of Biology, Faculty of Sciences, King Abdulaziz University, Jeddah 21589, Saudi Arabia;

halsabee@stu.kau.edu.sa (H.A.A.); saalowadhi@kau.edu.sa (S.A.A.);
sesharawi@kau.edu.sa (S.E.S.)

² Sustainable Agriculture Production Research Group, Department of Biological Sciences, Zoology,
King Abdulaziz University, Jeddah 21589, Saudi Arabia

³ Department of Biology, Faculty of Sciences, Umm Al-Qura University, Makkah, Saudi Arabia; shmasuadi@uqu.edu.sa (S.H.A.); famufti@uqu.edu.sa (F.A.M.M.)

⁴ Department of Biological Sciences, Faculty of Sciences, University of Jeddah, Jeddah, Saudi Arabia;
aalaswad@uj.edu.sa

* Correspondence: meshafi@kau.edu.sa

Supplementary figures:




Figure S1. Composition of methyl ester in biodiesel at different calcined catalyst temperature by GC-MS.