

Supplementary Materials

A Self-Assembled Hetero-Bimetallic [Ni(II)-Sm(III)] Coordination Polymer Constructed from a Salamo-Like Ligand and 4,4'-Bipyridine: Synthesis, Structural Characterization, and Properties


Ruo-Yan Li ^{1,2}, Xiao-Xin An ³, Ji-Fa Wang ³, Hao-Ran Mu ³, You-Peng Zhang ^{1,*}, Yang Zhang ³ and Wen-Kui Dong ^{3,*}

¹ School of Automation and Electrical Engineering, Lanzhou Jiaotong University, Lanzhou 730070, China; liruoyan@petrochina.com.cn

² PetroChina Lanzhou Huanqiu Petrochemical Engineering Company, Lanzhou 730060, China

³ School of Chemical and Biological Engineering, Lanzhou Jiaotong University, Lanzhou 730070, China; axx1873441338@163.com (X.-X.A.); wjf19951008@126.com (J.-F.W.); xiaoran3363@163.com (H.-R.M.); zhangy8124@163.com (Y.Z.)

* Correspondence: zhangyp@mail.lzjtu.cn (Y.-P.Z.); dongwk@mail.lzjtu.cn (W.-K.D.); Tel.: +86-931-4938-056 (Y.-P.Z.); Tel.: +86-931-4938-703 (W.-K.D.)






Figure S1. Mass spectrogram of Ni(II)-Sm(III) coordination polymer solution.