

Correction

# Correction: Park et al. Synergistic Effect of MWCNT and Carbon Fiber Hybrid Fillers on Electrical and Mechanical Properties of Alkali-Activated Slag Composites. *Crystals* 2020, 10, 1139

Hyeong Min Park <sup>1</sup>, Chanho Park <sup>1</sup>, Jinho Bang <sup>1</sup>, Minwook Lee <sup>2,\*</sup>  and Beomjoo Yang <sup>1,\*</sup>

<sup>1</sup> School of Civil Engineering, Chungbuk National University, 1 Chungdae-ro, Seowon-gu, Cheongju 28644, Korea; ei.pothic@gmail.com (H.M.P.); pch358925@naver.com (C.P.); snrnsnm202@cbnu.ac.kr (J.B.)

<sup>2</sup> Institute of Advanced Composite Materials, Korea Institute of Science and Technology (KIST), 92 Chudong-ro, Bongdong-eup, Wanju-gun 55324, Korea

\* Correspondence: mwlee0713@kist.re.kr (M.L.); byang@cbnu.ac.kr (B.Y.)

In the original article, there was a mistake in Figure 4, as published. Figure 4a,b has been represented as the same graph [1]. The corrected Figure 4 appears below. The authors apologize for any inconvenience caused and state that the scientific conclusions are unaffected. The original article has been updated.



**Citation:** Park, H.M.; Park, C.; Bang, J.; Lee, M.; Yang, B. Correction: Park et al. Synergistic Effect of MWCNT and Carbon Fiber Hybrid Fillers on Electrical and Mechanical Properties of Alkali-Activated Slag Composites. *Crystals* 2020, 10, 1139. *Crystals* 2022, 12, 583. <https://doi.org/10.3390/cryst12050583>

Received: 6 April 2022


Accepted: 15 April 2022

Published: 22 April 2022

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).



**Figure 4.** Compressive strength results of CF filler-incorporated AAS composites with (a) 0 wt.%, (b) 0.5 wt.%, and (c) 1.0 wt.% of CF.

## Reference

1. Park, H.M.; Park, C.; Bang, J.; Lee, M.; Yang, B. Synergistic effect of MWCNT and carbon fiber hybrid fillers on electrical and mechanical properties of alkali-activated slag composites. *Crystals* 2020, 10, 1139. [[CrossRef](#)]