

Supporting Information

Synthesis, Crystal Structure, and Anti-fungal Activity of Quinazolinone Derivatives

Rong Zeng ¹, Cong Huang ¹, Jie Wang ², Yuan Zhong ¹, QingWen Fang ¹, ShuZhen Xiao ², XuLiang Nie ², ShangXing Chen ^{1,*}, DaYong Peng ^{2,*}.

¹College of Forestry, East China Woody Fragrance and Flavor Engineering Research Center of National Forestry and Grassland Administration, Jiangxi Agricultural University, Nanchang 330045, China.

² College of Chemistry and Materials, Key Laboratory of Chemical Utilization of Plant Resources of Nanchang, East China Woody Fragrance and Flavor Engineering Research Center of National Forestry and Grassland Administration, Jiangxi Agricultural University, Nanchang 330045, China

* Correspondence: csxing@126.com (S.-X.C.); dayongpeng@163.com (D.-Y.P.)

1. Spectrums of compounds 2a~2d.....	3
--------------------------------------	---




Figure. S1 The ^1H NMR spectra Compound 2a




Figure. S2 The ^{13}C NMR spectra of Compound 2a




Figure. S3 The FT-IR spectra of Compound 2a




Figure. S4 The HRMS spectra of Compound 2a




Figure. S5 The ^1H NMR spectra Compound 2b




Figure. S6 The ^{13}C NMR spectra of Compound 2b




Figure. S7 The FT-IR spectra of Compound 2b




Figure. S8 The HRMS spectra of Compound 2b




Figure. S9 The ^1H NMR spectra Compound 2c




Figure. S10 The ^{13}C NMR spectra of Compound 2c




Figure. S11 The FT-IR spectra of Compound 2c




Figure. S12 The HRMS spectra of Compound 2c




Figure. S13 The ^1H NMR spectra Compound 2d




Figure. S14 The ^{13}C NMR spectra of Compound 2d




Figure. S15 The FT-IR spectra of Compound 2d




Figure. S16 The HRMS spectra of Compound 2d