

(2E)-2-[1-(1,3-Benzodioxol-5-yl)-3-(1H-imidazol-1-yl)Propylidene]-N-(2-chlorophenyl) Hydrazine Carboxamide: Synthesis, X-ray Structure, Hirshfeld Surface Analysis, DFT Calculations, Molecular Docking and Antifungal Profile

Reem I. Al-Wabli ^{1,*}, Alwah R. Al-Ghamdi ¹, Suchindra Amma Vijayakumar Aswathy ², Hazem A. Ghabbour ³, Mohamed H. Al-Agamy ^{4,5}, Issac Hubert Joe ² and Mohamed I. Attia ^{1,6,*}.

¹ Department of Pharmaceutical Chemistry, College of Pharmacy, King Saud University, P.O. Box 2457, Riyadh 11451, Saudi Arabia; toto24se@hotmail.com

² Center for Molecular Biophysics Research, Mar Ivanios College, Nalanchira, Thiruvanthapuram-695015, India; aswathys86@gmail.com (S.V.A.); hubertjoe@gmail.com (I.H.J.)

³ Department of Medicinal Chemistry, Faculty of Pharmacy, Mansoura University, Mansoura 35516, Egypt; aswathys86@gmail.com

⁴ Department of Pharmaceutics, College of Pharmacy, King Saud University, P.O. Box 2457, Riyadh 11451, Saudi Arabia; malagamy@KSU.EDU.SA

⁵ Microbiology and Immunology Department, Faculty of Pharmacy, Al-Azhar University, Cairo 11884, Egypt

⁶ Medicinal and Pharmaceutical Chemistry Department, Pharmaceutical and Drug Industries Research Division, National Research Centre (ID: 60014618), El Bohooth Street, Dokki, Giza 12622, Egypt

* Correspondence: ralwabli@KSU.EDU.SA (R.I.A.); Tel +966-11-805-2620 (R.I.A.); mattia@ksu.edu.sa (M.I.A.); Tel +966-146-77337 (M.I.A.)




Figure S1. Correlation plot for calculated and experimental bond lengths of semicarbazone 4.

PROTON DMSO D:\ abari 31





Figure S2. ¹H NMR spectrum of the semicarbazone 4.




Figure S3. Enlarged part of the ¹H NMR spectrum of the semicarbazone 4.




Figure S4. ¹³C NMR spectrum of the semicarbazone 4.