

Electronic Supplementary Information

to

Transport properties of thermoplastic R-BAPB polyimide: molecular-dynamics simulations and experiment

I.V. Volgin¹, M.V. Andreeva¹, S.V. Larin¹, A.L. Didenko¹, G.V. Vaganov¹, I.L. Borisov²,

A.V. Volkov², L.I. Klushin^{1,3}, S.V. Lyulin^{1,*}

¹ *Institute of Macromolecular Compounds, Russian Academy of Sciences, Russian Federation, St. Petersburg, 199004, Bolshoy pr. V.O., 31.*

² *A.V. Topchiev Institute of Petrochemical Synthesis, Russian Academy of Sciences, Russian Federation, Moscow, 119991, Leninsky pr., 29.*

³ *American University of Beirut, Department of Physics, Lebanon, Beirut 1107 2020, P.O. Box 11-0236.*

***Corresponding author, e-mail: Sergey V. Lyulin, s.v.lyulin@gmail.com**

Table S1. Properties of R-BAPB thin film membrane considered in the work.

T_g , K	T_m , K	τ_5 , K	σ , MPa	E , MPa	ϵ_r , %
485	599	805	108.4±13.5	2514±104	95.2±33.2
T_g – glass transition temperature, T_m – melting temperature, τ_5 – decomposition temperature, σ – tensile strength, E – elasticity modulus, ϵ_r – tensile strain.					




Figure S1. Time dependence of the potential, kinetic and total energies of R-BAPB sample containing
a) CH₄, b) O₂, c) N₂, or d) He at different temperatures after energy minimization.




Figure S2. Dependence of the solubility coefficient of a) CH₄, b) O₂, c) N₂, or d) He at STP conditions calculated from a single trajectory obtained at T = 300 K on the number of the test particle insertions. The arrow denotes an optimal number of insertions (n = 100000).




Figure S3. Time-dependence of mean squared displacement of a) He or b) CH₄ gas molecules in R-BAPB at different concentrations (number of gas molecules in the system) at T = 470 K calculated over 100 ns.







Figure S4. Time-dependence of the slope of the mean squared displacement of a) CH_4 , b) O_2 , c) N_2 , or d) He gas molecules in R-BAPB at different temperatures (the number of gas molecules in the system is equal 10).