

Evaluation of glycerylphytate crosslinked semi-and interpenetrated polymer membranes of hyaluronic acid and chitosan for tissue engineering

Ana Mora-Boza ^{1,2,‡}, Elena López-Ruiz ^{3, 4, 5, 6, ‡}, María Luisa López-Donaire ^{1, 2, *}, Gema Jiménez ^{3, 4, 5, 6}, María Rosa Aguilar ^{1, 2}, Juan Antonio Marchal ^{3, 4, 6, 7}, José Luis Pedraz ^{2, 8}, Blanca Vázquez-Lasa ^{1, 2, *}, Julio San Román ^{1, 2}, Patricia Gálvez-Martín ⁹

¹ Institute of Polymer Science and Technology, ICTP-CSIC. C/ Juan de la Cierva 3, 28006 Madrid, Spain.

² CIBER-BBN. Health Institute Carlos III, C/ Monforte de Lemos 3-5, Pabellón 11, 28029 Madrid, Spain.

³ Biopathology and Regenerative Medicine Institute (IBIMER), Centre for Biomedical Research, University of Granada, Granada E-18100, Spain.

⁴ Instituto de Investigación Biosanitaria de Granada (ibs.GRANADA), University Hospitals of Granada University of Granada, Granada E-18071, Spain.

⁵ Department of Health Sciences, University of Jaén, 23071 Jaén, Spain.

⁶ Excellence Research Unit “Modeling Nature” (MNat), University of Granada, Granada E-18016, Spain

⁷ Department of Human Anatomy and Embryology, Faculty of Medicine, University of Granada, Granada E-18016, Spain.

⁸ NanoBioCel Group, Laboratory of Pharmaceutics, University of the Basque Country (UPV/EHU), School of Pharmacy, Paseo de la Universidad 7, Vitoria- Gasteiz 01006, Spain.

⁹ R&D Human Health, Bioibérica S.A.U., Barcelona, Spain.

Supplementary information





Figure. S1. (A) ¹H-NMR spectrum of HAMA with 4.5% methacrylation degree

in D₂O, and (B) ATR-FTIR spectra of HA and HAMA.




Figure. S2. ATR-FTIR spectra of Ch, Ch/HA, and Ch/HAMA membranes