polymers

MDPI

Supplementary Materials

Formulation and Characterization of Alginate-Based Membranes for the Potential Transdermal Delivery of Methotrexate

Dorothea Bajas [1,†], Gabriela Vlase [1,†], Mădălina Mateescu [1], Oana Alexandra Grad [2], Mădălin Bunoiu [3,*], Titus Vlase [1,*] and Claudiu Avram [4]

[1] Research Centre for Thermal Analysis in Environmental Problems, West University of Timisoara, Pestalozzi Street 16, 300115 Timişoara, Romania; dorothea.bajas@gmail.com (D.B.); gabriela.vlase@e-uvt.ro (G.V.); madalina.mateescu@e-uvt.ro (M.M.); titus.vlase@e-uvt.ro (T.V.)

[2] Research Institute for Renewable Energy, Politehnica University of Timişoara, Piata Victoriei, No. 2, 300006 Timisoara, Romania; oana.grad@upt.ro

[3] Faculty of Physics, West University of Timisoara, B-dul V. Parvan No.4, 300223 Timisoara, Romania; madalin.bunoiu@e-uvt.ro

[4] Physical Therapy and special motricity department, West University of Timisoara, B-dul V. Parvan No.4, 300223 Timisoara, Romania; claudiu.avram@e-uvt.ro

* Correspondence: madalin.bunoiu@e-uvt.ro (M.B.); titus.vlase@e-uvt.ro (T.V.); Tel.: 0040256592166 (M.B.); 0040256592627 (T.V.)

† Equal contributions first author.




Figure S1. UV-Vis spectrum of AG.




Figure S2. UV-Vis spectrum of AGM.




Figure S3. UV-Vis spectrum of AGP.




Figure S4. UV-Vis spectrum of AGPM.




Figure S5. UV-Vis spectrum of AGT.




Figure S6. UV-Vis spectrum of AGTM.




Figure S7. UV-Vis spectrum of MTX.