

Functional Bionanocomposite Fibers of Chitosan Filled with Cellulose Nanofibers Obtained by Gel Spinning

Sofia Marquez-Bravo ^{1,2,3}, Ingo Doench ^{1,2,3}, Pamela Molina ^{1,2,3}, Flor Estefany Bentley ^{1,2,3}, Arnaud Kamdem Tamo ^{1,2,3}, Renaud Passieux ⁴, Francisco Lossada ⁵, Laurent David ⁴ and Anayancy Osorio-Madrado ^{1,2,3,*}

¹ Institute of Microsystems Engineering IMTEK, University of Freiburg, 79110 Freiburg, Germany; sofia.marquez@imtek.uni-freiburg.de (S.M.-B.); ingo.doench@imtek.uni-freiburg.de (I.D.); molina@tf.uni-freiburg.de (P.M.); estefany.bentley@imtek.uni-freiburg.de (F.E.B.); arnaud.kamdem@imtek.uni-freiburg.de (A.K.T.)

² Freiburg Materials Research Center FMC, University of Freiburg, 79104 Freiburg, Germany

³ Freiburg Center for Interactive Materials and Bioinspired Technologies FIT, University of Freiburg, 79110 Freiburg, Germany

⁴ Laboratoire Ingénierie des Matériaux Polymères IMP, CNRS UMR 5223, University Claude Bernard Lyon 1, University of Lyon, 69622 Villeurbanne Cedex, France; renaud.passieux@etu.univ-lyon1.fr (R.P.); laurent.david@univ-lyon1.fr (L.D.)

⁵ Department of Chemistry, University of Mainz, 55128 Mainz, Germany; francisco.lossada@uni-mainz.de

* Correspondence: anayancy.osorio@imtek.uni-freiburg.de; Tel.: +49-761-203-67363




Figure S1. FTIR spectra of starting chitosan powder, and after its processing into chitosan fiber (formulation CHI4% in the manuscript) and into chitosan acetate film materials.