

Multi-Armed Star Block Copolymers of Poly(ethylene glycol)-Poly(Furfuryl Glycidol) as Long Circulating Nanocarriers

Yasuhiro Nakagawa^{1,2}, Kotaro Ushidome¹, Keita Masuda¹, Kazunori Igarashi³, Yu Matsumoto³
Tatsuya Yamasoba³, Yasutaka Anraku¹, Madoka Takai¹, and Horacio Cabral^{1*}

1. Graduate School of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan.
2. School of Materials and Chemical Technology, Tokyo Institute of Technology, 2-12-1 Ookayama, Meguro-ku, Tokyo, Japan.
3. Department of Otorhinolaryngology and Head and Neck Surgery, Graduate School of Medicine and Faculty of Medicine, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo, Japan.

*Corresponding author

horacio@bmw.t.u-tokyo.ac.jp; Tel.: +81-3-5841-7138




Figure S1. ^1H -NMR spectrum (Solvent; CDCl_3) and GPC curve of TTP-PFG10




Figure S2. ^1H -NMR spectrum (Solvent; CDCl_3) and GPC curve of TTP-PFG20




Figure S3. ^1H -NMR spectrum (Solvent; CDCl_3) and GPC curve of TTP-PFG50




Figure S4. ^1H -NMR spectrum (Solvent; $\text{DMSO}-d_6$) and GPC curve of TTP-PFG10-PEG150




Figure S5. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of TTP-PFG10-PEG500




Figure S6. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of TTP-PFG10-PEG1000




Figure S7. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of TTP-PFG20-PEG70




Figure S8. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of TTP-PFG20-PEG90




Figure S9. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of TTP-PFG20-PEG430




Figure S10. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of TTP-PFG50-PEG60




Figure S11. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of TTP-PFG50-PEG150




Figure S12. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of INO-PFG10




Figure S13. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of INO-PFG10-PEG60




Figure S14. ^1H -NMR spectrum (Solvent; DMSO- d_6) and GPC curve of INO-PFG10-PEG120