The more fractal the architecture the more intensive the color of flower: a superpixel-wise analysis towards high-throughput phenotyping

Jardel da Silva Souza [1,*], Laura Monteiro Pedrosa [2], Bruno Rafael de Almeida Moreira [1], Elizanilda Ramalho do Rêgo [2] and Sandra Helena Unêda-Trevisoli [1]

[1] School of Agricultural and Veterinary Sciences, São Paulo State University (Unesp), Jaboticabal, São Paulo, Brazil, 14884-900; b.moreira@unesp.br (B.R.d.A.M.); shu.trevisoli@unesp.br (S.H.U.T.)

[2] Center for Agricultural Sciences, Federal University of Paraíba (UFPB), Areia, Paraíba, Brazil, 58397-000; pedrosamlaura@gmail.com (L.M.P.); elizanilda@cca.ufpb.br (E.R.d.R.)

* Correspondence: jardel.souza@unesp.br.

Supplementary data

Table S1. Principal components analysis for the pixel-wise intensity-fractality

Key	Latent hit	
	PC_I, Architecture compactness	PC_{II}, Pixel-wise intensity of flower's color
Eigenvalue	1.35*	1.10*
Percentage of variance	51.80	31.60
Cumulative percentage of variance	51.80	83.40
Loading		
Corolla	0.95 *	0.85 *
Petal	0.90 *	0.75 *
Filament	0.80 *	0.70 *
Anther	0.80 *	-0.65 *
Fractal dimension of architecture	-0.70 *	-0.75 *
Percentage contribution		
Corolla	35.10	40.50
Petal	24.50	31.20
Filament	12.50	5.20
Anther	5.90	3.80
Fractal dimension of architecture	22.00	19.30

nexus in processing imagery data on P. umbraticola.

Significant code: * p-value < 0.05.