

Table S1. Soil samples collected from the Bashang region of Hebei Province.

No.	Location	Soil Characteristic	Crop	Collect Time
1	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2016
2	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2017
3	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2017
4	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2018
5	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2019
6	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2019
7	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2019
8	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
9	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
10	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
11	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
12	Linsenlin Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
13	Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
14	Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
15	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
16	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
17	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
18	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
19	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
20	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
21	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
22	Wangbojigou Baishanao Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
23	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2017
24	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2017
25	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2018
26	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2018
27	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
28	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
29	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2019
30	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
31	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
32	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
33	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
34	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
35	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
36	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
37	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
38	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
39	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
40	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020

All soil samples were collected randomly.

Table S1. *Cont.*

No.	Location	Soil Characteristic	Crop	Collect Time
41	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Lettuce	2020
42	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Lettuce	2020
43	Maliantan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Lettuce	2020
44	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2016
45	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2017
46	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2018
47	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2019
48	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
49	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
50	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
51	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
52	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
53	Yongshengchang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
54	Ciershan Village, Zhangbei county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
55	Ciershan Village, Zhangbei county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
56	Damiaotan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
57	Damiaotan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
58	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2016
59	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2017
60	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2018
61	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
62	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
63	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
64	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2019
65	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
66	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cabbage	2020
67	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
68	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
69	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
70	Xishungou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
71	Langwogou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
72	Langwogou Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
73	Qinjiafang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
74	Qinjiafang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
75	Qinjiafang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Sugar beet	2020
76	Qinjiafang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
77	Qinjiafang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
78	Qinjiafang Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
79	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2016
80	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2017

Table S1. *Cont.*

No.	Location	Soil Characteristic	Crop	Collect Time
81	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
82	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
83	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
84	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
85	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
86	Wangjiawan Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
87	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2017
88	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2018
89	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
90	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
91	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Broccoli	2020
92	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
93	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
94	Lijiaying Village, Zhangbei county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
95	Haojiaying Village, Kangbao county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
96	Haojiaying Village, Kangbao county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
97	Tuchengzi Village, Kangbao county, Zhangjiakou	Loamy sand soil	Cabbage	2019
98	Tuchengzi Village, Kangbao county, Zhangjiakou	Loamy sand soil	Cabbage	2020
99	Dasiduan Village, Kangbao county, Zhangjiakou	Loamy soil	Cabbage	2018
100	Dasiduan Village, Kangbao county, Zhangjiakou	Loamy soil	Cabbage	2020
101	Dasiduan Village, Kangbao county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
102	Dasiduan Village, Kangbao county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
103	Dasiduan Village, Kangbao county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
104	Shizhuliang Village, Kangbao county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
105	Shizhuliang Village, Kangbao county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
106	Beiguan Village, Kangbao county, Zhangjiakou	Loamy sand soil	Cabbage	2020
107	Sanqingbo Village, Kangbao county, Zhangjiakou	Loamy soil	Cabbage	2020
108	Sanqingbo Village, Kangbao county, Zhangjiakou	Loamy soil	Cabbage	2020
109	Sanqingbo Village, Kangbao county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
110	Sanqingbo Village, Kangbao county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
111	Sanqingbo Village, Kangbao county, Zhangjiakou	Loamy soil	Chinese cabbage	2020
112	Jiuliancheng Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
113	Jiuliancheng Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
114	Dayawan Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2018
115	Dayawan Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
116	Dayawan Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
117	Dayawan Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
118	Sandaogou Village, Guyuan county, Zhangjiakou	Loamy sand soil	Cabbage	2017
119	Sandaogou Village, Guyuan county, Zhangjiakou	Loamy sand soil	Cabbage	2020
120	Hanjiaying Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020

Table S1. *Cont.*

No.	Location	Soil Characteristic	Crop	Collect Time
121	Hanjiaying Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
122	Hanjiaying Village, Guyuan county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
123	Dayingpan Village, Shangyi county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2019
124	Dayingpan Village, Shangyi county, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
125	Dayingpan Village, Shangyi county, Zhangjiakou	Loamy sand soil	Cabbage	2020
126	Dayingpan Village, Shangyi county, Zhangjiakou	Loamy sand soil	Cabbage	2020
127	Anjialiang Village, Shangyi county, Zhangjiakou	Loamy sand soil	Cabbage	2020
128	Anjialiang Village, Shangyi county, Zhangjiakou	Loamy sand soil	Cabbage	2020
129	Anjialiang Village, Shangyi county, Zhangjiakou	Loamy sand soil	Cabbage	2020
130	Anjialiang Village, Shangyi county, Zhangjiakou	Loamy sand soil	Broccoli	2020
131	Anjialiang Village, Shangyi county, Zhangjiakou	Loamy sand soil	Broccoli	2020
132	Anjialiang Village, Shangyi county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
133	Anjialiang Village, Shangyi county, Zhangjiakou	Loamy sand soil	Cauliflower	2020
134	Chabei management district, Zhangjiakou	Loamy sand soil	Chinese cabbage	2018
135	Chabei management district, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
136	Chabei management district, Zhangjiakou	Loamy sand soil	Potato	2020
137	Chabei management district, Zhangjiakou	Loamy sand soil	Potato	2020
138	Saibei management district, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
139	Saibei management district, Zhangjiakou	Loamy sand soil	Chinese cabbage	2020
140	Saibei management district, Zhangjiakou	Loamy sand soil	Potato	2020
141	Saibei management district, Zhangjiakou	Loamy sand soil	Potato	2020
142	Weichang manchu autonomous county, Chengde	Loamy sand soil	Carrot	2018
143	Weichang manchu autonomous county, Chengde	Loamy sand soil	Carrot	2018
144	Weichang manchu autonomous county, Chengde	Loamy sand soil	Chinese cabbage	2020
145	Weichang manchu autonomous county, Chengde	Loamy sand soil	Chinese cabbage	2020
146	Weichang manchu autonomous county, Chengde	Loamy sand soil	Chinese cabbage	2020
147	Weichang manchu autonomous county, Chengde	Loamy sand soil	Carrot	2020
148	Weichang manchu autonomous county, Chengde	Loamy sand soil	Carrot	2020
149	Weichang manchu autonomous county, Chengde	Loamy sand soil	Carrot	2020
150	Weichang manchu autonomous county, Chengde	Loamy soil	Carrot	2020
151	Weichang manchu autonomous county, Chengde	Loamy soil	Potato	2020
152	Weichang manchu autonomous county, Chengde	Loamy sand soil	Potato	2020
153	Weichang manchu autonomous county, Chengde	Loamy sand soil	Potato	2020
154	Fengning manchu autonomous county, Chengde	Loamy sand soil	Chinese cabbage	2020
155	Fengning manchu autonomous county, Chengde	Loamy sand soil	Chinese cabbage	2020
156	Fengning manchu autonomous county, Chengde	Loamy sand soil	Potato	2020
157	Fengning manchu autonomous county, Chengde	Loamy soil	Potato	2020
158	Fengning manchu autonomous county, Chengde	Loamy soil	Potato	2020

Table S2. Morphometrical comparisons of cysts and second-stage juveniles (J2s) of SCN between Bashang populations and other populations.

Character	ZM Population	KM Population	CB Population	FN Population	Japan SCN Ichinohe [37]	Gansu, Ningxia SCN Peng et al.[3]
Cyst (<i>n</i>)	20	20	20	20	100	20
Cyst length	666.75±79.79 (548.48-820.11)	692.57±70.60 (559.95-804.64)	661.38±109.12 (528.59-853.27)	619.16±102.81 (462.87-799.92)	690 (560-870)	-
Cyst width	388.56±83.32 (243.01-522.94)	420.16±61.44 (302.25-518.75)	484.34±77.23 (350.33-611.79)	361.31±66.58 (266.29-489.46)	489 (350-670)	-
Fenestral length	50.35±5.53 (40.91-57.57)	50.76±4.88 (41.11-56.73)	50.86±5.12 (40.01-57.38)	45.64±4.11 (40.01-54.37)	-	52.7±4.5 (39.8-56.1)
Fenestral width	37.94±4.38 (31.82-45.10)	35.74±3.64 (31.33-42.24)	34.18±3.24 (31.82-43.42)	37.47±2.56 (32.87-42.98)	-	37.4±4.3 (31.8-43.2)
Underbridge length	93.36±7.18 (80.78-105.79)	97.03±9.39 (82.99-114.11)	91.45±12.96 (77.47-116.41)	89.88±8.08 (78.84-107.21)	-	88±10.2 (77.8-116.7)
Vulval slit length	47.26±3.69 (40.80-52.89)	45.09±3.20 (41.22-51.66)	46.66±3.61 (40.96-51.98)	47.69±3.20 (42.82-51.54)	-	44±3.1 (40.6-51.8)
J2 (<i>n</i>)	20	20	20	20	100	35
Body length	419.25±22.45 (399.99-433.69)	423.39±11.44 (400.59-434.34)	426.80±7.93 (404.19-434.47)	429.15±15.90 (403.26-453.99)	471 (437-504)	418±15.8 (398.2-435.7)
Body width	21.69±1.14 (20.60-22.15)	21.74±0.94 (20.84-22.33)	21.28±1.02 (20.97-22.11)	21.41±0.99 (20.90-22.80)	18.3 (18.0-18.5)	-
Stylet	23.64±1.23 (22.68-24.83)	23.77±0.89 (22.85-24.48)	23.81±0.81 (22.59-24.93)	23.98±0.76 (22.38-24.77)	23.1	23±0.2 (22.6-24.8)
a	21.09±1.17 (19.70-22.48)	21.58±1.48 (19.03-23.49)	21.55±1.61 (19.88-24.21)	20.34±1.03 (19.24-21.98)	-	-
b	4.21±0.25 (3.78-4.47)	4.33±0.47 (3.67-4.58)	4.22±0.46 (3.66-4.35)	4.45±0.35 (3.97-4.64)	-	-
c	9.69±0.47 (7.78-10.10)	9.21±0.38 (7.67-9.86)	9.34±0.45 (8.26-9.99)	9.45±0.47 (8.57-10.28)	-	-
Tail length	47.03±2.76 (45.47-49.88)	46.40±2.80 (44.72-50.33)	46.80±1.27 (45.03-51.07)	46.57±1.44 (44.89-51.11)	45 (42-47)	48±3.1 (44.7-51.2)
Hyaline length	27.83±1.55 (26.91-28.48)	27.69±1.61 (25.01-29.77)	27.90±1.67 (24.38-29.47)	28.58±2.21 (25.33-29.96)	-	27.1±1.5 (24.1-30.3)
Eggs (<i>n</i>)	100	100	100	100	-	-
Length	118.46±6.45 (102.44-129.41)	117.00±8.84 (93.41-134.73)	109.83±6.50 (94.30-128.38)	112.32±5.65 (98.07-126.67)	-	-
Width	46.70±4.39 (36.55-61.74)	46.32±5.79 (32.57-59.08)	43.17±2.79 (37.90-50.68)	44.23±3.63 (39.78-54.06)	-	-

All measurements are in μm , and data are mean±SD with the range in the bracket. (n=number of specimens, a=body length/greatest body width, b=body length/distance from anterior end to junction of pharynx and intestine, c=body length/tail length).

Table S3. Morphometrical comparisons of cysts and second-stage juveniles (J2s) of SBCN between ZZ population and other populations.

Character	ZZ Population	Xinjiang, SBCN Peng et al. [20]	Turkey, SBCN Cui et al. [38]	Korea, SBCN Mwamula et al. [39]	USA, SBCN Nelson et al. [17]
Cysts (<i>n</i>)	20	20	12	20	26
Cyst length	831.71±49.41 (700.83-874.96)	752±87.2 (622.0-867.4)	700.3±80.1 (610-783)	795.8±97.1 (639.5-882.6)	701.2 (600-850)
Cyst width	476.42±67.77 (384.40-493.45)	485.2±55.3 (391.1-594.1)	459.8±52.2 (395-505)	510.8±75.1 (378.5-600.4)	469.2 (350-580)
Fenestral length	38.68±3.79 (32.63-42.62)	37.2±5.5 (32.5-43.5)	-	42.2±3.6 (36.1-45.3)	-
Fenestral width	38.02±3.28 (32.42-43.19)	27.9±4.5 (22.4-37.9)	-	28.2±4.0 (24.3-33.8)	-
Underbridge length	97.09±8.74 (77.85-112.73)	105.4±9.9 (88.1-116.7)	113.3±10.4 (98-120)	102.3±10.8 (93.7-120.8)	-
Vulval slit length	45.12±3.26 (40.83-51.38)	40.2±4.4 (37.2-48.9)	43.9±1.9 (41-45)	37.4±5.2 (30.3-42.2)	-
J2 (<i>n</i>)	20	26	20	20	21
Body length	435.73±11.21 (401.88-444.32)	442.1±13.7 (429.2-512.3)	-	484.2±11.1 (473.0-504.2)	437.1 (400-485)
Body width	21.28±0.54 (20.37-22.78)	19.7±0.9 (18.2-21.2)	-	20.3±0.9 (19.1-21.8)	-
Stylet	24.83±0.46 (22.78-24.59)	24.2±0.5 (22.3-26.5)	24.3±0.5 (24-25)	22.1±0.9 (21.3-24.3)	25
a	22.03±1.25 (20.17-24.33)	23.7±1.1 (22.2-24.8)	-	23.8±0.9 (22.9-25.1)	-
b	4.34±0.33 (3.64-4.70)	4.5±0.3 (4.1-4.7)	-	4.2±0.1 (3.7-4.6)	-
c	9.50±0.33 (8.64-10.73)	9.8±0.6 (8.9-10.1)	-	9.6±0.4 (9.4-10.0)	-
Tail length	48.25±2.25 (44.98-53.75)	50.8±2.1 (47.5-52.7)	47.0±1.4 (45-49)	49.9±1.8 (48.2-53.2)	46.6 (37.5-55.0)
Hyaline length	34.82±2.71 (32.12-35.80)	27.8±2.7 (24.7-30.9)	24.0±0.6 (23-25)	29.2±2.1 (26.7-34.3)	27.3 (20-32.5)
Eggs (<i>n</i>)	100	-	-	-	-
Length	124.22±6.34 (102.78-132.44)	-	-	-	-
Width	54.11±3.89 (45.24-65.99)	-	-	-	-

All measurements are in µm, and data are mean±SD with the range in the bracket. (n=number of specimens, a=body length/greatest body width, b=body length/distance from anterior end to junction of pharynx and intestine, c=body length/tail length).