

SUPPLEMENTAL DATA

Table S1. Estimated parameters for Equation 1 (as averages across runs and blocks within runs) for seven cultivars of warm-season turfgrass species (Jackpot, La Paloma, Riviera, Transcontinental, Yukon; SWI 2000, Pure Dynasty) subjected to four temperature regimes (5/15 °C, 10/20 °C, 15/25 °C, 20/30 °C). SE: Standard Errors; -: no too little germinations were observed.

Temperature regime (°C)	Cultivar	b	SE	d	SE	e	SE
5/15	Jackpot	-	-	-	-	-	-
5/15	La Paloma	-	-	-	-	-	-
5/15	Pure Dynasty	-	-	-	-	-	-
5/15	Riviera	-	-	-	-	-	-
5/15	SW 2000	-0.76	0.09	1.00	0.00	64.54	11.01
5/15	Transcontinental	-	-	-	-	-	-
5/15	Yukon	-	-	-	-	-	-
10/20	Jackpot	-2.78	0.30	1.00	0.00	26.95	1.16
10/20	La Paloma	-3.19	0.23	1.00	0.00	23.22	0.53
10/20	Pure Dynasty	-	-	-	-	-	-
10/20	Riviera	-	-	-	-	-	-
10/20	SW 2000	-1.21	0.06	1.00	0.00	19.83	0.84
10/20	Transcontinental	-3.34	0.42	0.96	0.16	17.88	0.98
10/20	Yukon	-4.29	2.01	0.06	0.04	18.55	3.06
15/25	Jackpot	-1.67	0.06	1.00	0.00	11.08	0.29
15/25	La Paloma	-1.89	0.07	1.00	0.00	11.30	0.26
15/25	Pure Dynasty	-2.99	0.39	0.49	0.06	14.45	0.74
15/25	Riviera	-1.62	0.09	1.00	0.00	21.43	0.73
15/25	SW 2000	-1.57	0.12	0.69	0.02	4.09	0.17
15/25	Transcontinental	-1.44	0.05	1.00	0.00	7.60	0.23
15/25	Yukon	-1.28	0.13	0.66	0.07	10.07	1.06
20/30	Jackpot	-3.50	0.15	0.76	0.02	5.82	0.09
20/30	La Paloma	-5.13	0.19	0.87	0.01	5.74	0.05
20/30	Pure Dynasty	-2.48	0.20	0.59	0.03	10.48	0.39
20/30	Riviera	1.84	8.27	-2.72	218.75	0.76	0.45
20/30	SW 2000	-2.34	0.13	0.70	0.02	3.99	0.10
20/30	Transcontinental	-4.46	0.17	0.91	0.01	4.53	0.05
20/30	Yukon	-3.34	0.20	0.50	0.02	6.55	0.13