

Table 1. Sequences of primers used in this study for quantitative real-time PCR.

Gene	Forward	Reverse
<i>Cidea</i>	CGGGAATAGCCAGAGTCACC	TGTGCATCGGATGTCGTAGG
<i>Cited1</i>	GCGGTAAAAGATCGCAAGGC	TTGTAGAAGGGGTGGCAGTA
<i>Cpt1</i>	CTGAGCCATGAAGCCCTCAA	CACACCCACCACCACGATAA
<i>Fgf21</i>	CGTCTGCCTCAGAAGGACTC	TCTACCATGCTCAGGGGGTC
<i>Hsl</i>	CGGTG CGAAAAGGCAAGAT	GCAAAGACATTAGACAGCCGC
<i>Pgc-1α</i>	ATGTGCAGCCAAGACTCTGTA	CGCTACACCACTTCAATCCAC
<i>Prdm16</i>	CCCCACATTCCGCTGTGAT	CTCGCAATCCTTGCACTCA
<i>Tbx1</i>	CGAATGTTCCCCACGTTCCA	GTCTACTCGGCCAGGTGTAG
<i>Tmem26</i>	GAAACCAGTATTGCAGCACCC	CCAGACCGGTTACATACCA
<i>Ucp1</i>	CCTGCCTCTCTCGGAAACAA	GTAGCGGGGTTTGATCCCAT