

Supplementary materials

Title: IL-18 signaling in the rat central amygdala is disrupted in a comorbid model of post-traumatic stress and alcohol use disorder.

Authors:

Vittoria Borgonetti^{1*}, Bryan Cruz^{1*}, Valentina Vozella^{1*}, Sophia Khom^{1,2}, Michael Q. Steinman¹, Ryan Bullard¹, Shannon D'Ambrosio¹, Christopher S. Oleata¹, Roman Vlkolinsky¹, Michal Bajo¹, Eric P. Zorrilla¹, Dean Kirson^{1,3} & Marisa Roberto^{1#}

Affiliation:

¹Department of Molecular Medicine, The Scripps Research Institute, La Jolla, CA, USA 92073


²Department of Pharmaceutical Sciences, University of Vienna, Josef-Holaubek-Platz 2, Vienna, A 1090, Austria

²Department of Pharmacology, Addiction Science, and Toxicology, The University of Tennessee Health Science Center, Memphis, TN, USA 38163

Correspondence:

* These authors contributed equally

Marisa Roberto, The Scripps Research Institute, Department of Molecular Medicine, 10550 North Torrey Pines Road; La Jolla, California 92037; USA. Email: mroberto@scripps.edu



Supplementary Figure S1 Representative negative control images in the CeA of male and female indicate negligible fluorescence intensity for all the channels. Scale bar: 10 μ m.