

Table S1. Demographic traits of woman distinguished according to the histopathological type of the cancer; in the Table shows: mean± SD, median (Q2), minimum and maximum values, N – sample size

Type histopathological of cancer	N	Age (years)	BMI (mass / height ²)	Years of menstruation (years)	Number of births (n)	Mass of newborn (g)	Average time of breastfeeding (months)	Total time of breastfeeding (months)
NH	8	59.0±9.71; 56.5; 47-75	29.78±3.963; 30.1; 23.4-34.7	36.1±3.83; 36.0; 32-43	2.7±1.58; 2; 1-6	3367.5±480.56; 3450; 2350-3950	4.4±2.82; 3.5; 2-11	13.1±13.27; 9.0; 3-44
AH	4	53.0±3.65; 53.0; 49-57	24.58±1.357; 24.6; 23.0-26.2	37.8±4.57; 37.5; 33-43	2.0±0.82; 2; 1-3	3455.0±373.85; 3485; 3000-3850	3.8±1.50; 3.0; 3-6	7.5±3.87; 7.5; 3-12
G1	49	60.3±9.39; 59.0; 42-83	30.81±5.825; 31.1; 20.0-45.9	35.8±4.75; 36.0; 14-44	2.7±1.68; 2; 0-7	3510.0±426.49; 3510; 2700-4790 *N=42	7.2±6.14; 6.0; 0-21 *N=47	23.9±23.75; 13.0; 0-80 *N=47
G2	146	63.0±9.87; 63.0; 35-87	30.74±5.837; 30.2; 18.3-49.2	36.6±5.16; 37.0; 17-49	2.5±1.57; 2; 0-8	3431.2±486.53; 3500; 1900-4760 *N=129	5.9±7.24; 3.0; 0-48 *N=145	18.5±26.70; 6.0; 0-144 *N=145
G3	6	60.5±8.02; 60.5; 48-72	29.08±6.385; 27.4; 21.3-39.0	37.5±4.89; 37.5; 30-43	2.8±1.33; 3; 1-5	3463.3±677.54; 3715; 2600-4100	7.7±8.59; 3.0; 1.5-22.0	23.3±26.10; 12.4; 2-66
SA	8	69.6±8.52; 71.5; 56-80	30.05±6.582; 28.4; 21.6-40.4	36.6±3.29; 36.5; 30-41	4.8±1.49; 4.5; 3-7	3553.8±453.49; 3595; 2960-4140	6.4±4.69; 6.0; 1.5-12.0	29.7±25.93; 23.4; 6-84
CCA	4	71.2±5.38; 71.2; 65-78	25.48±6.956; 25.4; 17.1-34.1	36.2±2.22; 36.0; 34-39	2.5±1.00; 2; 2-4	3482.5±363.17; 3525; 3000-3880	10.3±5.50; 8.6; 6-18	24.0±10.08; 23.9; 12-36
MA	5	63.0±7.78;	31.76±4.396;	39.8±5.89;	4.2±4.38;	3620.0±480.62;	6.0±4.64;	24.4±28.05;

65.0; 51-72	32.9; 26.1-37.1	37.0; 34-49	2; 2-12	3530; 3040-4150	6.0; 1-12	18.0; 2-72
----------------	--------------------	----------------	------------	--------------------	--------------	---------------