

Table S2. The primer sequences used for qRT-PCR.

Gene	Forward primer (5'-3')	Reverse primer (5'-3')
<i>jg5712</i>	CCACGGCCTGCTTTTCAAAA	TGGACGTGCTGCAGGAATAA
<i>jg6225</i>	GTTTGGTGGTGGCACTGTTG	GGCAACCACCAAGTTTGTGT
<i>jg7597</i>	CCAAAGTTTCCGGTTTCAA	ACCAATGGTTCAGGAAACGA
<i>jg7600</i>	CATCTTCAGCAGTGGGAGCA	AGAAGCAAGGGTGAAGGGTG
<i>jg7622</i>	TTGCGAGAACCTGGCGAATA	CAACACCGGAAATCGTCCCT
<i>jg12912</i>	TCATGGACTGTTGGAGGTGC	AAACTTTAGCCTGGGGTCCG
<i>jg19402</i>	CAAACCTCGCCCTCTCTCTGG	TCTGTGGACCCTTGGATGAGA
<i>jg19416</i>	CAAAAAGGCTGCTTCTGGTC	AGGGAACACCAACAAATGGA
<i>jg21301</i>	GTGGTTCAGGAGGCAATGGA	GCACATTGGAAATCACGGGG
<i>jg25807</i>	CAATGCCAAACACGCCAAGA	GAACTCCAAGGCTTCGGTGA
<i>jg25997</i>	GCAGTGGACGAAGCTAACCT	TGCCAAAACGTAACCCTCGA
<i>jg30941</i>	CAGACCCATCAGTGCCCTAC	CATGGAAGGGTTGGTGGTGA
<i>jg31682</i>	GGAGGAGGAACATCAAAAGGGT	CAGTAGCTGGCTTCTCGTATCA
<i>jg32966</i>	ATTTGCCCTTACTGCGGTGA	GAACCAGACCTCCCAATCCG
<i>VrActin</i>	GGCATCCACGAGACAACA	AGCCTCCAATCCAGACAC