

Supplementary

Source–Receptor Relationships and Cluster Analysis of CO₂, CH₄, and CO Concentrations in West Africa: The Case of Lamto in Côte d'Ivoire

Dro Touré Tiemoko ^{1,*}, Fidèle Yoroba ^{1,2}, Jean-Daniel Paris ³, Adama Diawara ^{1,2}, Antoine Berchet ³, Isabelle Pison ³, Aurélie Riandet ⁴ and Michel Ramonet ³

¹ Laboratory of Atmosphere Physic and Mechanic Fluids (LAPA-MF), University Felix Houphouet-Boigny, UFR SSMT, 22 BP 582 Abidjan 22, Côte d'Ivoire ; yorofidele@gmail.com (F.Y.) ; diawara_adama@yahoo.fr (A.D.)

² Geophysical Station of Lamto (GSL), BP 31 N'Douci, Cote d'Ivoire

³ Laboratoire des Sciences du Climat et de l'Environnement (LSCE), IPSL, CEA-CNRS UVSQ, Université Paris-Saclay, Orme des Merisiers-91191, Gif-sur-Yvette, France ; jean-daniel.paris@lsce.ipsl.fr (J.D.P.); antoine.berchet@lsce.ipsl.fr (A.B.); Isabelle.Pison@lsce.ipsl.fr (I.P.); michel.ramonet@lsce.ipsl.fr (M.R.)

⁴ Institut Méditerranéen de Biodiversité et d'Ecologie Marine et Continentale (IMBE), Aix Marseille University, Avignon Université, CNRS, IRD, Marseille 13000, France ; aurelie.riandet@gmail.com

* Correspondence: ttouredro017@gmail.com




Figure S1. Average PES in each cluster, Logarithmic color scale shows the log 10 of residence time, i.e. the PES below 5000 m. (a–d): Cluster A–D.




Figure S2. Average PES in each cluster in the boundary layer, Logarithmic color scale shows the log 10 of residence time. (a–d): Cluster A–D.